EDDWALIRO

BCM

MEDICAL CENTRE

WE LISTEN. WE TREAT. WE CARE.


01 – 03	**Door film**	THREE GLAZED DOORWAYS, 8 PANES EACH	32 PANES
04	**Sign post**	NAME-ONLY PANEL, DOUBLE SIDED	3 FT 10 IN × 1 FT 10 IN
05	**Banners**	ROADSIDE FENCE, THREE DESIGNS	16 FT × 49 IN EACH



DOOR 1



SIGN POST



BANNER B-1

32 PANES · 1 PANEL · 3 BANNERS · 29 PHOTOGRAPHS

PRINT-READY ARTWORK, PROOFS, ELEVATIONS, SCHEDULES AND SPECIFICATIONS.

MEASURED TO THE CLINIC'S OWN PREMISES.

What is in the set

Five groups. Inside each: print files at 1 : 1, a multi-page proof, elevations, a README, a licence record and a web preview. The folder names below are the folder names in the zip.

	FOLDER	WHAT IT IS	TYPE
01	DOOR-1/	DOOR 1 — TESTING AND TREATMENT	ONE-WAY VISION FILM · 8 PANES
02	DOOR-2/	DOOR 2 — THE WELCOME DOOR	ONE-WAY VISION FILM · 8 PANES
03	DOOR-3/	DOOR 3 — FAMILY, EYE, ENT AND WARD	OPAQUE FILM · 8 PANES
04	DOOR-4/	DOOR 4 — DISPENSARY AND DIAGNOSTICS	ONE-WAY VISION FILM · 8 PANES
05	SIGN/	SIGN POST PANEL	DOUBLE-SIDED PANEL · 1168 × 559 MM
06	BANNERS/	ROADSIDE BANNERS	PVC BANNERS · THREE AT 16 FT × 49 IN

AND AT THE TOP OF THE ZIP

- BCM-Complete-Set.pdf — this document: contents, pane schedules, the sign post, the banners, the full licence table and the handover checklist.
- README.md — the same story in text, with the rebuild commands.
- MANIFEST.csv — every file in the set with its type and size, for checking the handover.
- index.html — the set as a web page; open it in a browser and everything links.
- print/ — one print PDF per piece: 32 panes, 3 sign faces, 3 banners, numbered 01–38, with PRINT-INDEX.pdf and a manifest. This is the folder the printer wants; the multi-page proofs are for approval only.
- complete/ — the master proof, manifest, README and index on their own, if you only want the paperwork.

NOT DUPLICATED

- The per-group zips (BCM-Door-1-package.zip and so on) are left out of the set: they hold the same files you already have here. They stay on each group's own page for handing a single job to a single supplier.

Door 1 — testing and treatment

Testing and treatment. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D1-P1	HIV CARE	900 × 500	PH-09 GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR
D1-P2	PHARMACY	900 × 400	PH-28 HANDS HOLDING A STRIP OF TABLETS
D1-P3	MALARIA	900 × 500	PH-11 MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN
D1-P4	CBC	900 × 400	PH-10 GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE
D1-P5	LABORATORY	900 × 400	PH-05 LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCO
D1-P6	ANTENATAL	900 × 500	PH-24 ULTRASOUND EXAMINATION OF A PREGNANT PATIENT
D1-P7	OUTPATIENT	900 × 400	PH-08 DOCTOR CONSULTING A PATIENT ACROSS A DESK
D1-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-1/artwork/D1-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-1/BCM-Door-1-Panels.pdf.
- Schedule and specification in door-1/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 2 — the welcome door

General medicine and dispensing. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D2-P1	WELCOME	900 × 500	PH-01 RECEPTIONIST ASSISTING A PATIENT AT A MODERN R
D2-P2	MINOR SURGERY	900 × 400	PH-14 SURGICAL INSTRUMENTS LAID OUT ON A STERILE TAB
D2-P3	OBS & GYN	900 × 500	PH-19 DOCTOR CONSULTING A PREGNANT PATIENT
D2-P4	GENERAL OUTPATIENT	900 × 400	PH-12 NURSE TAKING A BLOOD PRESSURE READING WITH A D
D2-P5	PHARMACY	900 × 400	PH-27 PHARMACIST HANDING DISPENSED MEDICINE ACROSS T
D2-P6	IMMUNISATION	900 × 500	PH-32 A CHILD RECEIVING A VACCINATION SHOT, HELD BY
D2-P7	HIV CARE	900 × 400	PH-18 HANDS PREPARING A RAPID TEST KIT ON A WHITE TA
D2-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-2/artwork/D2-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-2/BCM-Door-2-Panels.pdf.
- Schedule and specification in door-2/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 3 — family, eye, ENT and ward

Family, eye, ent and ward care. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. Opaque film: this door is not see-through.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D3-P1	ANTENATAL & POSTNATAL	900 × 500	PH-26 OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON
D3-P2	EYE SERVICES	900 × 400	PH-29 EYE EXAMINATION ON A VISION TESTING INSTRUMENT
D3-P3	PAEDIATRICS	900 × 500	PH-03 PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOS
D3-P4	MINOR SURGERY	900 × 400	PH-22 SURGICAL TOOLS ARRANGED ON A STERILE SURFACE
D3-P5	ULTRASOUND	900 × 400	PH-25 CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A
D3-P6	ENT	900 × 500	PH-30 OTOSCOPE EXAMINATION OF AN EAR
D3-P7	INPATIENT CARE	900 × 400	PH-31 INPATIENT BEDS IN A HOSPITAL ROOM
D3-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-3/artwork/D3-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-3/BCM-Door-3-Panels.pdf.
- Schedule and specification in door-3/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 4 — dispensary and diagnostics

Dispensary, laboratory and scanning. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D4-P1	PHARMACY	900 × 500	PH-17 PHARMACIST HANDING MEDICINE ACROSS A DISPENSAR
D4-P2	LABORATORY	900 × 400	PH-21 SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE
D4-P3	CBC	900 × 500	PH-15 BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFU
D4-P4	ULTRASOUND	900 × 400	PH-07 ULTRASOUND SCANNER AND EXAMINATION COUCH IN A
D4-P5	LABORATORY	900 × 500	PH-16 SCIENTIST WORKING AT A MICROSCOPE
D4-P6	CBC	900 × 400	PH-23 BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE
D4-P7	OPEN 24 HOURS	900 × 400	— TYPE ONLY
D4-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-4/artwork/D4-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-4/BCM-Door-4-Panels.pdf.
- Schedule and specification in door-4/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

The sign post panel

Name only — no service list, no photograph, no motto. Trim 1168.4 × 558.8 mm, the client's 3 ft 10 in × 1 ft 10 in, double-sided, for a lighting board. The face is built to the sign already standing on the road: BCM on a white band, MEDICAL CENTRE in white on navy, EDDWALIRO knocked out of a full-width red block, OPEN 24 HRS between two arrows, then a navy foot strip with 0788 323 815 · 0754 132 715 and BUSSABALA. Red carries the colour; the bands are thin and sit with white between them, so the box still lights evenly.



ON THE POST — PANEL CENTRE 1500 MM ABOVE GROUND

WHAT IS SUPPLIED


- print/ — the signwriter's pack: the exact-size file (page = 46 × 22 in), the bleed version, each face alone, the cyan-field spare and READ-ME-FIRST.txt.
- artwork/BCM-Sign-Name-Only-Red.pdf — the red-on-white lit face, 1 : 1 mm.
- artwork/BCM-Sign-Name-Only-Spare-Cyan.pdf — the cyan field, same size, spare.
- BCM-Sign-Panel.pdf — four pages: the panel to scale, the three faces, on the post, specification.
- lookbook/ — day and night elevations and the dimensioned drawing.

FIXING — CONFIRM ON SITE

- Backlit-grade face: translucent diffusing acrylic or backlit film, not vinyl on opaque composite. The red bleeds into white when lit from behind, so hold it as a spot colour and check a lit sample. Industry-typical, not a quotation.
- Proposal: two 76 mm galvanised posts at 520 mm centres; panel centre 1500 mm above finished ground level.
- Check 3 ft 10 in × 1 ft 10 in against the panel the signwriter is actually making before plotting.

The roadside banners

Three lengths on the fence, three different layouts, one identity - and, since the client asked for it on 2026-11-07, the sign post's own banded pattern: BCM on the white field, MEDICAL CENTRE in white on navy, EDDWALIRO in white on the red block, Open 24 Hrs between the arrows, then a service list from the clinic's board and a navy foot strip with the numbers, the motto and BUSSABALA. Only the layout differs from banner to banner.




B-1 — The road banner

4,877 × 1,245 MM · 4.9 M × 1.0 M · 6.07 M²

READ AT SPEED, FROM THE ROAD. PHOTOGRAPH ON THE LEFT, THE NAME ON THE RIGHT.

SERVICES: GENERAL OUTPATIENT, LABORATORY, PHARMACY, ULTRASOUND, MINOR SURGERY, HIV CARE




B-2 — The services banner

4,877 × 1,245 MM · 4.9 M × 1.0 M · 6.07 M²

READ STANDING STILL, AT THE GATE. THE LIST DOES THE WORK, TWO PHOTOGRAPHS CARRY IT.

SERVICES: PAEDIATRICS, IMMUNISATION, ANTENATAL & POSTNATAL, OBS & GYN, FAMILY PLANNING, EYE SERVICES



B-3 — The long banner

4,877 × 1,245 MM · 4.9 M × 1.0 M · 6.07 M²

THE LONG RUN ALONG THE FENCE: THE NAME SET AS LARGE AS IT WILL GO, ONE PHOTOGRAPH AT THE RIGHT HAND END, ONE LINE OF SERVICES.

SERVICES: INPATIENT CARE, ENT, ORTHOPAEDICS, TRAVEL MEDICAL EXAM

PRODUCTION — CONFIRM WITH THE PRINTER

- 510 g/m² PVC, matte, 40 mm welded hem, eyelets at 500 mm centres; the artwork keeps 60 mm clear of the trim. Fix every eyelet — a 4.9 m banner sails.
- One print file per banner in banners/artwork/, 1 : 1 mm with 10 mm bleed.

38 pieces, 38 print files

Every piece is supplied on its own in print/, numbered in the order a job should be run: one file per pane, one per sign face, one per banner — all 1 : 1 in millimetres with bleed, crop marks and a slug strip.

DOOR FILM — 24 PANES

ONE FILE PER PANE, PANE PLUS 10 MM BLEED, CUT TO THE SIZE IN THE NAME.

01-D1-P1-HIV-CARE-900x500.pdf	02-D1-P2-PHARMACY-900x400.pdf	03-D1-P3-MALARIA-900x500.pdf	04-D1-P4-CBC-900x400.pdf
05-D1-P5-LABORATORY-900x400.pdf	06-D1-P6-ANTENATAL-900x500.pdf	07-D1-P7-OUTPATIENT-900x400.pdf	08-D1-P8-OUR-SERVICES-900x500.pdf
09-D2-P1-WELCOME-900x500.pdf	10-D2-P2-MINOR-SURGERY-900x400.pdf	11-D2-P3-OBS-AND-GYN-900x500.pdf	12-D2-P4-GENERAL-OUTPATIENT-900x400.pdf
13-D2-P5-PHARMACY-900x400.pdf	14-D2-P6-IMMUNISATION-900x500.pdf	15-D2-P7-HIV-CARE-900x400.pdf	16-D2-P8-OUR-SERVICES-900x500.pdf
17-D3-P1-ANTENATAL-AND-POSTNATAL-900x500.pdf	18-D3-P2-EYE-SERVICES-900x400.pdf	19-D3-P3-PAEDIATRICS-900x500.pdf	20-D3-P4-MINOR-SURGERY-900x400.pdf
21-D3-P5-ULTRASOUND-900x400.pdf	22-D3-P6-ENT-900x500.pdf	23-D3-P7-INPATIENT-CARE-900x400.pdf	24-D3-P8-OUR-SERVICES-900x500.pdf
25-D4-P1-PHARMACY-900x500.pdf	26-D4-P2-LABORATORY-900x400.pdf	27-D4-P3-CBC-900x500.pdf	28-D4-P4-ULTRASOUND-900x400.pdf
29-D4-P5-LABORATORY-900x500.pdf	30-D4-P6-CBC-900x400.pdf	31-D4-P7-OPEN-24-HOURS-900x400.pdf	32-D4-P8-OUR-SERVICES-900x500.pdf

SIGN POST — 3 FACES

THE LIT RED FACE, ONCE PER SIDE OF THE BOARD, PLUS THE CYAN-FIELD SPARE.

33-SIGN-A-FACE-A-1168x559.pdf	34-SIGN-A-FACE-B-1168x559.pdf	35-SIGN-SPARE-CYAN-FIELD-1168x559.pdf

BANNERS — 3

ONE FILE PER BANNER, 60 MM CLEAR OF THE TRIM FOR THE HEM AND THE EYELETS.

36-B1-ROAD-4877x1245.pdf	37-B2-SERVICES-4877x1245.pdf	38-B3-LONG-4877x1245.pdf

ALSO IN PRINT/

- PRINT-INDEX.pdf and print-manifest.csv — every job with piece, type, finished size and file name, as a document and as a job sheet.
- REPORT.md — the folder explained, grouped by the three suppliers.
- BCM-Print-Files.zip — the print files and the index on their own.

Every photograph, and its licence

All photography is licensed from Pexels under its free licence: commercial use, modification, no attribution required. Frames marked R were colour-retouched with AI assistance so the people read Black African, as asked. The people are models — no pane, sign or banner names them as BCM staff or patients. Working files are web resolution; repeat the retouch on the full-resolution originals before any of this is printed large.

ASSET	PHOTOGRAPH	CREATOR	PEXELS		USED IN
PH-01	RECEPTIONIST ASSISTING A PATIENT AT A MODERN RECEPTI	CEDRIC FAUNTLEROY	4269206	—	D2-P1, B-3
PH-03	PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOSCOPE	PAVEL DANILYUK	5998457	—	D3-P3
PH-05	LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCOPE	PAVEL DANILYUK	8442574	—	D1-P5, B-2
PH-06	PHARMACISTS EXAMINING MEDICINE ON DISPENSARY SHELVIN	COTTONBRO STUDIO	8657370	—	B-1
PH-07	ULTRASOUND SCANNER AND EXAMINATION COUCH IN A CLINIC	MART PRODUCTION	7089304	—	D4-P4
PH-08	DOCTOR CONSULTING A PATIENT ACROSS A DESK	COTTONBRO STUDIO	7580254	—	D1-P7
PH-09	GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR TESTI	ALENA SHEKHOVTCOVA	6074931	—	D1-P1
PH-10	GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE OVER A	LOS MUERTOS CREW	8460340	—	D1-P4
PH-11	MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN IN KAD	SAEED SAEED	32946369	—	D1-P3
PH-12	NURSE TAKING A BLOOD PRESSURE READING WITH A DIGITAL	COTTONBRO STUDIO	5721672	—	D2-P4
PH-14	SURGICAL INSTRUMENTS LAID OUT ON A STERILE TABLE	ANNA SHVETS	6291179	—	D2-P2
PH-15	BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFUGE	KAROLA G	6627696	—	D4-P3
PH-16	SCIENTIST WORKING AT A MICROSCOPE	RON LACH	9768447	—	D4-P5
PH-17	PHARMACIST HANDING MEDICINE ACROSS A DISPENSARY COUN	COTTONBRO STUDIO	8657358	—	D4-P1
PH-18	HANDS PREPARING A RAPID TEST KIT ON A WHITE TABLE	COTTONBRO STUDIO	5712679	—	D2-P7
PH-19	DOCTOR CONSULTING A PREGNANT PATIENT	MART PRODUCTION	7089401	—	D2-P3
PH-20	PHARMACIST ARRANGING BOTTLES IN A DISPENSARY CABINET	COTTONBRO STUDIO	8657295	—	B-2
PH-21	SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE	MIKHAIL NILOV	8851548	—	D4-P2
PH-22	SURGICAL TOOLS ARRANGED ON A STERILE SURFACE	PAVEL DANILYUK	7108125	—	D3-P4
PH-23	BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE	KAROLA G	6627697	—	D4-P6
PH-24	ULTRASOUND EXAMINATION OF A PREGNANT PATIENT	MART PRODUCTION	7088826	—	D1-P6
PH-25	CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A CLINI	MART PRODUCTION	7089041	—	D3-P5
PH-26	OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON THE MO	MART PRODUCTION	7089394	—	D3-P1
PH-27	PHARMACIST HANDING DISPENSED MEDICINE ACROSS THE COU	COTTONBRO STUDIO	8657359	—	D2-P5
PH-28	HANDS HOLDING A STRIP OF TABLETS	COTTONBRO STUDIO	3923159	—	D1-P2
PH-29	EYE EXAMINATION ON A VISION TESTING INSTRUMENT	ANTONI SHKRABA	6749698	—	D3-P2
PH-30	OTOSCOPE EXAMINATION OF AN EAR	KAROLA G	5206951	—	D3-P6
PH-31	INPATIENT BEDS IN A HOSPITAL ROOM	MAXX SAS	39128512	—	D3-P7
PH-32	A CHILD RECEIVING A VACCINATION SHOT, HELD BY A PARE	CP KHANAL	20471645	—	D2-P6

PEXELS FREE LICENCE — COMMERCIAL USE, MODIFICATION AND NO ATTRIBUTION REQUIRED, NOT FOR RESALE UNALTERED, NOT FOR IMPLYING ENDORSEMENT. CHECKED 29 OCTOBER 2026. THE B MONOGRAM IS A RECREATION, NOT BCM'S OFFICIAL LOGO.

Who gets what

Three suppliers, three different jobs. Send each the folder named, nothing else — the film printer has no use for the banner files, and the signwriter should not be scaling anything.

SUPPLIER	SEND	FILES	WHAT TO SAY
ONE-WAY VISION PRINTER	DOOR-1/ DOOR-2/ DOOR-3/	24 PANE PDFS + 3 PANEL PROOFS	PERFORATED FILM, 2.3 MM PITCH; D2 MUST STAY SEE-THROUGH, D3 IS OPAQUE
SIGNWRITER	SIGN/	SIGN PANEL A (OR B) + 4-PAGE PROOF	ACM 3 MM, TWO POSTS, PANEL CENTRE 1500 MM
BANNER PRINTER	BANNERS/	3 BANNER PDFS + 6-PAGE PROOF	PVC 510 G, WELDED HEM, EYELETS AT 500 MM

OPEN ITEMS — ANSWER THESE BEFORE ANYTHING IS PLOTTED

- The official BCM logo vector. The B monogram here is a recreation in the client's colours; swapping it is one line in source/bcm_brand.py.
- Spelling of EDDWALIRO — set as supplied, worth confirming before plate-making.
- Whether the sign post and the door fascia carry the motto and the telephone; both are present and can be dropped or added in minutes.
- Sign post size, checked against the panel the signwriter is actually making.
- Photographs: the working files are 843–1264 px. Approve the look, then either repeat the retouch on the Pexels originals or photograph the clinic's own team.
- Measurement check on each doorway before the film is cut: 900 mm high panes, 500 mm outer, 400 mm against the meeting stile.

REBUILD EVERYTHING

cd source · python3 bcm_doors.py · python3 bcm_sign.py · python3 bcm_banners.py · python3 bcm_master.py