EDDWALIRO

BCM


MEDICAL CENTRE

WE LISTEN. WE TREAT. WE CARE.


01 – 03	**Door film**	THREE GLAZED DOORWAYS, 8 PANES EACH	32 PANES
04	**Sign post**	NAME-ONLY PANEL, DOUBLE SIDED	3 FT 10 IN × 1 FT 10 IN
05	**Banners**	ROADSIDE FENCE, THREE LENGTHS	3.8 / 3.4 / 2.4 M



DOOR 1



SIGN POST



BANNER B-1

32 PANES · 1 PANEL · 3 BANNERS · 29 PHOTOGRAPHS

PRINT-READY ARTWORK, PROOFS, ELEVATIONS, SCHEDULES AND SPECIFICATIONS.

MEASURED TO THE CLINIC'S OWN PREMISES.

What is in the set

Five groups. Inside each: print files at 1 : 1, a multi-page proof, elevations, a README, a licence record and a web preview. The folder names below are the folder names in the zip.

	FOLDER	WHAT IT IS	TYPE
01	DOOR-1/	DOOR 1 — TESTING AND TREATMENT	ONE-WAY VISION FILM · 8 PANES
02	DOOR-2/	DOOR 2 — THE WELCOME DOOR	ONE-WAY VISION FILM · 8 PANES
03	DOOR-3/	DOOR 3 — FAMILY, EYE, ENT AND WARD	OPAQUE FILM · 8 PANES
04	DOOR-4/	DOOR 4 — DISPENSARY AND DIAGNOSTICS	ONE-WAY VISION FILM · 8 PANES
05	SIGN/	SIGN POST PANEL	DOUBLE-SIDED PANEL · 1168 × 559 MM
06	BANNERS/	ROADSIDE BANNERS	PVC BANNERS · 3.8 / 3.4 / 2.4 M × 1.0 M

AND AT THE TOP OF THE ZIP

- BCM-Complete-Set.pdf — this document: contents, pane schedules, the sign post, the banners, the full licence table and the handover checklist.
- README.md — the same story in text, with the rebuild commands.
- MANIFEST.csv — every file in the set with its type and size, for checking the handover.
- index.html — the set as a web page; open it in a browser and everything links.
- print/ — one print PDF per piece: 32 panes, 3 sign faces, 3 banners, numbered 01–38, with PRINT-INDEX.pdf and a manifest. This is the folder the printer wants; the multi-page proofs are for approval only.
- complete/ — the master proof, manifest, README and index on their own, if you only want the paperwork.

NOT DUPLICATED

- The per-group zips (BCM-Door-1-package.zip and so on) are left out of the set: they hold the same files you already have here. They stay on each group's own page for handing a single job to a single supplier.

Door 1 — testing and treatment

Testing and treatment. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D1-P1	HIV CARE	900 × 500	PH-09 GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR
D1-P2	PHARMACY	900 × 400	PH-28 HANDS HOLDING A STRIP OF TABLETS
D1-P3	MALARIA	900 × 500	PH-11 MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN
D1-P4	CBC	900 × 400	PH-10 GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE
D1-P5	LABORATORY	900 × 400	PH-05 LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCO
D1-P6	ANTENATAL	900 × 500	PH-24 ULTRASOUND EXAMINATION OF A PREGNANT PATIENT
D1-P7	OUTPATIENT	900 × 400	PH-08 DOCTOR CONSULTING A PATIENT ACROSS A DESK
D1-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-1/artwork/D1-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-1/BCM-Door-1-Panels.pdf.
- Schedule and specification in door-1/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 2 — the welcome door

General medicine and dispensing. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D2-P1	WELCOME	900 × 500	PH-01 RECEPTIONIST ASSISTING A PATIENT AT A MODERN R
D2-P2	MINOR SURGERY	900 × 400	PH-14 SURGICAL INSTRUMENTS LAID OUT ON A STERILE TAB
D2-P3	OBS & GYN	900 × 500	PH-19 DOCTOR CONSULTING A PREGNANT PATIENT
D2-P4	GENERAL OUTPATIENT	900 × 400	PH-12 NURSE TAKING A BLOOD PRESSURE READING WITH A D
D2-P5	PHARMACY	900 × 400	PH-27 PHARMACIST HANDING DISPENSED MEDICINE ACROSS T
D2-P6	IMMUNISATION	900 × 500	PH-32 A CHILD RECEIVING A VACCINATION SHOT, HELD BY
D2-P7	HIV CARE	900 × 400	PH-18 HANDS PREPARING A RAPID TEST KIT ON A WHITE TA
D2-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-2/artwork/D2-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-2/BCM-Door-2-Panels.pdf.
- Schedule and specification in door-2/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 3 — family, eye, ENT and ward

Family, eye, ent and ward care. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. Opaque film: this door is not see-through.



ELEVATION — DAY, TO SCALE

PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D3-P1	ANTENATAL & POSTNATAL	900 × 500	PH-26 OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON
D3-P2	EYE SERVICES	900 × 400	PH-29 EYE EXAMINATION ON A VISION TESTING INSTRUMENT
D3-P3	PAEDIATRICS	900 × 500	PH-03 PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOS
D3-P4	MINOR SURGERY	900 × 400	PH-22 SURGICAL TOOLS ARRANGED ON A STERILE SURFACE
D3-P5	ULTRASOUND	900 × 400	PH-25 CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A
D3-P6	ENT	900 × 500	PH-30 OTOSCOPE EXAMINATION OF AN EAR
D3-P7	INPATIENT CARE	900 × 400	PH-31 INPATIENT BEDS IN A HOSPITAL ROOM
D3-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-3/artwork/D3-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-3/BCM-Door-3-Panels.pdf.
- Schedule and specification in door-3/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

Door 4 — dispensary and diagnostics

Dispensary, laboratory and scanning. Eight panes, 900 mm high: four at 900 × 500 mm on the outer edges, four at 900 × 400 mm against the meeting stile. One-way vision film — you can see out through the print from inside.



ELEVATION — DAY, TO SCALE


PANE	SERVICE	GLASS H × W	PHOTOGRAPH
D4-P1	PHARMACY	900 × 500	PH-17 PHARMACIST HANDING MEDICINE ACROSS A DISPENSAR
D4-P2	LABORATORY	900 × 400	PH-21 SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE
D4-P3	CBC	900 × 500	PH-15 BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFU
D4-P4	ULTRASOUND	900 × 400	PH-07 ULTRASOUND SCANNER AND EXAMINATION COUCH IN A
D4-P5	LABORATORY	900 × 500	PH-16 SCIENTIST WORKING AT A MICROSCOPE
D4-P6	CBC	900 × 400	PH-23 BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE
D4-P7	OPEN 24 HOURS	900 × 400	— TYPE ONLY
D4-P8	OUR SERVICES	900 × 500	— TYPE ONLY

ON THIS DOOR

- Print files: door-4/artwork/D4-P1…P8.pdf, 1 : 1 mm with bleed, slug and crop marks. All eight pages also in door-4/BCM-Door-4-Panels.pdf.
- Schedule and specification in door-4/docs/ — pane positions, film, installation, open items.
- No photograph on this door appears on either of the other two, and no service repeats door to door.

The sign post panel

Name only — no service list, no photograph. Trim 1168.4 × 558.8 mm, the client's 3 ft 10 in × 1 ft 10 in, double-sided, for a lighting board. The face is built light: a cyan field, EDDWALIRO and BCM in white, MEDICAL CENTRE in navy as the widest line, the motto under a short rule. No monogram — BCM stands in its place. Low ink coverage keeps the light even across the panel.



ON THE POST — PANEL CENTRE 1500 MM ABOVE GROUND

WHAT IS SUPPLIED


- print/ — the signwriter's pack: the lit face, both faces in one file, each face alone, the white-field spare and READ-ME-FIRST.txt.
- artwork/BCM-Sign-Name-Only-Lit.pdf — the lit cyan face, 1 : 1 mm.
- artwork/BCM-Sign-Name-Only-Lit-White.pdf — the same on white, spare.
- BCM-Sign-Panel.pdf — four pages: the panel to scale, the two options, on the post, specification.
- lookbook/ — day and night elevations and the dimensioned drawing.

FIXING — CONFIRM ON SITE

- Backlit-grade face: translucent diffusing acrylic or backlit film, not vinyl on opaque composite. Industry-typical, not a quotation.
- Proposal: two 76 mm galvanised posts at 520 mm centres; panel centre 1500 mm above finished ground level.
- Check 3 ft 10 in × 1 ft 10 in against the panel the signwriter is actually making before plotting.

The roadside banners

Three lengths on the fence, three different layouts, one identity. Each carries EDDWALIRO at the head, the badge and BCM, MEDICAL CENTRE as the widest line, the motto, a service list from the clinic's own board, the two premises numbers and Open 24 hours.



B-1 — The road banner

3,800 × 1,000 MM · 3.8 M × 1.0 M · 3.80 M²

READ AT SPEED, FROM THE ROAD. PHOTOGRAPH ON THE LEFT, THE NAME ON THE RIGHT.

SERVICES: GENERAL OUTPATIENT, LABORATORY, PHARMACY, ULTRASOUND, MINOR SURGERY, HIV CARE




B-2 — The services banner

3,400 × 1,000 MM · 3.4 M × 1.0 M · 3.40 M²

READ STANDING STILL, AT THE GATE. THE LIST DOES THE WORK, TWO PHOTOGRAPHS CARRY IT.

SERVICES: PAEDIATRICS, IMMUNISATION, ANTENATAL & POSTNATAL, OBS & GYN, FAMILY PLANNING, EYE SERVICES



B-3 — The compact banner

2,400 × 1,000 MM · 2.4 M × 1.0 M · 2.40 M²

THE SHORT RUN: THE NAME SET AS LARGE AS IT WILL GO, ONE PHOTOGRAPH, ONE LINE OF SERVICES.

SERVICES: INPATIENT CARE, ENT, ORTHOPAEDICS, TRAVEL MEDICAL EXAM

PRODUCTION — CONFIRM WITH THE PRINTER

- 510 g/m² PVC, matte, 40 mm welded hem, eyelets at 500 mm centres; the artwork keeps 60 mm clear of the trim. Fix every eyelet — a 3.8 m banner sails.
- One print file per banner in banners/artwork/, 1 : 1 mm with 10 mm bleed.

38 pieces, 38 print files

Every piece is supplied on its own in print/, numbered in the order a job should be run: one file per pane, one per sign face, one per banner — all 1 : 1 in millimetres with bleed, crop marks and a slug strip.

DOOR FILM — 24 PANES

ONE FILE PER PANE, PANE PLUS 10 MM BLEED, CUT TO THE SIZE IN THE NAME.

01-D1-P1-HIV-CARE-900x500.pdf	02-D1-P2-PHARMACY-900x400.pdf	03-D1-P3-MALARIA-900x500.pdf	04-D1-P4-CBC-900x400.pdf
05-D1-P5-LABORATORY-900x400.pdf	06-D1-P6-ANTENATAL-900x500.pdf	07-D1-P7-OUTPATIENT-900x400.pdf	08-D1-P8-OUR-SERVICES-900x500.pdf
09-D2-P1-WELCOME-900x500.pdf	10-D2-P2-MINOR-SURGERY-900x400.pdf	11-D2-P3-OBS-AND-GYN-900x500.pdf	12-D2-P4-GENERAL-OUTPATIENT-900x400.pdf
13-D2-P5-PHARMACY-900x400.pdf	14-D2-P6-IMMUNISATION-900x500.pdf	15-D2-P7-HIV-CARE-900x400.pdf	16-D2-P8-OUR-SERVICES-900x500.pdf
17-D3-P1-ANTENATAL-AND-POSTNATAL-900x500.pdf	18-D3-P2-EYE-SERVICES-900x400.pdf	19-D3-P3-PAEDIATRICS-900x500.pdf	20-D3-P4-MINOR-SURGERY-900x400.pdf
21-D3-P5-ULTRASOUND-900x400.pdf	22-D3-P6-ENT-900x500.pdf	23-D3-P7-INPATIENT-CARE-900x400.pdf	24-D3-P8-OUR-SERVICES-900x500.pdf
25-D4-P1-PHARMACY-900x500.pdf	26-D4-P2-LABORATORY-900x400.pdf	27-D4-P3-CBC-900x500.pdf	28-D4-P4-ULTRASOUND-900x400.pdf
29-D4-P5-LABORATORY-900x500.pdf	30-D4-P6-CBC-900x400.pdf	31-D4-P7-OPEN-24-HOURS-900x400.pdf	32-D4-P8-OUR-SERVICES-900x500.pdf

SIGN POST — 3 FACES

OPTION A FACE A, OPTION A FACE B, AND THE FASCIA ALTERNATIVE FACE A — ONE FILE PER SIDE OF THE BOARD.

33-SIGN-A-FACE-A-1168x559.pdf	34-SIGN-A-FACE-B-1168x559.pdf	35-SIGN-C-FACE-A-1168x559.pdf

BANNERS — 3

ONE FILE PER BANNER, 60 MM CLEAR OF THE TRIM FOR THE HEM AND THE EYELETS.

36-B1-ROAD-3800x1000.pdf	37-B2-SERVICES-3400x1000.pdf	38-B3-COMPACT-2400x1000.pdf

ALSO IN PRINT/

- PRINT-INDEX.pdf and print-manifest.csv — every job with piece, type, finished size and file name, as a document and as a job sheet.
- REPORT.md — the folder explained, grouped by the three suppliers.
- BCM-Print-Files.zip — the print files and the index on their own.

Every photograph, and its licence

All photography is licensed from Pexels under its free licence: commercial use, modification, no attribution required. Frames marked R were colour-retouched with AI assistance so the people read Black African, as asked. The people are models — no pane, sign or banner names them as BCM staff or patients. Working files are web resolution; repeat the retouch on the full-resolution originals before any of this is printed large.

ASSET	PHOTOGRAPH	CREATOR	PEXELS		USED IN
PH-01	RECEPTIONIST ASSISTING A PATIENT AT A MODERN RECEPTI	CEDRIC FAUNTLEROY	4269206	—	D2-P1, B-3
PH-03	PAEDIATRICIAN EXAMINING A CHILD WITH A STETHOSCOPE	PAVEL DANILYUK	5998457	—	D3-P3
PH-05	LABORATORY TECHNICIAN AT A TRINOCULAR MICROSCOPE	PAVEL DANILYUK	8442574	—	D1-P5, B-2
PH-06	PHARMACISTS EXAMINING MEDICINE ON DISPENSARY SHELVIN	COTTONBRO STUDIO	8657370	—	B-1
PH-07	ULTRASOUND SCANNER AND EXAMINATION COUCH IN A CLINIC	MART PRODUCTION	7089304	—	D4-P4
PH-08	DOCTOR CONSULTING A PATIENT ACROSS A DESK	COTTONBRO STUDIO	7580254	—	D1-P7
PH-09	GLOVED HAND HOLDING TWO BLOOD SAMPLE TUBES FOR TESTI	ALENA SHEKHOVTCOVA	6074931	—	D1-P1
PH-10	GLOVED HANDS HANDLING A PURPLE-TOP BLOOD TUBE OVER A	LOS MUERTOS CREW	8460340	—	D1-P4
PH-11	MACRO PHOTOGRAPH OF A MOSQUITO ON SKIN, TAKEN IN KAD	SAEED SAEED	32946369	—	D1-P3
PH-12	NURSE TAKING A BLOOD PRESSURE READING WITH A DIGITAL	COTTONBRO STUDIO	5721672	—	D2-P4
PH-14	SURGICAL INSTRUMENTS LAID OUT ON A STERILE TABLE	ANNA SHVETS	6291179	—	D2-P2
PH-15	BLOOD SAMPLE TUBES IN A RACK BESIDE A CENTRIFUGE	KAROLA G	6627696	—	D4-P3
PH-16	SCIENTIST WORKING AT A MICROSCOPE	RON LACH	9768447	—	D4-P5
PH-17	PHARMACIST HANDING MEDICINE ACROSS A DISPENSARY COUN	COTTONBRO STUDIO	8657358	—	D4-P1
PH-18	HANDS PREPARING A RAPID TEST KIT ON A WHITE TABLE	COTTONBRO STUDIO	5712679	—	D2-P7
PH-19	DOCTOR CONSULTING A PREGNANT PATIENT	MART PRODUCTION	7089401	—	D2-P3
PH-20	PHARMACIST ARRANGING BOTTLES IN A DISPENSARY CABINET	COTTONBRO STUDIO	8657295	—	B-2
PH-21	SCIENTIST EXAMINING SAMPLES AT A MICROSCOPE	MIKHAIL NILOV	8851548	—	D4-P2
PH-22	SURGICAL TOOLS ARRANGED ON A STERILE SURFACE	PAVEL DANILYUK	7108125	—	D3-P4
PH-23	BLOOD SAMPLES IN A RACK WITH A CENTRIFUGE	KAROLA G	6627697	—	D4-P6
PH-24	ULTRASOUND EXAMINATION OF A PREGNANT PATIENT	MART PRODUCTION	7088826	—	D1-P6
PH-25	CLINICIAN OPERATING AN ULTRASOUND SCANNER IN A CLINI	MART PRODUCTION	7089041	—	D3-P5
PH-26	OB-GYN BESIDE THE ULTRASOUND MACHINE, SCAN ON THE MO	MART PRODUCTION	7089394	—	D3-P1
PH-27	PHARMACIST HANDING DISPENSED MEDICINE ACROSS THE COU	COTTONBRO STUDIO	8657359	—	D2-P5
PH-28	HANDS HOLDING A STRIP OF TABLETS	COTTONBRO STUDIO	3923159	—	D1-P2
PH-29	EYE EXAMINATION ON A VISION TESTING INSTRUMENT	ANTONI SHKRABA	6749698	—	D3-P2
PH-30	OTOSCOPE EXAMINATION OF AN EAR	KAROLA G	5206951	—	D3-P6
PH-31	INPATIENT BEDS IN A HOSPITAL ROOM	MAXX SAS	39128512	—	D3-P7
PH-32	A CHILD RECEIVING A VACCINATION SHOT, HELD BY A PARE	CP KHANAL	20471645	—	D2-P6

PEXELS FREE LICENCE — COMMERCIAL USE, MODIFICATION AND NO ATTRIBUTION REQUIRED, NOT FOR RESALE UNALTERED, NOT FOR IMPLYING ENDORSEMENT. CHECKED 29 OCTOBER 2026. THE B MONOGRAM IS A RECREATION, NOT BCM'S OFFICIAL LOGO.

Who gets what

Three suppliers, three different jobs. Send each the folder named, nothing else — the film printer has no use for the banner files, and the signwriter should not be scaling anything.

SUPPLIER	SEND	FILES	WHAT TO SAY
ONE-WAY VISION PRINTER	DOOR-1/ DOOR-2/ DOOR-3/	24 PANE PDFS + 3 PANEL PROOFS	PERFORATED FILM, 2.3 MM PITCH; D2 MUST STAY SEE-THROUGH, D3 IS OPAQUE
SIGNWRITER	SIGN/	SIGN PANEL A (OR B) + 4-PAGE PROOF	ACM 3 MM, TWO POSTS, PANEL CENTRE 1500 MM
BANNER PRINTER	BANNERS/	3 BANNER PDFS + 6-PAGE PROOF	PVC 510 G, WELDED HEM, EYELETS AT 500 MM

OPEN ITEMS — ANSWER THESE BEFORE ANYTHING IS PLOTTED

- The official BCM logo vector. The B monogram here is a recreation in the client's colours; swapping it is one line in source/bcm_brand.py.
- Spelling of EDDWALIRO — set as supplied, worth confirming before plate-making.
- Whether the sign post and the door fascia carry the motto and the telephone; both are present and can be dropped or added in minutes.
- Sign post size, checked against the panel the signwriter is actually making.
- Photographs: the working files are 843–1264 px. Approve the look, then either repeat the retouch on the Pexels originals or photograph the clinic's own team.
- Measurement check on each doorway before the film is cut: 900 mm high panes, 500 mm outer, 400 mm against the meeting stile.

REBUILD EVERYTHING

cd source · python3 bcm_doors.py · python3 bcm_sign.py · python3 bcm_banners.py · python3 bcm_master.py