
a
Own-FIT assessment, conditioned on Raw
Patient AUROC
0.70
0.68
0.66
0.64
0.62
1
2
3
4
5
Appearance-weighted mean
0 1 2 3 4 5 6 7 8 9
Added physiological groups, k
b
Patient Macro-F1
0.60
0.58
0.56
0.54
0.52
Grey: five original folds
Open points: chosen k (fold number)
0 1 2 3 4 5 6 7 8 9
Added physiological groups, k
c
Ten training-patient weight re-selections
log bp beta
log bp low gamma 0.1 0.1
partial HG 80 125 0.1
rms legacy 0.2 0.4 0.1
variance 0.4
Line length / s 0.2 0.1 0.1
Spectral entropy (10-125) 0.6 0.8 0.5
log variance stable 0.2
hjorth mobility per second 0.1 0.4 0.2
hjorth complexity stable 0.1 0.1
permutation entropy m3 tau1 0.1 0.3
spectral centroid 13 95 0.1
log gamma beta ratio 0.1
partial HG fraction 80 125 0.4 0.1
spectral flatness 13 95 0.3 0.2
spectral slope proxy 20 95 notchgap 0.1 0.2 0.1
normalized line length 0.1 0.3
clipped excess kurtosis 0.1 0.5
stable log beta 0.3
stable log low gamma 0.1 0.2
stable log partial HG 0.5
partial alpha 10 13 legacy 0.4
log total power 10 125 legacy 0.1
hjorth mobility legacy 0.3
hjorth complexity legacy 0.2 0.4 0.2
Graph: degree norm 0.2
Graph: strength norm 0.1 0.2
Graph: clustering coeff 0.2
Graph: eigenvector centrality 0.5
Graph: pagerank 0.5
Graph: kcore norm 0.3 0.1
Graph: local efficiency 0.4
1 (k=1)
2 (k=0)
3 (k=9)
4 (k=2)
5 (k=1)
Original fold
Selection frequency
1.0
0.5
0.0