
Database Name

farm2market_db

1. users

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
FULL_NAME	VARCHAR(150)	NOT NULL
EMAIL	VARCHAR(150)	UNIQUE NOT NULL
PHONE	VARCHAR(20)	UNIQUE NOT NULL
PASSWORD	VARCHAR(255)	NOT NULL
ROLE	ENUM('farmer','buyer','coldroom','logistics','admin')	NOT NULL
IS_VERIFIED	BOOLEAN	DEFAULT FALSE
IS_ACTIVE	BOOLEAN	DEFAULT TRUE
CREATED_AT	TIMESTAMP	DEFAULT NOW()
UPDATED_AT	TIMESTAMP	DEFAULT NOW()

2. farmer_profiles

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
FARM_NAME	VARCHAR(150)	NOT NULL
CROP_TYPES	TEXT	NOT NULL
STATE	VARCHAR(100)	NOT NULL
LGA	VARCHAR(100)	NOT NULL
BANK_NAME	VARCHAR(100)	NOT NULL
ACCOUNT_NAME	VARCHAR(150)	NOT NULL
ACCOUNT_NUMBER	VARCHAR(20)	NOT NULL

3. buyer_profiles

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
DELIVERY_ADDRESS	TEXT	NOT NULL
PREFERRED_PAYMENT	VARCHAR(50)	NULL

4. coldroom_profiles

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
FACILITY_NAME	VARCHAR(150)	NOT NULL
STATE	VARCHAR(100)	NOT NULL
LGA	VARCHAR(100)	NOT NULL
CAPACITY	DECIMAL(10,2)	NOT NULL
AVAILABLE_CAPACITY	DECIMAL(10,2)	NOT NULL
PRICE_PER_TONNE	DECIMAL(12,2)	NOT NULL
POWER_SOURCE	VARCHAR(100)	NOT NULL
RATING	DECIMAL(2,1)	DEFAULT 0

5. logistics_profiles

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
VEHICLE_TYPE	VARCHAR(100)	NOT NULL
LOAD_CAPACITY	DECIMAL(10,2)	NOT NULL
SERVICE_REGION	VARCHAR(255)	NOT NULL
RATING	DECIMAL(2,1)	DEFAULT 0

6. produce_listings

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
FARMER_ID	UUID	FK → farmer_profiles(id)
PRODUCE_NAME	VARCHAR(100)	NOT NULL
QUANTITY	DECIMAL(10,2)	NOT NULL
PRICE_PER_KG	DECIMAL(12,2)	NOT NULL
HARVEST_DATE	DATE	NOT NULL
QUALITY_GRADE	VARCHAR(20)	NOT NULL
DESCRIPTION	TEXT	NULL
STATUS	ENUM('available','sold_out','inactive')	DEFAULT 'available'
CREATED_AT	TIMESTAMP	DEFAULT NOW()

7. listing_images

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
LISTING_ID	UUID	FK → produce_listings(id)
IMAGE_URL	TEXT	NOT NULL

8. saved_listings

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
BUYER_ID	UUID	FK → buyer_profiles(id)
LISTING_ID	UUID	FK → produce_listings(id)
CREATED_AT	TIMESTAMP	DEFAULT NOW()

9. orders

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
BUYER_ID	UUID	FK → buyer_profiles(id)
LISTING_ID	UUID	FK → produce_listings(id)
QUANTITY	DECIMAL(10,2)	NOT NULL
TOTAL_PRICE	DECIMAL(12,2)	NOT NULL
STATUS	ENUM('pending','paid','processing','completed','cancelled')	DEFAULT 'pending'
CREATED_AT	TIMESTAMP	DEFAULT NOW()

10. bookings

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
COLDROOM_ID	UUID	FK → coldroom_profiles(id)
FARMER_ID	UUID	FK → farmer_profiles(id)
PRODUCE_TYPE	VARCHAR(100)	NOT NULL
QUANTITY	DECIMAL(10,2)	NOT NULL
START_DATE	DATE	NOT NULL
END_DATE	DATE	NOT NULL
TOTAL_COST	DECIMAL(12,2)	NOT NULL
STATUS	ENUM('pending','confirmed','cancelled','completed')	DEFAULT 'pending'
CREATED_AT	TIMESTAMP	DEFAULT NOW()

11. booking_history

Column	Data Type	Constraints
id	UUID	PK
booking_id	UUID	FK → bookings(id)
action	VARCHAR(100)	NOT NULL
created_at	TIMESTAMP	DEFAULT NOW()

12. logistics_requests

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
BOOKING_ID	UUID	FK → bookings(id)
LOGISTICS_PARTNER_ID	UUID	FK → logistics_profiles(id)
PICKUP_ADDRESS	TEXT	NOT NULL
DELIVERY_ADDRESS	TEXT	NOT NULL
ESTIMATED_COST	DECIMAL(12,2)	NOT NULL
STATUS	ENUM('pending','assigned','picked_up','in_transit','delivered','cancelled')	DEFAULT 'pending'
PICKUP_DATE	TIMESTAMP	NULL
DELIVERY_DATE	TIMESTAMP	NULL

13. payments

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
ORDER_ID	UUID	FK → orders(id)
AMOUNT	DECIMAL(12,2)	NOT NULL
PAYMENT_METHOD	VARCHAR(50)	NOT NULL
REFERENCE	VARCHAR(255)	UNIQUE NOT NULL
STATUS	ENUM('pending','successful','failed','refunded')	DEFAULT 'pending'
PAID_AT	TIMESTAMP	NULL

14. wallets

COLUMN	DATA TYPE	CONSTRAINTS
--------	-----------	-------------

ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
BALANCE	DECIMAL(12,2)	DEFAULT 0
CREATED_AT	TIMESTAMP	DEFAULT NOW()
UPDATED_AT	TIMESTAMP	DEFAULT NOW()

15. wallet_transactions

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
WALLET_ID	UUID	FK → wallets(id)
TYPE	ENUM('fund','payment','refund','withdrawal')	NOT NULL
AMOUNT	DECIMAL(12,2)	NOT NULL
REFERENCE	VARCHAR(255)	UNIQUE NOT NULL
STATUS	ENUM('pending','successful','failed')	DEFAULT 'pending'
DESCRIPTION	TEXT	NULL
CREATED_AT	TIMESTAMP	DEFAULT NOW()

16. notifications

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id)
TITLE	VARCHAR(150)	NOT NULL
MESSAGE	TEXT	NOT NULL
TYPE	VARCHAR(50)	NOT NULL
IS_READ	BOOLEAN	DEFAULT FALSE
CREATED_AT	TIMESTAMP	DEFAULT NOW()

17. notification_preferences

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
USER_ID	UUID	FK → users(id) UNIQUE
SMS_ENABLED	BOOLEAN	DEFAULT TRUE
EMAIL_ENABLED	BOOLEAN	DEFAULT TRUE
PUSH_ENABLED	BOOLEAN	DEFAULT TRUE
ORDER_UPDATES	BOOLEAN	DEFAULT TRUE
BOOKING_UPDATES	BOOLEAN	DEFAULT TRUE
PAYMENT_UPDATES	BOOLEAN	DEFAULT TRUE
MARKETING_UPDATES	BOOLEAN	DEFAULT FALSE

18. reviews

COLUMN	DATA TYPE	CONSTRAINTS
ID	UUID	PK
REVIEWER_ID	UUID	FK → users(id)
REVIEWED_USER_ID	UUID	FK → users(id)
RATING	INTEGER	CHECK (rating BETWEEN 1 AND 5)
COMMENT	TEXT	NULL
STATUS	ENUM('pending','approved','rejected')	DEFAULT 'pending'
CREATED_AT	TIMESTAMP	DEFAULT NOW()

Relationships Summary

Parent	Child	Relationship
users	farmer_profiles	One-to-One
users	buyer_profiles	One-to-One
users	coldroom_profiles	One-to-One
users	logistics_profiles	One-to-One
farmer_profiles	produce_listings	One-to-Many

produce_listings	listing_images	One-to-Many
buyer_profiles	saved_listings	One-to-Many
produce_listings	saved_listings	One-to-Many
buyer_profiles	orders	One-to-Many
produce_listings	orders	One-to-Many
orders	payments	One-to-One
users	wallets	One-to-One
wallets	wallet_transactions	One-to-Many
coldroom_profiles	bookings	One-to-Many
farmer_profiles	bookings	One-to-Many
bookings	booking_history	One-to-Many
bookings	logistics_requests	One-to-Many
users	notifications	One-to-Many
users	notification_preferences	One-to-One
users	reviews	One-to-Many (as reviewer and reviewed user)