

Results

Independent Samples T-Test

Independent Samples T-Test

	U	df	p	VS-MPR*	Rank-Biserial Correlation	SE Rank-Biserial Correlation
Acuracia	160.0		.003	22.81	0.444	0.167

Note. For the Mann-Whitney test, effect size is given by the rank biserial correlation.

Note. Mann-Whitney U test.

* Vovk-Sellke Maximum *p*-Ratio: Based on a two-sided *p*-value,the maximum possible odds in favor of H₁ over H₀ equals 1/(-e *p* log(*p*)) for *p* ≤ .37 (Sellke, Bayarri, & Berger, 2001).

Assumption Checks

Test of Normality (Shapiro-Wilk)

Residuals	W	p
Acuracia	0.902	< .001


Note. Significant results suggest a deviation from normality.

Descriptives

Group Descriptives

	Group	N	Mean	SD	SE	Coefficient of variation	Mean Rank	Sum Rank
Acuracia	Controle	24	71.67	15.51	3.166	0.216	19.17	460.0
	Experimental	24	85.00	12.16	2.482	0.143	29.83	716.0

Descriptives Plots



Descriptive Statistics

Descriptive Statistics

	Acuracia	
	Controle	Experimental
Valid	24	24
Missing	0	0
Mean (arithmetic)	71.67	85.00
Std. Deviation	15.51	12.16
Minimum	40.00	60.00
Maximum	100.0	100.0

Boxplots

Acuracia

