Investigación en Ciencias de la Computación CI-0134

Avance 2 - Identificación de elementos web faltantes usando técnicas de procesamiento de lenguaje natural


Gilbert Márquez Aldana - B94560 Daniel Artavia Cordero - B70771

El Problema

Problema

```
from selenium import webdriver
from selenium.webdriver.common.keys import Keys
from selenium.webdriver.common.by import By

driver = webdriver.Firefox()
driver.get("http://www.python.org")
# Get the HTML element with the name 'q'
elem = driver.find_element(By.NAME, "q") # This is what usually fails
elem.clear()
# Type 'pycon' in the search box and hit Enter
elem.send_keys("pycon")
elem.send_keys(Keys.RETURN)
# Check that it found results
assert "No results found." not in driver.page_source
driver.close()
```



Problema

driver = webdriver.Firefox()

driver.get("http://www.python.org")
Get the HTML element with the name 'g'

```
elem = driver.find element(By.NAME, "search")
   elem.clear()
   # Type 'pycon' in the search box and hit Enter
    elem send keys("nycon")
 (Selenium) fignewton@pop-os:~/Documents/Selenium/src$ /home/fignewton/Documents/Selenium/bin/pvthon /home/fignewton/Documents/Selenium/src$ /home/fignewton/Selenium/src$ /home/fignewton/
Traceback (most recent call last):
    File "/home/fignewton/Documents/Selenium/src/test.py", line 8, in <module>
         elem = driver.find element(By.NAME, "search") # This is what usually fails
    File "/home/fignewton/Documents/Selenium/lib/python3.10/site-packages/selenium/webdriver/remote/webdriver.py", line 831, in find element
         return self.execute(Command.FIND ELEMENT, {"using": by, "value": value})["value"]
    File "/home/fignewton/Documents/Selenium/lib/python3.10/site-packages/selenium/webdriver/remote/webdriver.py", line 440, in execute
         self.error handler.check response(response)
    File "/home/fignewton/Documents/Selenium/lib/python3.10/site-packages/selenium/webdriver/remote/errorhandler.py", line 245, in check response
         raise exception class(message, screen, stacktrace)
selenium.common.exceptions.NoSuchElementException: Message: Unable to locate element: [name="search"]
Stacktrace:
RemoteError@chrome://remote/content/shared/RemoteError.sys.mjs:8:8
WebDriverError@chrome://remote/content/shared/webdriver/Errors.sys.mjs:180:5
NoSuchElementError@chrome://remote/content/shared/webdriver/Errors.sys.mjs:392:5
element.find/</achrome://remote/content/marionette/element.sys.mjs:134:16
```

¿Qué se propone?

- Utilizar técnicas de NLP
- Analizar el contexto en el DOM
- Analizar etiquetas y atributos
- Identificar los cambios en localizadores

Metodología

Tecnologías

Beautiful Soup

Parsing del HTML

Long Short-Term Memory (LSTM) Network - TensorFlow

- Predicción de secuencias
- Predice la próxima palabra o elemento
- Mejor desempeño ante palabras fuera del vocabulario

Tokenización

```
<html lang="es" dir="ltr" prefix="content: http://purl.org/rss/1.0/modules/content/ dc: http:</pre>
  000/01/rdf-schema# sioc: http://rdfs.org/sioc/ns# sioct: http://rdfs.org/sioc/types# skos: h
<head>
  rel="profile" href="http://www.w3.org/1999/xhtml/vocab" />
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="apple-touch-icon" href="/sites/all/themes/ecci_bootstrap/img/apple-touch-icon.pr</pre>
<link rel="canonical" href="/inicio" />

<
  <title>Escuela de Ciencias de la Computación e Informática | Escuela de Ciencias de la Comput
<link type="text/css" rel="stylesheet" href="https://www.ecci.ucr.ac.cr/sites/default/files/
<link type="text/css" rel="stylesheet" href="https://www.ecci.ucr.ac.cr/sites/default/files/cs</pre>
<link type="text/css" rel="stylesheet" href="https://www.ecci.ucr.ac.cr/sites/default/files/cs</pre>
<link type="text/css" rel="stylesheet" href="https://www.ecci.ucr.ac.cr/sites/default/files/cs</pre>
<style>background-color:white:
</style>
<link type="text/css" rel="stylesheet" href="/sites/all/themes/ecci bootstrap/vendor/bootstra</pre>
<link type="text/css" rel="stylesheet" href="https://www.ecci.ucr.ac.cr/sites/default/files/cs</pre>
  <script src="/sites/all/themes/ecci_bootstrap/vendor/modernizr/modernizr.min.js"></script>
<body class="html front not-logged-in no-sidebars page-node page-node- page-node-147 node-type</pre>
    <a href="#main-content" class="element-invisible element-focusable">Pasar al contenido prin
    <div class="body front">
```


html head link meta meta link link meta meta link link link title titleend link link link link bodyfronthtmli18nesnosidebarsnodetypepagenotloggedinpagenodepagenodepagenode147 divskiplink ael divcontainer divcollg8colmd8colsm12colxs12 a imgimgresponsive aend divend divcollg4colmd4colsm1 ifafauser iend aend liend li a ifafaat iend aend liend li a ifafaphone iend aend liend li a aen divcontainerheadercontainer divheaderrow divheadercolumn divheaderrow divheadersearchhiddenxs formcontentsearchformsearchsearchblockform div div h2elementinvisible h2end divinputgroup input spanglyphiconglyphiconsearchicon spanend buttonend spanend divend divformactionsformgroupformwr input divend divend formend sectionend divend divend navheadernavtop ulnavnavpills lihiddenxs a iend aend liend li spanwsnowrap a ifafaphone iend aend spanend liend ulend navend divend divhea divcollapseheadernavmainheadernavmaineffect1headernavmainsubeffect1 nav ulmenunavnavbarnav liac aend liend li a aend liend lidropdownsubmenu adropdowntoggle aend uldropdownmenu li a aend lien uldropdownmenu li a aend liend li a aend liend ulend liend lidropdownsubmenu adropdowntoggle ae aend uldropdownmenu li a aend liend li a aend liend lidropdownsubmenu adropdowntoggle aend uldr uldropdownmenu li a aend liend li a aend liend li a aend liend ulend liend lidropdownsubmenu ad aend uldropdownmenu li a aend liend ulend liend ulend liend ulend liend lidropdown adropdowntog uldropdownmenu li a aend liend adropdowntoggle aend uldropdownmenu li a aend liend ulend liend li a aend liend li a aend liend uldropdownmenu li a aend liend li a aend liend li a aend liend li a aend liend ulend liend li a end liend li a aend liend li a aend liend ulend liend li a aend liend li a aend liend ulend l lidropdown adropdowntoggle aend uldropdownmenu li a aend liend ulend liend ulend navend divend divrevsliderwrapperslidercontainervisiblelgvisiblemd divregionregionslider sectionblockblockrev divbannerfullwidthbannerrsbanner ul li img divbtlgbtnbtnguaternarysfttpcaptiontpresizeme a br a divskewfromrighttpcaptiontpresizeme img divend divlfltpcaptiontpresizeme img divend divlargebol divfademediumlargelightwhitetpcaptiontpresizeme divend divfadetpcaptiontpresizeme divend divske img divbtnbtnlgbtnguaternarysfttextlefttpcaptiontpresizeme br br br divend liend li img divsftt divsfttpcaptiontpresizeme ima divend liend ulend divtpbannertimer divend divend divend divend s sectionblockblockblockblockblockclearfixblockblock102 divcontainer divrow divcolmd8 p span span sectionend divend divend divcontainer divcenterrow divcolmd12spaceblocks divregionregioncontent articleclearfixnodenodepagenodepromotednode147 header spanelementhiddenrdfmeta spanend spanelem divfielditems divevenfielditem divcontainer divcenterrow divcolmd12spaceblocks plead pend diven sectiongrayblock divcontainer divcolsm12spaceblocks divcolmd9 divregionregionhighlighted sectio

Entrenamiento


- Recorrer documento por "ventanas" o secuencias
- El tamaño de la ventana es un parámetro configurable

html head link meta meta link link meta meta link link link title titleend link link link link

Modelo





Nuestro Producto (Paso 1)



Nuestro Producto (Paso 2)







eta meta link link link title titleend link link link link style styleend link link script scri invisible aend divend divbodyfront sectioncleansection divcintilloucrcolmd12 divcontainer divco apper navsubmenu ul li a aend liend li a ifafauser iend aend liend li a ifafaat iend aend lienc divcontainerheadercontainer divheaderrow divheadercolumn divheaderrow divheadersearchhiddenxs kform div div h2elementinvisible h2nd divinputgroup imthemissingid spaninputgroupbtn buttonbtnl tactions buttonbtnbtndefaultelementinvisibleformsubmiteditsubmit buttonend divend input input ifafaangleright iend aend liend lihiddenxs a ifafaangleright iend aend liend li spanwsnowrap a ars iend buttonend divcollapseheadernavmainheadernavmaineffect1headernavmainsubeffect1 nav ulme aend liend lidropdownsubmenu adropdowntoggle aend uldropdownmenu li a aend liend li a aend lien aend liend ulend liend lidropdownsubmenu adropdowntoggle aend uldropdownmenu li a aend liend li enu adropdowntoggle aend uldropdownmenu li a aend liend ulend liend li a aend liend lidropdowns owntoggle aend uldropdownmenu li a aend liend li a aend liend lidropdownsubmenu adropdowntoggle li a aend liend li a aend liend lidropdownsubmenu adropdowntoggle aend uldropdownmenu li a aend gle aend uldropdownmenu lidropdownsubmenu adropdowntoggle aend uldropdownmenu li a aend liend u nd uldropdownmenu li a aend liend li a aend liend li a aend liend li a aend liend ulend liend l li a aend liend ulend liend li a aend liend li a aend liend ulend liend lidropdown adropdownto li a aend liend ulend liend ulend navend divend divend divend divend divend divend divend heade ${\sf Iderclearfixblockrevslider12}$ divr ${\sf swrapper1}$ div ${\sf fullwidthcontainer}$ div ${\sf bannerfullwidthbannerrsbanner}$

```
Original Element ID: inputformcontrolformtexteditsearchblockform2
Expected New Element ID: imthemissingid
   # Travel the new document
    new_data = open('/content/drive/MyDrive/ecci.new.html.corpus', 'r', encoding='utf-8').read().split()
    original_id = 'inputformcontrolformtexteditsearchblockform2'
    new_id = None
    for i in range(0, len(new_data) - window):
        words = ' '.join(new_data[i:i+window])
        if predict(words) == original_id:
            new_id = new_data[i+window]
    print('Could not find the new element' if new_id == None else 'The new ID is: ' + new_id)
    The new ID is: imthemissingid
```

Gracias