
login.php




```php
<?php
session_start();


if (!isset($_SESSION['login_attempts'])) {
    $_SESSION['login_attempts'] = 0;
}

if (!isset($_SESSION['locked_until'])) {
    $_SESSION['locked_until'] = 0;
}

$errors = [];
$message = "";
$messageClass = "";

$username = "";
$remaining = 0;



$correctUsername = "admin";
$correctPassword = "12345";


if (time() >= $_SESSION['locked_until']) {
    if ($_SESSION['locked_until'] != 0) {
        $_SESSION['login_attempts'] = 0;
        $_SESSION['locked_until'] = 0;
    }
}

$locked = time() < $_SESSION['locked_until'];

if ($_SERVER["REQUEST_METHOD"] === "POST") {

    if ($locked) {
```




```php
if ($_SERVER["REQUEST_METHOD"] === "POST") {

    if ($locked) {
        $remaining = $_SESSION['locked_until'] - time();
        $message = "Too many failed attempts. Try again in "
            . $remaining . " seconds.";
        $messageClass = "error-message";

    } else {

        $username = trim($_POST['username'] ?? '');
        $password = $_POST['password'] ?? '';


        if ($username === "") {
            $errors['username'] = "Please enter your username.";
        } elseif (!preg_match('/^[a-zA-Z0-9_]{3,20}$/', $username)) {
            $errors['username'] =
                "Username must be  characters using letters.";
        }

        if ($password === "") {
            $errors['password'] = "Please enter your password.";
        } elseif (!preg_match('/^.{5,}$/s', $password)) {
            $errors['password'] =
                "Password must be at least 5 characters.";
        }

        if (empty($errors)) {

            if (
                $username === $correctUsername &&
                $password === $correctPassword
            ) {

                $_SESSION['login_attempts'] = 0;
```




```php
if ($_SERVER["REQUEST_METHOD"] === "POST") {
    } else {
        if (empty($errors)) {
            ) {
                $_SESSION['login_attempts'] = 0;
                $_SESSION['locked_until'] = 0;

                session_regenerate_id(true);

                $_SESSION['loggedIn'] = true;
                $_SESSION['username'] = $username;

                header("Location: index.php");
                exit();

            } else {

                $_SESSION['login_attempts']++;

                if ($_SESSION['login_attempts'] >= 3) {


                    $_SESSION['locked_until'] = time() + 10;


                    $remaining = 10;
                    $message =
                        "Too many failed attempts. Try again in 10 seconds.";
                    $messageClass = "error-message";

                } else {

                    $remaining =
                        3 - $_SESSION['login_attempts'];

                    $message =
                        "Incorrect username or password. "
                        . $remaining
                        . " attempt(s) remaining.";
```


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
Outline
Timeline
index.php
login.php
register.php
login.php
if ($_SERVER["REQUEST_METHOD"] === "POST") {
} else {
if (empty($errors)) {
} else {
} else {
$message =
"Incorrect username or password. "
. $remaining
. " attempt(s) remaining.";
$messageClass = "error-message";
}
}
}
}
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Login</title>
<link rel="stylesheet" href="style1.css">
</head>
<body>
<main class="login-container">
<section class="login-box">
Restricted Mode
0 0
Ln 45, Col 46
Spaces: 4
UTF-8
CRLF
PHP
8.5



File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
Outline
Timeline
index.php
login.php
register.php
login.php
<main class="login-container">
<section class="login-box">
<h1>Login</h1>

Explore some more in The Uncanny Counter Series

<form id="loginForm" method="POST" action="login.php" novalidate>

<input type="text" id="username" name="username" placeholder="Username"
value="<?= htmlspecialchars($username, ENT_QUOTES, 'UTF-8') ?>" autocomplete="username"
<?= $locked ? 'disabled' : '' ?>>
<?php if (isset($errors['username'])): ?>
<label class="error">
<?= htmlspecialchars($errors['username'], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>

<input type="password" id="password" name="password" placeholder="Password"
autocomplete="current-password" <?= $locked ? 'disabled' : '' ?>>
<?php if (isset($errors['password'])): ?>
<label class="error">
<?= htmlspecialchars($errors['password'], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>
Restricted Mode
0 0
Ln 45, Col 46
Spaces: 4
UTF-8
CRLF
PHP
8.5


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
login.php
<main class="login-container">
<section class="login-box">
<form id="loginForm" method="POST" action="login.php" novalidate>


<label>
<input type="checkbox" name="remember" <?= isset($_POST['remember']) ? 'checked' : '' ?>
<?= $locked ? 'disabled' : '' ?>>
Remember me
</label>
Forgot password?

<button type="submit" id="login-button" <?= $locked ? 'disabled' : '' ?>>
Login
</button>
<?php if ($message !== ""): ?>
<p class="<?= htmlspecialchars($messageClass, ENT_QUOTES, 'UTF-8') ?>">
<?= htmlspecialchars($message, ENT_QUOTES, 'UTF-8') ?>

<?php endif; ?>

Don't have an account?
Register

Outline
Timeline
Restricted Mode
Ln 45, Col 46 Spaces: 4 UTF-8 CRLF { } PHP 8.5
Search
ENG US
1:37 AM 10/11/2026


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
login.php
<main class="login-container">
<section class="login-box">
<form id="loginForm" method="POST" action="login.php" novalidate>

<label>
Remember me
</label>
Forgot password?


<button type="submit" id="login-button" <?= $locked ? 'disabled' : '' ?>>
Login
</button>
<?php if ($message !== ""): ?>
<p class="<?= htmlspecialchars($messageClass, ENT_QUOTES, 'UTF-8') ?>">
<?= htmlspecialchars($message, ENT_QUOTES, 'UTF-8') ?>


<?php endif; ?>


Don't have an account?
Register


</form>
</section>
</main>
Outline
Timeline
Restricted Mode
Ln 45, Col 46 Spaces: 4 UTF-8 CRLF { } PHP 8.5
Search
ENG US
1:37 AM 10/11/2026

register.php









File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
register.php
<html lang="en">
<body>
<main class="register-container">
<section class="register-box">
<form method="POST" action="register.php" novalidate>

<input type="text" id="username" name="username" placeholder="Username"
value="<?= htmlspecialchars($username, ENT_QUOTES, 'UTF-8') ?>">
<?php if (isset($errors["username"])): ?>
<label class="error">
<?= htmlspecialchars($errors["username"], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>

<input type="email" id="email" name="email" placeholder="Email Address"
value="<?= htmlspecialchars($email, ENT_QUOTES, 'UTF-8') ?>">
<?php if (isset($errors["email"])): ?>
<label class="error">
<?= htmlspecialchars($errors["email"], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>

<input type="tel" id="phone" name="phone" placeholder="Phone Number"
value="<?= htmlspecialchars($phone, ENT_QUOTES, 'UTF-8') ?>">
<?php if (isset($errors["phone"])): ?>
<label class="error">
<?= htmlspecialchars($errors["phone"], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>
Outline
Timeline
Restricted Mode
Ln 166, Col 8 Spaces: 4 UTF-8 CRLF { } PHP 8.5


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
register.php
<html lang="en">
<body>
<main class="register-container">
<section class="register-box">
<form method="POST" action="register.php" novalidate>
<?php endif; ?>


<input type="password" id="confirm-password" name="confirm-password" placeholder="Confirm Password">
<?php if (isset($errors["confirm-password"])): ?>
<label class="error">
<?= htmlspecialchars($errors["confirm-password"], ENT_QUOTES, 'UTF-8') ?>
</label>
<?php endif; ?>


<button type="submit">
Register
</button>


Already have an account?
Login Here

</form>
</section>
</main>
</body>
</html>
Outline
Timeline
Restricted Mode
Ln 166, Col 8 Spaces: 4 UTF-8 CRLF { } PHP 8.5


Index.php


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
index.php
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Activity 1</title>
<style>
* {
box-sizing: border-box;
}
body {
margin: 0;
background-image: url("image/images (2).jpg");
background-repeat: no-repeat;
background-size: cover;
background-position: center;
font-family: Arial, sans-serif;
}
h1 {
margin-top: 50px;
text-align: center;
}
hr {
width: 60%;
height: 5px;
margin: 20px auto;
background-color: #f6e4aa;
border: none;
}
p {
text-align: center;
Outline
Timeline
Restricted Mode
Ln 91, Col 8 Spaces: 4 UTF-8 CRLF { } PHP 8.5



File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
index.php
<html lang="en">
<head>
<style>
p {
margin: auto;
}
.intro-1 {
line-height: 1.25;
padding-bottom: 45px;
}
.intro-2 {
line-height: 1.25;
padding-bottom: 25px;
}
.hobbies-1 {
display: table;
margin: 0 auto;
}
.hobbies-1 p {
color: blueviolet;
}
.name {
padding-top: 20px;
}
.quote-1 {
text-align: center;
padding-top: 15px;
}
figure {
Outline
Timeline
Restricted Mode
Ln 91, Col 8 Spaces: 4 UTF-8 CRLF { } PHP 8.5



File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
login.php
register.php
index.php
<html lang="en">
<head>
<style>
.quote-1 {
text-align: center;
padding-top: 15px;
}
figure {
text-align: center;
font-size: medium;
}
.footer-1 {
text-align: center;
}
a {
color: black;
}
</style>
</head>
<body>
<?php include 'header.php'; ?>
<?php include 'main.php'; ?>
<?php include 'footer.php'; ?>
</body>
</html>
Outline
Timeline
Restricted Mode
Ln 91, Col 8 Spaces: 4 UTF-8 CRLF { } PHP 8.5

Header.php


File Edit Selection View Go Run Terminal Help
Lajara
Sign In
Explorer
Lajara
image
footer.php
header.php
index.php
login.php
main.php
PHP OUTPUT - Goog...
register.php
style1.css
index.php
header.php
login.php
register.php
header.php
<header>
<h1>Introduction</h1>
<hr>
</header>
Outline
Timeline
Restricted Mode
Ln 4, Col 10 Spaces: 4 UTF-8 CRLF { } PHP 8.5

Main.php





Footer.php

