CONFIDENTIAL SECURITY DOCUMENT

Configuration Hardening Review

Example Corp — Linux Server Fleet (CIS Benchmark)

Baseline benchmark compliance review

Document Type	Configuration hardening / baseline benchmark review
Benchmark	[FILL: e.g. CIS Ubuntu Linux 22.04 LTS Benchmark v2.0.0]
Hosts Assessed	[FILL: N]
Assessment Date	1 January 2030
Overall Pass Rate	[FILL: n%]
Classification	**Confidential — Restricted Distribution**

Distribution: This document contains sensitive security information and must not be shared outside authorised personnel responsible for remediation.

Scope of analysis: [FILL: One or two sentences, e.g. "an automated benchmark scan followed by manual verification of every failed control, against a representative sample of hosts per OS/role."]

1

1 Table of Contents 1

2 Executive Summary 2
2.1 Overview . . . 2
2.2 Overall Pass Rate . . . 2
2.3 Results by Category . . . 2

3 Scope & Methodology 3
3.1 Subject & Scope . . . 3
3.2 Approach . . . 3
3.3 Result Definitions . . . 3

4 Full Benchmark Results 4
4.1 [FILL: 1 -- Filesystem Configuration] . . . 4
4.2 [FILL: 2 -- Services] . . . 4

5 Notable Failing Controls 5
5.1 F-01 — [FILL: e.g. "SSH Root Login Permitted"] . . . 5

6 Recommendations 6

7 Appendix A — Tools Used 7

8 Appendix B — Host Inventory 7

2 Executive Summary

Overview

A configuration hardening review of Example Corp — Linux Server Fleet (CIS Benchmark) was conducted against [FILL: benchmark name and version]. [FILL: One or two sentences on the overall posture.]

CRITICAL — Key Takeaway

Result — [FILL: one-line verdict, e.g. "62% of controls pass; the failing 38% are concentrated in a handful of categories that a single hardening script could fix"].

Overall Pass Rate

[FILL: N]% PASS

Results by Category

Category	Pass	Fail	N/A
[FILL: e.g. Filesystem Configuration]	[FILL: n]	[FILL: n]	[FILL: n]
[FILL: e.g. Services]	[FILL: n]	[FILL: n]	[FILL: n]
[FILL: e.g. Network Configuration]	[FILL: n]	[FILL: n]	[FILL: n]
[FILL: e.g. Access, Authentication & Authorization]	[FILL: n]	[FILL: n]	[FILL: n]
[FILL: e.g. Logging and Auditing]	[FILL: n]	[FILL: n]	[FILL: n]

3 Scope & Methodology

Subject & Scope

Item	Detail
Benchmark	[FILL: e.g. CIS Ubuntu Linux 22.04 LTS Benchmark v2.0.0, Level 1 - Server]
Hosts/roles in scope	[FILL: e.g. 12 hosts across 3 roles (web, app, db)]
Sampling	[FILL: e.g. all hosts scanned; N hosts per role manually deep-dived]

Approach

1. **Automated scan.** Run the benchmark's automated scanner (`CIS-CAT`, or an equivalent `OpenSCAP`/`ansible-lockdown` profile) against every in-scope host.
2. **Manual verification.** Every failed control on a sampled subset is manually verified on the live host, since automated scanners can mis-detect drift or custom exceptions.
3. **Risk contextualisation.** Failing controls are re-prioritised by actual risk (e.g. a failing control on an internet-facing host outranks the same failure on an isolated internal host).

Result Definitions

Result	Definition
PASS	Control is correctly configured on all sampled hosts.
FAIL	Control fails on one or more sampled hosts.
N/A	Control does not apply to this environment (with justification on file).

4 Full Benchmark Results

[FILL: 1 -- Filesystem Configuration]

Control ID	Control	Result
[FILL: 1.1.1.1]	[FILL: Ensure mounting of cramfs filesystems is disabled]	PASS
[FILL: 1.1.2.1]	[FILL: Ensure /tmp is a separate partition]	FAIL

[FILL: 2 -- Services]

Control ID	Control	Result
[FILL: 2.1.1]	[FILL: Ensure autofs services are not in use]	PASS
[FILL: 2.2.1]	[FILL: Ensure NIS Server services are not in use]	N/A

5 Notable Failing Controls

Failing controls with elevated real-world risk are detailed below; the full pass/fail list is in the preceding section.

F-01 — [FILL: e.g. "SSH Root Login Permitted"]

Finding Metadata			
Control ID	[FILL: 5.2.10]	**Severity**	HIGH
Hosts Affected	[FILL: n / total]	**Category**	[FILL: Access, Authentication & Authorization]

[FILL: Description, evidence (config excerpt), impact, and remediation.]

6 Recommendations

Priority	Recommendation
Immediate	[FILL: e.g. disable SSH root login fleet-wide]
Short-term	[FILL: e.g. bring all hosts to the same hardening baseline via configuration management]
Long-term	[FILL: e.g. enforce the benchmark as a golden-image gate before deployment]

7 Appendix A — Tools Used

- [FILL: e.g. CIS-CAT Pro, OpenSCAP, ansible-lockdown]

8 Appendix B — Host Inventory

Host	Role	OS
[FILL: host1]	[FILL: web]	[FILL: Ubuntu 22.04]