CONFIDENTIAL SECURITY DOCUMENT

Physical Security Assessment Report

Example Corp — Headquarters Facility

On-site facility penetration test

Document Type	On-site physical security penetration test
Facility	[FILL: address / site name]
Assessment Date	1 January 2030
Overall Risk	CRITICAL
Classification	**Confidential — Restricted Distribution**

Distribution: This document contains sensitive facility security information and must not be shared outside authorised personnel.

Authorisation: [FILL: Note the authorisation letter reference carried by testers on site, and the emergency point-of-contact used if challenged by staff/security.]

1

1 Table of Contents 1

2 Executive Summary 2
2.1 Overview . . . 2
2.2 Overall Risk Rating . . . 2
2.3 Test Results Summary . . . 2

3 Scope & Methodology 3
3.1 In-Scope Sites . . . 3
3.2 Rules of Engagement . . . 3
3.3 Methodology . . . 3

4 Findings Catalogue 4
4.1 F-01 — [FILL: e.g. "Unescorted Tailgate Access to Server Room"] . . . 4
4.2 F-02 — [FILL: e.g. "RFID Badge Cloned at a Distance in the Parking Lot"] 4

5 Recommendations 5

6 Appendix A — Tools Used 6

7 Appendix B — Photo Log 6

2 Executive Summary

Overview

An on-site physical security assessment was conducted at Example Corp — Headquarters Facility to test whether an unauthorised individual could gain physical access to restricted areas, network jacks, or sensitive information.

[FILL: One or two sentences on the outcome, e.g. "testers gained unescorted access to the server room by tailgating an employee and were never challenged."]

CRITICAL — Key Takeaway

Result — [FILL: one-line verdict].

Headline conclusions:

- [FILL: Headline finding 1]
- [FILL: Headline finding 2]

Overall Risk Rating

CRITICAL

Test Results Summary

Test	Result	Notes
[FILL: Tailgating (main entrance)]	[FILL: Successful]	[FILL: note]
[FILL: Badge cloning]	[FILL: Successful]	[FILL: note]
[FILL: Lock bypass (server room)]	[FILL: Unsuccessful]	[FILL: note]

3 Scope & Methodology

In-Scope Sites

Site	Areas In Scope
[FILL: Main office]	[FILL: Lobby, server room, executive floor]

Rules of Engagement

- Testing window: [FILL: dates and times of day].
- Authorisation letter: carried by all testers; [FILL: emergency contact name/number].
- Destructive entry (forcing locks/doors): [FILL: in / out of scope].
- Social engineering of staff: [FILL: in / out of scope, and any limits].

Methodology

1. **Reconnaissance.** Open-source and on-site observation of entry points, badge systems, camera coverage, and staff routines.
2. **Perimeter testing.** Attempts to bypass fencing, doors, and other physical barriers.
3. **Access control testing.** Tailgating, badge cloning (RFID), and lock-bypass (lock-picking, shimming) attempts against controlled entry points.
4. **Post-access testing.** Once inside, attempts to reach sensitive areas (server rooms, network closets) and to plant an authorised test device (e.g. a drop box) to prove network access.

4 Findings Catalogue

F-01 — [FILL: e.g. "Unescorted Tailgate Access to Server Room"]

Finding Metadata			
ID	F-01	**Severity**	CRITICAL
Location	[FILL: e.g. Server room, 3rd floor]	**Category**	[FILL: Access control bypass]

[FILL: Description of the technique used, evidence (e.g. timestamped entry/exit log if a badge was used, or a photo of the reached area with no sensitive content visible), impact, and remediation.]

F-02 — [FILL: e.g. "RFID Badge Cloned at a Distance in the Parking Lot"]

[FILL: Description, impact, and remediation.]

5 Recommendations

Priority	Recommendation
Immediate	[FILL: e.g. train reception/security staff to challenge unbadged individuals]
Short-term	[FILL: e.g. migrate to a badge technology resistant to long-range cloning]
Long-term	[FILL: e.g. add mantrap/anti-tailgate sensors at high-sensitivity entry points]

6 Appendix A — Tools Used

- [FILL: e.g. Proxmark3 (RFID cloning), lock-pick set, covert drop-box device]

7 Appendix B — Photo Log

[FILL: Reference photos taken during the assessment as evidence, redacted of any visible sensitive information (documents, screens, personal data).]