

Azion - Deployment Details | Step-by-step

Solutions Engineer Candidate: Guilherme França

1. Creation of an Edge Application

Application Accelerator was enabled as the following requirements were made:

- Aggressive Caching
- Reduction of latency
- Reduction of origin load

2. Defining the origin server

Connectors -> It was made the creation of a new connector pointing to <https://httpbingo.org>.

Associated the connector to the application was made via 'rules' tab.

A workload was created to tie the Application and Firewall settings (yet not created at this stage).

External domain: <https://fklsxzla7sy.map.azionedge.net/>

3. Creating a WAF Rule

Menu -> Firewalls:

Created a new Firewall (GFranca-Main-Firewall), making sure the toggle Web Application Firewall is enabled.

Menu -> WAF Rules:

Created a new WAF Rule (WAF-LoginProtection), adjusting the following security controls to medium/high:

Menu -> Firewalls:

Created a new Rule Engine for 'GFranca-Main-Firewall', making sure the WAF rules are enabled only for '/login'.

4. Creating a WAF Bypass rule for static files

Menu -> WAF Rules

Create a new WAF Rule 'ByPassWAF'.

ByPassing WAF for static files eliminates unnecessary inspection overhead, reducing latency and processing costs for assets that present no injection risk

Menu -> Firewalls:

Open the created firewall 'GFranca-Main-Firewall'.

Created another rule, 'StaticFiles - Bypass WAF' to bypass WAF controls for static files.

Regex used:

```
\.(css|js|mjs|map|json|xml|txt|ttf|woff|woff2|svg|svgz|jpg|jpeg|gif|bmp|png|webp|avif|ico|mp4|webm|ogg|mp3|wav|pdf|zip|gz|br)(\?.*)?$
```

Also enabling **Gzip** for increased performance.

Added a few extensions to increase the static files scope:

mjs → modern JavaScript modules

map → source maps

json, xml, txt → static API/config/text assets

svgz → compressed SVG

webp, avif → modern image formats

mp4, webm, ogg, mp3, wav → media files

pdf → downloadable docs

zip, gz, br → compressed files

> Move the Bypass rule to the top.

5. Create new Rules Engine for the Firewall

On Menu -> Firewalls / Rules engine:

Created new Rule 'ByPass Firewall for static files'

If request_Url matches

```
\.(css|js|mjs|map|json|xml|txt|ttf|woff|woff2|svg|svgz|jpg|jpeg|gif|bmp|png|webp|avif|ico|mp4|webm|ogg|mp3|wav|pdf|zip|gz|br)(\?.*)?$
```

Set WAF: ByPassWAF (Blocking)

On Menu -> Firewalls / Rules engine:

Created new Rule 'Enabling WAF for login Path'

If host matches fklxszla7sy.map.azureedge.net AND

Request Uri starts with /login AND

(Request method IS EQUAL to POST OR

Request method IS EQUAL to GET)

Set WAF: WAF-LoginProtection (Blocking)

6. Creating Caching rules

On Menu -> Applications:

Opened 'gfranca-test.map.azionedge.net'

-> Cache Settings

Created New Caching 'StaticFiles':

For Browsing Cache, it has been honouring what the origin servers define for downstream caching.

Large cache optimization: enabled.

-> Create Rule

Created New Rule 'StaticFiles-Caching'

If {uri} matches:

Regex used:

\\.(css|js|mjs|map|json|xml|txt|ttf|woff|woff2|svg|svgz|jpg|jpeg|gif|bmp|png|webp|avif|ico|mp4|webm|ogg|mp3|wav|pdf|zip|gz|br)(\\?.*)?\$

Set the high TTL cache rule created.

-> No Cache Settings

Created New Caching 'NoCache':

Override Downstream Cache: 0 seconds

CDN Cache: 0 seconds

-> Create Rule

Created New Rule 'NoCache-Login Page'

If {uri} starts with /Login

Set Cache: NoCache