

AF model: predicted PRF shift vector field

```
mode          = suppression
sigma_AF      = 1.000°
g_HP          = 0.500
g_LP          = 0.200
PRF sd        = 0.80°
arrow scale    = 5.00
```


Each arrow goes from a seed PRF center to the predicted
AD-pRF center under the joint AF + Gaussian-PRF model:

$$\begin{aligned} \rho_{v_C}(g) &= M_C(g) \cdot S_v(g) \\ M_C(g) &= 1 \pm (g_{HP} \cdot A_{HPC}(g) + g_{LP} \cdot \sum_{LP} A_l(g)) \end{aligned}$$


Star marks the HP-distractor location for that panel.
Dashed circle is the bar aperture radius (~3.17°).

Predicted PRF shift field — mode=suppression (arrows scaled $\times 5.0$)


HP = upper_right ($\sigma_{AF}=1.00$, $g_{HP}=0.50$, $g_{LP}=0.20$)




HP = upper_left ($\sigma_{AF}=1.00$, $g_{HP}=0.50$, $g_{LP}=0.20$)



HP = lower_left ($\sigma_{AF}=1.00$, $g_{HP}=0.50$, $g_{LP}=0.20$)



HP = lower_right ($\sigma_{AF}=1.00$, $g_{HP}=0.50$, $g_{LP}=0.20$)



Mean projection along away-from-HP axis (across all 4 HP conditions)
 $\sigma_{AF}=1.00$, $g_{HP}=0.50$, $g_{LP}=0.20$, mode=suppression

