

a
The fitted gain fields over the display (group medians)
Sustained field at HP minus at the other locations
V3
hV4
TO
−3.0%
−1.5%
−1.9%
Gain at LP −0.4%
at HP −3.5%
Gain at LP −5.8%
at HP −7.3%
Gain at LP −35%
at HP −37%
−3.0%
−1.5%
0
HP − LP gain
Transient fields target and distractor, while a display is on
V3
hV4
TO
+3%
+30%
+22%
+56%
+8%
+22%
Target
Distractor
0
+30%
+60%
Gain (one scale)
b
Gain at the target in 6 of 9 areas, at the distractor in V3AB, hV4, TO
Gain change (%)
100
50
0
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal
c
Sustained gain: less at HP
Whole block, at HP − at LP
HP − LP (%)
5
0
−5
−10
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal
d
Transient gain at HP: slightly less, target and distractor alike
Each trial
As Fig. 1c, d
HP − LP (%)
20
0
−20
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal