

a The fitted gain fields over the display (group medians)
Sustained field at HP minus at the other locations
V3
hV4
TO
+2.7%
+2.4%
+1.9%
Gain at LP −0.4%
at HP −3.1%
Gain at LP −11%
at HP −13%
Gain at LP −67%
at HP −68%
−2.7%
−1.4%
0
HP − LP gain
Transient fields target and distractor, while a display is on
V3
hV4
TO
+6%
+33%
+21%
+59%
+8%
+18%
Target
Distractor
0
+30%
+60%
Gain (one scale)
b Gain at the target in 6 of 9 areas, at the distractor in V3AB, hV4, TO
Gain change (%)
100
50
0
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal
c Sustained gain: less at HP
Whole block, at HP − at LP
HP − LP (%)
5
0
−5
−10
22/28
All areas
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal
d Transient gain at HP: slightly less, target and distractor alike
Each trial
As Fig. 1c, d
HP − LP (%)
20
0
−20
V1
V2
V3
V3AB
IPS
hV4
VO
LO
TO
Early
Dorsal
Occipitotemporal