Model	Parent	Adds	Contrast	DoG: better; direction	Gaussian: better; direction	DN: better; direction
m00		pRF on the bar				
m0	m00	Search items, weight fitted	Items	100% (p = 1.9e-09)	93% (p = 9.3e-09); 90% (p = 1.9e-08)	100% (p = 1.9e-09)
m1	m0	Target gain	T	77% (p = 0.00061); 97% (p = 9.7e-07)	93% (p = 9.3e-09); 87% (p = 1.4e-05)	100% (p = 1.9e-09)
m2	m0	Distractor gain, same at all locations	D	77% (p = 0.031); 80% (p = 0.026)	80% (p = 0.026); 57% (p = 0.56)	57% (p = 0.86)
m3	m0	Sustained gain, same at all locations	S	87% (p = 5.1e-06); 100% (p = 1.4e-05)	83% (p = 0.00026); 93% (p = 2e-07)	100% (p = 1.9e-09)
m3b	m1	Distractor gain	D given T	63% (p = 0.11); 80% (p = 0.046)	80% (p = 0.046); 80% (p = 0.32)	83% (p = 0.0011)
m4	m3b	Sustained gain				
m5	m4	Sustained gain differs at HP	dS	67% (p = 0.18); 77% (p = 0.64)	70% (p = 0.27); 70% (p = 0.045)	
m6	m4	Distractor gain differs at HP	dD	57% (p = 1); 70% (p = 0.1)	47% (p = 0.75); 57% (p = 0.36)	73% (p = 0.0017)
m7	m5	Both HP-specific terms				
m8	m4	Target gain differs at HP	dT	63% (p = 0.24); 70% (p = 0.19)	70% (p = 0.32); 53% (p = 0.92)	73% (p = 0.2)

How much each term adds to out-of-subject prediction (leave-one-subject-out, final fits; each pRF model with its own jointly fitted HRF per subject × ROI). Better: share of 30 subjects whose ΔR² on held-out data is positive when the term is added at the median of the other 29 subjects' own estimates (signal voxels; per subject the median over ROIs). Wilcoxon signed-rank p. Direction: sign-flip test, ΔR² at +δ minus at −δ, which removes the cost of adding a term (a true 50% null). Items: the item