

generate this maps for me: Create at least two additional maps. At least one of them must be a WeightedGridProblem with meaningful terrain costs.

Design suggestions:

A heuristic trap: a U-shaped obstacle opening away from the goal, so Greedy (and even A*) must expand many nodes inside the pocket before backing out.

A cheap long way vs expensive short way map, where the optimal path is much longer (in moves) than the direct path.



explain the me the informed search types and their differencee in a concise manner and easy to understand

explain the me the informed search types and their differencee in a concise manner and easy to understand

I need you to create a 20x20 grid map for a drone pathfinding problem. The grid uses 0 for free cells and 1 for obstacles. I also ned a separete terrain costs grid of the same size were free cells hve costs of 1, 3, 5, or 9 representing different terrain difficulties. The map should have a clear path from start (0,0) to goal (19,19) but with obstacles and expensive terrain that will make algorithms lke Greedy BFS perform badly compared to A*. Make the map interesting by including dead ends, narrow corridors, and may others. The grid should be in the form of a pyhton list

running my code i cant really see a huge difference with all 4 inform search algo they have thesame cost so i need a maxe that will easily help me to identify best worst, most optimal, most efficient and other things

what is the difference between initial node and state

explain the me the informed search types and their difference in a concise manner and easy to understand



i need starting state and goal state for each of the map in order to see visible results in difference