1. Introduction

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Further reading: wasps.example.org

Introduction (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

2. Nest architecture

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Nest architecture (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

3. Colony life

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Colony life (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

4. Foraging

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Foraging (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

5. Defence

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Defence (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

6. Field notes

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to

Field notes (cont.)

Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to overwinter. Paper wasps build open combs from chewed wood fibre mixed with saliva. The cells hang downward and the queen tends the first brood alone until workers emerge. Unlike honeybees the colony is annual and dies back each autumn, leaving only mated females to