```
Welcome to the 60fps project! Your goal is to make Cam's Pizzeria website run
jank-free at 60 frames per second.
There are two major issues in this code that lead to sub-60fps performance. Can
you spot and fix both?
Built into the code, you'll find a few instances of the User Timing API
(window.performance), which will be console.log()ing frame rate data into the
browser console. To learn more about User Timing API, check out:
http://www.html5rocks.com/en/tutorials/webperformance/usertiming/
Cameron Pittman, Udacity Course Developer
cameron *at* udacity *dot* com
// As you may have realized, this website randomly generates pizzas.
// Here are arrays of all possible pizza ingredients.
var pizzaIngredients = {};
pizzaIngredients.meats = [
  "Pepperoni",
  "Sausage",
  "Fennel Sausage",
  "Spicy Sausage",
  "Chicken",
  "BBQ Chicken",
  "Chorizo",
"Chicken Andouille",
  "Salami",
  "Tofu",
"Bacon",
  "Canadian Bacon",
  "Proscuitto",
  "Italian Sausage",
  "Ground Beef",
  "Anchovies",
  "Turkey",
  "Ham",
  "Venison",
  "Lamb",
  "Soylent Green",
  "Carne Asada",
  "Soppressata Picante",
  "Coppa",
  "Pancetta",
  "Bresola",
  "Lox",
"Guanciale",
  "Chili",
  "Beef Jerky",
  "Pastrami",
  "Kielbasa",
  "Scallops"
  "Filet Mignon"
pizzaIngredients.nonMeats = [
  "White Onions",
  "Red Onions",
  "Sauteed Onions",
  "Green Peppers",
  "Red Peppers",
  "Banana Peppers"
  "Ghost Peppers",
  "Habanero Peppers",
  "Jalapeno Peppers",
"Stuffed Peppers",
  "Spinach",
"Tomatoes"
  "Pineapple"
  "Pear Slices",
"Apple Slices",
  "Mushrooms",
  "Arugula",
  "Basil",
"Fennel",
  "Rosemary",
"Cilantro",
  "Avocado"
  "Guacamole",
  "Salsa",
  "Swiss Chard",
  "Kale",
  "Sun Dried Tomatoes",
```

```
"Walnuts",
  "Artichoke"
  "Asparagus"
  "Caramelized Onions",
  "Mango",
"Garlic"
  "Olives",
  "Cauliflower",
  "Polenta",
  "Fried Egg",
  "Zucchini",
  "Hummus"
1:
pizzaIngredients.cheeses = [
  "American Cheese",
  "Swiss Cheese",
  "Goat Cheese"
  "Mozzarella Cheese",
  "Parmesean Cheese",
  "Velveeta Cheese",
  "Gouda Cheese",
  "Muenster Cheese"
  "Applewood Cheese",
  "Asiago Cheese",
  "Bleu Cheese"
  "Boursin Cheese",
  "Brie Cheese",
  "Cheddar Cheese"
  "Chevre Cheese"
  "Havarti Cheese"
  "Jack Cheese",
  "Pepper Jack Cheese",
  "Gruyere Cheese",
  "Limberger Cheese"
  "Manchego Cheese"
  "Marscapone Cheese",
  "Pecorino Cheese"
  "Provolone Cheese"
  "Queso Cheese",
  "Roquefort Cheese",
  "Romano Cheese", 
"Ricotta Cheese",
  "Smoked Gouda"
1;
pizzaIngredients.sauces = [
  "Red Sauce",
  "Marinara",
  "BBQ Sauce",
  "No Sauce"
  "Hot Sauce"
pizzaIngredients.crusts = [
  "White Crust",
  "Whole Wheat Crust",
  "Flatbread Crust",
  "Stuffed Crust"
// Name generator pulled from http://saturdaykid.com/usernames/generator.html
// Capitalizes first letter of each word
String.prototype.capitalize = function() {
  return this.charAt(0).toUpperCase() + this.slice(1);
// Pulls adjective out of array using random number sent from generator
function getAdj(x){
  switch(x) {
    case "dark":
      var dark = ["dark", "morbid", "scary", "spooky", "gothic", "deviant", "creepy", "sadistic", "black", "dangerous", "dejected",
"haunted",
      "morose", "tragic", "shattered", "broken", "sad", "melancholy", "somber", "dark", "gloomy", "homicidal", "murderous", "shady",
"misty",
"dusky", "ghostly", "shadowy", "demented", "cursed", "insane", "possessed", "grotesque", "obsessed"];
    case "color":
      var colors = ["blue", "green", "purple", "grey", "scarlet", "NeonGreen", "NeonBlue", "NeonPink", "HotPink", "pink", "black",
"red",
"maroon", "silver", "golden", "yellow", "orange", "mustard", "plum", "violet", "cerulean", "brown", "lavender", "violet",
"magenta",
      "chestnut", "rosy", "copper", "crimson", "teal", "indigo", "navy", "azure", "periwinkle", "brassy", "verdigris", "veridian",
"tan",
"raspberry", "beige", "sandy", "ElectricBlue", "white", "champagne", "coral", "cyan"];
    case "whimsical":
      var whimsy = ["whimsical", "silly", "drunken", "goofy", "funny", "weird", "strange", "odd", "playful", "clever", "boastful",
"breakdancing",
      "hilarious", "conceited", "happy", "comical", "curious", "peculiar", "quaint", "quirky", "fancy", "wayward", "fickle", "yawning",
```

```
"sleepy",
      "cockeyed", "dizzy", "dancing", "absurd", "laughing", "hairy", "smiling", "perplexed", "baffled", "cockamamie", "vulgar",
"hoodwinked",
      "brainwashed"1:
      return whimsy;
    case "shiny":
      var shiny = ["sapphire", "opal", "silver", "gold", "platinum", "ruby", "emerald", "topaz", "diamond", "amethyst", "turquoise", "starlit", "moonlit", "bronze", "metal", "jade", "amber", "garnet", "obsidian", "onyx", "pearl", "copper", "sunlit", "brass",
"brassy",
      "metallic"1:
      return shiny;
    case "noisy":
      var noisy = ["untuned", "loud", "soft", "shrieking", "melodious", "musical", "operatic", "symphonic", "dancing", "lyrical",
"harmonic",
      "orchestral", "noisy", "dissonant", "rhythmic", "hissing", "singing", "crooning", "shouting", "screaming", "wailing", "crying",
"howling",
      "yelling", "hollering", "caterwauling", "bawling", "bellowing", "roaring", "squealing", "beeping", "knocking", "tapping",
"rapping",
      "humming", "scatting", "whispered", "whispering", "rasping", "buzzing", "whirring", "whistling", "whistled"];
      return noisy;
    case "apocalyptic":
      var apocalyptic = ["nuclear", "apocalyptic", "desolate", "atomic", "zombie", "collapsed", "grim", "fallen", "collapsed",
"cannibalistic"
      "radioactive", "toxic", "poisonous", "venomous", "disastrous", "grimy", "dirty", "undead", "bloodshot", "rusty", "glowing",
"decaying",
      "rotten", "deadly", "plagued", "decimated", "rotting", "putrid", "decayed", "deserted", "acidic"];
      return apocalyptic;
    case "insulting":
      var insulting = ["stupid", "idiotic", "fat", "ugly", "hideous", "grotesque", "dull", "dumb", "lazy", "sluggish", "brainless",
"slow", "gullible", "obtuse", "dense", "dim", "dazed", "ridiculous", "witless", "daft", "crazy", "vapid", "inane", "mundane", "hollow",
      "boring", "insipid", "tedious", "monotonous", "weird", "bizarre", "backward", "moronic", "ignorant", "scatterbrained",
"forgetful", "careless",
      "lethargic", "insolent", "indolent", "loitering", "gross", "disgusting", "bland", "horrid", "unseemly", "revolting", "homely",
"deformed"
      "disfigured", "offensive", "cowardly", "weak", "villainous", "fearful", "monstrous", "unattractive", "unpleasant", "nasty",
return insulting;
    case "praise":
      var praise = ["beautiful", "intelligent", "smart", "genius", "ingenious", "gorgeous", "pretty", "witty", "angelic", "handsome",
"talented", "exquisite", "enchanting", "fascinating", "interesting", "divine", "alluring", "ravishing", "wonderful", "magnificient", "marvelous",
      "dazzling", "cute", "charming", "attractive", "nifty", "delightful", "superior", "amiable", "gentle", "heroic", "courageous",
"valiant", "brave",
      "noble", "daring", "fearless", "gallant", "adventurous", "cool", "enthusiastic", "fierce", "awesome", "radical", "tubular",
"fearsome",
      "majestic", "grand", "stunning"];
      return praise;
    case "scientific":
      var scientific = ["scientific", "technical", "digital", "programming", "calculating", "formulating", "cyberpunk", "mechanical",
"technological"
      "innovative", "brainy", "chemical", "quantum", "astro", "space", "theoretical", "atomic", "electronic", "gaseous",
"investigative", "solar",
"extinct", "galactic"];
      return scientific;
    default:
      var scientific_default = ["scientific", "technical", "digital", "programming", "calculating", "formulating", "cyberpunk",
"mechanical", "technological",
      "innovative", "brainy", "chemical", "quantum", "astro", "space", "theoretical", "atomic", "electronic", "gaseous",
"investigative", "solar",

"extinct", "galactic"];
      return scientific_default;
 }
// Pulls noun out of array using random number sent from generator
function getNoun(y) {
 switch(y) {
    case "animals":
      var animals = ["flamingo", "hedgehog", "owl", "elephant", "pussycat", "alligator", "dachsund", "poodle", "beagle", "crocodile",
"kangaroo",
      "wallaby", "woodpecker", "eagle", "falcon", "canary", "parrot", "parakeet", "hamster", "gerbil", "squirrel", "rat", "dove",
"toucan",
      "raccoon", "vulture", "peacock", "goldfish", "rook", "koala", "skunk", "goat", "rooster", "fox", "porcupine", "llama",
"grasshopper",
      "gorilla", "monkey", "seahorse", "wombat", "wolf", "giraffe", "badger", "lion", "mouse", "beetle", "cricket", "nightingale",
      "hawk", "trout",
                        squid", "octopus", "sloth", "snail", "locust", "baboon", "lemur", "meerkat", "oyster", "frog", "toad",
"jellyfish"
      "butterfly", "caterpillar", "tiger", "hyena", "zebra", "snail", "pig", "weasel", "donkey", "penguin", "crane", "buzzard",
      "rhino", "hippopotamus", "dolphin", "sparrow", "beaver", "moose", "minnow", "otter", "bat", "mongoose", "swan", "firefly",
"platypus"];
     return animals:
    case "profession":
```

```
var professions = ["doctor", "lawyer", "ninja", "writer", "samurai", "surgeon", "clerk", "artist", "actor", "engineer",
"mechanic"
      "comedian", "fireman", "nurse", "RockStar", "musician", "carpenter", "plumber", "cashier", "electrician", "waiter", "president",
"governor",
      "senator", "scientist", "programmer", "singer", "dancer", "director", "mayor", "merchant", "detective", "investigator",
"navigator", "pilot",
       "priest", "cowboy", "stagehand", "soldier", "ambassador", "pirate", "miner", "police"];
      return professions;
    case "fantasy":
      var fantasy = ["centaur", "wizard", "gnome", "orc", "troll", "sword", "fairy", "pegasus", "halfling", "elf", "changeling",
"ghost",
      "knight", "squire", "magician", "witch", "warlock", "unicorn", "dragon", "wyvern", "princess", "prince", "king", "queen",
"jester",
      "tower", "castle", "kraken", "seamonster", "mermaid", "psychic", "seer", "oracle"];
      return fantasy;
    case "music":
      var music = ["violin", "flute", "bagpipe", "guitar", "symphony", "orchestra", "piano", "trombone", "tuba", "opera", "drums",
      "harpsichord", "harp", "harmonica", "accordion", "ténor", "sopráno", "baritone", "celío", "viola", "piccoío", "ukelele",
"woodwind", "saxophone"
       "bugĺe", "trumpet<sup>"</sup>, "sousaphone", "cornet", "stradivarius", "marimbas", "bells", "timpani", "bongos", "clarinet", "recorder",
"oboe", "conuction"; singer"]; mus
        "conductor",
      return music;
    case "horror":
      var horror = ["murderer", "chainsaw", "knife", "sword", "murder", "devil", "killer", "psycho", "ghost", "monster", "godzilla",
"werewolf",
      "vampire", "demon", "graveyard", "zombie", "mummy", "curse", "death", "grave", "tomb", "beast", "nightmare", "frankenstein",
"specter"
      "poltergeist", "wraith", "corpse", "scream", "massacre", "cannibal", "skull", "bones", "undertaker", "zombie", "creature",
, "psychopath",
"mask", psychopath",
"fiend", "satanist", "moon", "fullMoon"];
    case "gross":
      var gross = ["slime", "bug", "roach", "fluid", "pus", "booger", "spit", "boil", "blister", "orifice", "secretion", "mucus",
"phlegm",
"centipede", "beetle", "fart", "snot", "crevice", "flatulence", "juice", "mold", "mildew", "germs", "discharge", "toilet", "udder", "odor", "substance", "fluid", "moisture", "garbage", "trash", "bug"];
      return gross;
    case "everyday"
      var everyday = ["mirror", "knife", "fork", "spork", "spoon", "tupperware", "minivan", "suburb", "lamp", "desk", "stereo",
"television",
               "TV"
      "book", "car", "truck", "soda", "door", "video", "game", "computer", "calender", "tree", "plant", "flower", "chimney", "attic",
"kitchen".
      "garden", "school", "wallet", "bottle"];
      return everyday;
    case "jewelry":
      var jewelry = ["earrings", "ring", "necklace", "pendant", "choker", "brooch", "bracelet", "cameo", "charm", "bauble", "trinket",
"jewelry",
      "anklet", "bangle", "locket", "finery", "crown", "tiara", "blingBling", "chain", "rosary", "jewel", "gemstone", "beads",
"armband", "pin",
"costume", "ornament", "treasure"];
      return jewelry;
    case "places":
      var places = ["swamp", "graveyard", "cemetery", "park", "building", "house", "river", "ocean", "sea", "field", "forest", "woods",
"neighborhood",
"city", "town", "suburb", "country", "meadow", "cliffs", "lake", "stream", "creek", "school", "college", "university", "library",
"bakery", ´ '
"shop", "store", "theater", "garden", "canyon", "highway", "restaurant", "cafe", "diner", "street", "road", "freeway", "alley"];
    case "scifi":
      var scifi = ["robot", "alien", "raygun", "spaceship", "UFO", "rocket", "phaser", "astronaut", "spaceman", "planet", "star",
"galaxy",
      .
"computer", "future", "timeMachine", "wormHole", "timeTraveler", "scientist", "invention", "martian", "pluto", "jupiter",
"saturn", "mars",

"quasar", "blackHole", "warpDrive", "laser", "orbit", "gears", "molecule", "electron", "neutrino", "proton", "experiment",
"photon", "apparatus",
      "universe", "gravity", "darkMatter", "constellation", "circuit", "asteroid"];
      return scifi;
    default:
      var scifi_default = ["robot", "alien", "raygun", "spaceship", "UFO", "rocket", "phaser", "astronaut", "spaceman", "planet",
"star", "galaxy",
"computer", "future", "timeMachine", "wormHole", "timeTraveler", "scientist", "invention", "martian", "pluto", "jupiter",
"saturn", "mars",
"quasar", "blackHole", "warpDrive", "laser", "orbit", "gears", "molecule", "electron", "neutrino", "proton", "experiment",
"photon", "apparatus",
      "universe", "gravity", "darkMatter", "constellation", "circuit", "asteroid"];
      return scifi_default;
 }
var adjectives = ["dark", "color", "whimsical", "shiny", "noisy", "apocalyptic", "insulting", "praise", "scientific"]; // types of
adjectives for pizza titles
var nouns = ["animals", "everyday", "fantasy", "gross", "horror", "jewelry", "places", "scifi"];
                                                                                                                              // types of
nouns for pizza titles
```

```
function generator(adj, noun) {
  var adjectives = getAdj(adj);
  var nouns = getNoun(noun);
  var randomAdjective = parseInt(Math.random() * adjectives.length);
  var randomNoun = parseInt(Math.random() * nouns.length);
  var name = "The " + adjectives[randomAdjective].capitalize() + " " + nouns[randomNoun].capitalize();
  return name;
}
// Chooses random adjective and random noun
function randomName() {
  var randomNumberAdj = parseInt(Math.random() * adjectives.length);
  var randomNumberNoun = parseInt(Math.random() * nouns.length);
  return generator(adjectives[randomNumberAdj], nouns[randomNumberNoun]);
// These functions return a string of a random ingredient from each respective category of ingredients.
var selectRandomMeat = function() {
  var randomMeat = pizzaIngredients.meats[Math.floor((Math.random() * pizzaIngredients.meats.length))];
  return randomMeat;
var selectRandomNonMeat = function() {
  var randomNonMeat = pizzaIngredients.nonMeats[Math.floor((Math.random() * pizzaIngredients.nonMeats.length))];
  return randomNonMeat;
var selectRandomCheese = function() {
  var randomCheese = pizzaIngredients.cheeses[Math.floor((Math.random() * pizzaIngredients.cheeses.length))];
  return randomCheese;
var selectRandomSauce = function() {
  var randomSauce = pizzaIngredients.sauces[Math.floor((Math.random() * pizzaIngredients.sauces.length))];
  return randomSauce;
var selectRandomCrust = function() {
  var\ random Crust = pizza Ingredients.crusts [Math.floor((Math.random()\ *\ pizza Ingredients.crusts.length))]; \\
  return randomCrust;
var ingredientItemizer = function(string) {
  return "" + string + "";
// Returns a string with random pizza ingredients nested inside  tags
var makeRandomPizza = function() {
  var pizza = "";
  var numberOfMeats = Math.floor((Math.random() * 4));
  var numberOfNonMeats = Math.floor((Math.random() * 3));
  var numberOfCheeses = Math.floor((Math.random() * 2));
  for (var i = 0; i < numberOfMeats; i++) {</pre>
    pizza = pizza + ingredientItemizer(selectRandomMeat());
  for (var j = 0; j < numberOfNonMeats; j++) {
    pizza = pizza + ingredientItemizer(selectRandomNonMeat());
  for (var k = 0; k < numberOfCheeses; k++) {</pre>
    pizza = pizza + ingredientItemizer(selectRandomCheese());
  pizza = pizza + ingredientItemizer(selectRandomSauce());
  pizza = pizza + ingredientItemizer(selectRandomCrust());
  return pizza;
};
// returns a DOM element for each pizza
var pizzaElementGenerator = function(i) {
                                  // contains pizza title, image and list of ingredients
  var pizzaContainer,
      pizzaImageContainer,
                                  // contains the pizza image
                                  // the pizza image itself
      pizzaImage,
      pizzaDescriptionContainer, // contains the pizza title and list of ingredients
                                  // the pizza name itself
// the list of ingredients
      pizzaName,
      ul:
  pizzaContainer = document.createElement("div");
  pizzaImageContainer = document.createElement("div");
  pizzaImage = document.createElement("img");
  pizzaDescriptionContainer = document.createElement("div");
  pizzaContainer.classList.add("randomPizzaContainer");
```

```
pizzaContainer.style.width = "33.33%";
  pizzaContainer.style.height = "325px";
  pizzaContainer.id = "pizza" + i;
                                                  // gives each pizza element a unique id
  pizzaImageContainer.style.width="35%";
  pizzaImage.src = "images/pizza.png";
  pizzaImage.classList.add("img-responsive");
  pizzaImageContainer.appendChild(pizzaImage);
  pizzaContainer.appendChild(pizzaImageContainer);
  pizzaDescriptionContainer.style.width="65%";
  pizzaName = document.createElement("h4");
  pizzaName.innerHTML = randomName();
  pizzaDescriptionContainer.appendChild(pizzaName);
  ul = document.createElement("ul");
  ul.innerHTML = makeRandomPizza();
  pizzaDescriptionContainer.appendChild(ul);
  pizzaContainer.appendChild(pizzaDescriptionContainer);
  return pizzaContainer;
};
// resizePizzas(size) is called when the slider in the "Our Pizzas" section of the website moves.
var resizePizzas = function(size) {
  window.performance.mark("mark_start_resize");  // User Timing API function
  // Changes the value for the size of the pizza above the slider
  function changeSliderLabel(size) {
    switch(size) {
      case "1":
        document.querySelector("#pizzaSize").innerHTML = "Small";
        return;
      case "2":
        document.querySelector("#pizzaSize").innerHTML = "Medium";
        return;
      case "3":
        document.querySelector("#pizzaSize").innerHTML = "Large";
        return:
      default:
        console.log("bug in changeSliderLabel");
   }
  }
  changeSliderLabel(size);
   // Returns the size difference to change a pizza element from one size to another. Called by changePizzaSlices(size).
  function determineDx (elem, size) {
    var oldWidth = elem.offsetWidth;
    var windowWidth = document.querySelector("#randomPizzas").offsetWidth;
    var oldSize = oldWidth / windowWidth;
    // Changes the slider value to a percent width
    function sizeSwitcher (size) {
      switch(size) {
        case "1":
          return 0.25;
        case "2":
          return 0.3333;
        case "3":
          return 0.5;
        default:
          console.log("bug in sizeSwitcher");
     }
    var newSize = sizeSwitcher(size);
    var dx = (newSize - oldSize) * windowWidth;
    return dx;
  // Iterates through pizza elements on the page and changes their widths
  function changePizzaSizes(size) {
    for (var i = 0; i < document.querySelectorAll(".randomPizzaContainer").length; i++) {</pre>
      var dx = determineDx(document.querySelectorAll(".randomPizzaContainer")[i], size);
      var newwidth = (document.querySelectorAll(".randomPizzaContainer")[i].offsetWidth + dx) + 'px';
      document.querySelectorAll(".randomPizzaContainer")[i].style.width = newwidth;
  changePizzaSizes(size);
  // User Timing API is awesome
  window.performance.mark("mark_end_resize");
```

```
window.performance.measure("measure_pizza_resize", "mark_start_resize", "mark_end_resize");
  var timeToResize = window.performance.getEntriesByName("measure_pizza_resize");
  console.log("Time to resize pizzas: " + timeToResize[timeToResize.length-1].duration + "ms");
window.performance.mark("mark_start_generating"); // collect timing data
// This for-loop actually creates and appends all of the pizzas when the page loads
for (var i = 2; i < 100; i++) {
  var pizzasDiv = document.getElementById("randomPizzas");
  pizzasDiv.appendChild(pizzaElementGenerator(i));
// User Timing API again. These measurements tell you how long it took to generate the initial pizzas
window.performance.mark("mark end generating");
window.performance.measure("measure_pizza_generation", "mark_start_generating", "mark_end_generating");
var timeToGenerate = window.performance.getEntriesByName("measure_pizza_generation");
console.log("Time to generate pizzas on load: " + timeToGenerate[0].duration + "ms
// Iterator for number of times the pizzas in the background have scrolled.
// Used by updatePositions() to decide when to log the average time per frame
var frame = 0;
// Logs the average amount of time per 10 frames needed to move the sliding background pizzas on scroll.
function logAverageFrame(times) { // times is the array of User Timing measurements from updatePositions()
  var numberOfEntries = times.length;
  for (var i = numberOfEntries - 1; i > numberOfEntries - 11; i--) {
    sum = sum + times[i].duration;
  console.log("Average scripting time to generate last 10 frames: " + sum / 10 + "ms");
// The following code for sliding background pizzas was pulled from Ilya's demo found at:
// https://www.igvita.com/slides/2012/devtools-tips-and-tricks/jank-demo.html
// Moves the sliding background pizzas based on scroll position
function updatePositions() {
  frame++;
  window.performance.mark("mark_start_frame");
  var items = document.querySelectorAll('.mover');
  for (var i = 0; i < items.length; i++) {</pre>
    // document.body.scrollTop is no longer supported in Chrome.
    var scrollTop = document.documentElement.scrollTop || document.body.scrollTop;
    var phase = Math.sin((scrollTop / 1250) + (i % 5));
    items[i].style.left = items[i].basicLeft + 100 * phase + 'px';
  // User Timing API to the rescue again. Seriously, it's worth learning.
  // Super easy to create custom metrics.
  window.performance.mark("mark_end_frame");
  window.performance.measure("measure_frame_duration", "mark_start_frame", "mark_end_frame");
  if (frame % 10 === 0) {
    var timesToUpdatePosition = window.performance.getEntriesByName("measure_frame_duration");
    logAverageFrame(timesToUpdatePosition);
  }
}
// runs updatePositions on scroll
window.addEventListener('scroll', updatePositions);
// Generates the sliding pizzas when the page loads.
document.addEventListener('DOMContentLoaded', function() {
  var cols = 8;
  var s = 256;
  for (var i = 0; i < 200; i++) {
    var elem = document.createElement('img');
    elem.className = 'mover';
    elem.src = "images/pizza.png";
    elem.style.height = "100px";
    elem.style.width = "73.333px";
    elem.basicLeft = (i % cols) * s;
elem.style.top = (Math.floor(i / cols) * s) + 'px';
    document.querySelector("#movingPizzas1").appendChild(elem);
  updatePositions();
});
```