

Cucumber Report

Aug 29, 2024, 2:01:44 PM

Start : Aug 29, 2:01:40.271 PM

End : Aug 29, 2:01:43.008 PM

Duration : 2.737 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Title of your feature</u>	2.737 s	3	2	1	0	13	12	1	0

#	Feature Name	Scenario Name
1	<u>Title of your feature</u>	<u>Title of your scenario outline</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	3	2	1	0	1	0	1	0
@tag1	1	1	0	0	1	0	1	0
@tag2	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	3	2	1	0	2.737 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	<u>Title of your scenario</u>	7	7	0	0	2.678 s
2		<u>Title of your scenario outline</u>	3	3	0	0	0.005 s
3		<u>Title of your scenario outline</u>	3	2	1	0	0.013 s

Title of your feature



FAILED	DURATION - 2.737 S	Scenarios		Steps	
/ 2:01:40.271 PM // 2:01:43.008 PM /		Total - 3		Total - 13	
		Pass - 2		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Title of your scenario

PASSED	DURATION - 2.678 s		Steps	
/ 2:01:40.275 PM // 2:01:42.953 PM /			Total - 7	
Title of your feature			Pass - 7	
@tag @tag1			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I want to write a step with precondition	PASSED	2.657 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.002 s

Title of your scenario outline

<div>PASSED</div>	<div>DURATION - 0.005 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:01:42.980 PM // 2:01:42.985 PM /</div>				
<div>Title of your feature</div>				
<div>@tag @tag2</div>				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name1	PASSED	0.000 s
2	When I check for the 5 in step	PASSED	0.001 s
3	Then I verify the success in step	PASSED	0.001 s

Title of your scenario outline

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 2:01:42.995 PM // 2:01:43.008 PM /				
Title of your feature				
@tag @tag2				

#	Step / Hook Details	Status	Duration
1	Given I want to write a step with name2	PASSED	0.001 s
2	When I check for the 7 in step	PASSED	0.000 s
3	Then I verify the Fail in step java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at com.tmb.stepdefinition.LoginStepDefinition.i_verify_the_fail_in_step(LoginStepDefinition.java:92) at ?.I verify the Fail in step(file:///C:/Users/garga/eclipse-workspace/CucumberDemo/src/test/resources/feature/login.feature:37) * Not displayable characters are replaced by '?'. 	FAILED	0.012 s