

231901044 SABTHAGIRI.A  
EXPNO:05 CREATING VIEWS  
DATE:28.08.2024

Find the Solution for the following:

1. Create a view called EMPLOYEE\_VU based on the employee numbers, employee names and department numbers from the EMPLOYEES table. Change the heading for the employee name to EMPLOYEE.

```
CREATE VIEW EMPLOYEE_VU AS  
SELECT employee_id AS EMPNO, first_name || ' ' || last_name AS EMPLOYEE, department_id  
AS DEPTNO  
FROM EMPLOYEES;
```

2. Display the contents of the EMPLOYEES\_VU view.

```
SELECT * FROM EMPLOYEE_VU;
```



The screenshot shows a SQL query execution interface. At the top, there are tabs for 'Results', 'Explain', 'Describe', 'Saved SQL', and 'History'. The 'Results' tab is selected. Below the tabs is a table with three columns: 'EMPNO', 'EMPLOYEE', and 'DEPTNO'. The table contains five rows of data. Below the table, it says '5 rows returned in 0.01 seconds' and there is a 'Download' button.

EMPNO	EMPLOYEE	DEPTNO
1	John Doe	30
2	Jane Smith	20
3	Matos Brown	50
4	Emily Davis	40
5	Michael Wilson	10

5 rows returned in 0.01 seconds [Download](#)

3. Select the view name and text from the USER\_VIEWS data dictionary views.

```
SELECT view_name, text
```

```
FROM USER_VIEWS
WHERE view_name = 'EMPLOYEE_VU';
```

VIEW_NAME	TEXT
EMPLOYEE_VU	SELECT employee_id AS EMPNO, first_name    ' '    last_name AS EMPLOYEE, department_id AS DEPTNO FROM EMPLOYEES

1 rows returned in 0.03 seconds [Download](#)

4. Using your EMPLOYEES\_VU view, enter a query to display all employees names and department.

```
SELECT EMPLOYEE, DEPTNO
FROM EMPLOYEE_VU;
```

EMPLOYEE	DEPTNO
John Doe	30
Jane Smith	20
Matos Brown	50
Emily Davis	40
Michael Wilson	10

5 rows returned in 0.00 seconds

5. Create a view named DEPT50 that contains the employee number, employee last names and department numbers for all employees in department 50. Label the view columns EMPNO, EMPLOYEE and DEPTNO. Do not allow an employee to be reassigned to another department through the view.

```
CREATE VIEW DEPT50 AS
SELECT employee_id AS EMPNO, last_name AS EMPLOYEE, department_id AS
DEPTNO FROM EMPLOYEES
WHERE department_id = 50
WITH CHECK OPTION;
```

6. Display the structure and contents of the DEPT50 view.

DESC DEPT50;

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
DEPT50	EMPNO	NUMBER	22	-	-	-	-	-	-
	EMPLOYEE	VARCHAR2	50	-	-	-	✓	-	-
	DEPTNO	NUMBER	22	-	-	-	✓	-	-
1-3									

7. Attempt to reassign Matos to department 80.

UPDATE DEPT50

SET DEPTNO = 80

WHERE EMPLOYEE = 'Brown';

ORA-02291: integrity constraint (KAVIYA.V.SYS\_C007586) violated - parent key not found

8. Create a view called SALARY\_VU based on the employee last names, department names, salaries, and salary grades for all employees. Use the Employees, DEPARTMENTS and JOB\_GRADE tables. Label the column Employee, Department, salary, and Grade respectively.

CREATE VIEW SALARY\_VU AS

SELECT e.last\_name AS Employee, d.department\_name AS Department, e.salary AS Salary,  
(SELECT grade FROM JOB\_GRADES WHERE e.salary BETWEEN low\_salary AND  
high\_salary) AS Grade

FROM EMPLOYEES e

JOIN DEPARTMENTS d ON e.department\_id = d.department\_id;