Title : Prediction of the "play" attribute in the weather dataset

Group Details :

Aniruddha Hore	1PI13IS019
Giri Gaurav Bhatnagar	1PI13IS039
Kishan Kishore	1PI13IS051

Guide : Dr.Shylaja S S
Prof. And Head
Dept. Of ISE
PESIT

Introduction

This project tries to implement a machine learning program in Java using the Weka library.

Using J48 classifier , we try to predict the label (value) associated with an attribute ('play') of an instance from the given dataset ('weather').

Objective

The weather dataset contains many attributes including 'play' along with other attributes related to weather of a given day.

Our objective is to train a classifier from the 'weather dataset' and apply it to a 'test dataset' and then predict whether the attribute play bears the value 'YES' or 'NO'

Motivation

Machine learning is a vast and a crucial technology that is being used for the better decision making and smart prediction .

Feasibility

- Collection and maintenance of a big data set is a little difficult.

- Prediction will be more accurate if a large dataset is involved .

Tools/Software/Languages

Java

Weka 3

weatherunderground

SYSTEM DESIGN



Modules

- prepareDataset

  // prepares the arff file from a csv file
- evaluate

  // evaluates the model , used to calculate acurracy
- readfile

  // reads a datafile
- addInstances

  // add your own instances
- display

  //display the tree
- crossValidation

  //prepares dataset pairs for crossvalidation

Sample Dataset
[csv format]



Sample Dataset
[arff format]

weather.arff (~/223gb/Projects/WeatherPrediction/WeatherPrediction) - gedit

Open Save Undo

weather.arff

```
@relation weather

@attribute MaxTemp numeric
@attribute MeanTemp numeric
@attribute MinTemp numeric
@attribute MaxHumidity numeric
@attribute MeanHumidity numeric
@attribute MinHumidity numeric
@attribute WindSpeed numeric
@attribute CloudCover numeric
@attribute play {yes,no}
@data
29,24,19,100,76,45,23,3,no
29,24,20,100,74,45,14,4,yes
30,23,17,100,73,45,14,2,no
32,24,17,100,57,18,19,3,yes
32,24,17,100,62,24,16,2,yes
33,24,16,100,58,20,19,1,yes
31,24,18,100,61,25,21,3,no
30,24,18,100,67,37,21,3,no
31,24,18,100,73,38,23,3,yes
30,24,20,100,82,40,14,3,yes
```

Plain Text Tab Width: 8 Ln 1, Col 1 INS

OUTPUT


Java - WeatherPrediction/src/PredictPlay.java - Eclipse
Wed Nov 19 12:26 AM
Quick Access
Java
Problems
Javadoc
Declaration
Console
PredictPlay [Java Application] /usr/lib/jvm/java-7-oracle/bin/java (19-Nov-2014 12:26:19 am)
Do you want to
[1]Use your own Instances
[2] Label an unlabeled dataset from a file
[3] Use sample file
3
Accuracy of J48: 50.80%
instance : 0
yes
instance : 1
yes
instance : 2
no
instance : 3
yes
instance : 4
yes
instance : 5
yes
instance : 6
yes
instance : 7
yes
instance : 8
yes
instance : 9
no
Do you want to view the J48 tree ?? {yes/no}

OUTPUT


Weka Classifier Tree Visualizer: J48
Tree View
MinTemp
'<= 23'
'> 23'
WindSpeed
CloudCover
'<= 19'19'
'<= 3'
'> 3'
'yes (148
MinTemp
MinTemp
MeanTemp
'<= 22'
'> 22'
'<= 26'26'
'<= 28'28'
CloudCover
MeanTemp
Mean
'yes (4.0/1.0)'
MinHu
'yes (13.0/2.0)'
'<= 4'
'<= 27'27'
'<= 27'27'
'<= 46'46'
'no (179
CloudCover
'yes
WindSpe
'no (
MaxTemp
'no (5
MinTemp
'<= 5'
'> 5'
'<= 24'24'
'<= 32'32'
'<= 24'
'> 24'
MinHumidity
MaxTemp
Wind
'yes (12
'yes (
CloudCover
MeanTemp
MaxHumidity
'<= 55'
'> 55'
'<= 26'
'> 26'
'<= 28'23'
'<= 2'
'> 2'
'<= 27'
'> 27'
'<= 94'94'
MaxTemp
MinHumidity
MinTemp
MeanTemp
MaxHumi
'no (4
MaxHumidity
MeanTemp
CloudCover
Max
'no (10.
'yes (4.0/1.0)'
'<= 29'29'
'<= 62'62'
'<= 28'20'
'<= 28'23'
'<= 68'83'
'<= 94'94'
'<= 29'29'
'<= 4'
'<= 32'
'> 32'
'no (1
'yes (6.97
'yes (1
MinTemp
MeanHum
'no
'yes (8.6
MinTer
'no (
'yes (5.0/1
'no (14
'yes (3
'no (1
MinHum
'yes
CloudCover
MinHumidity
WindSpeed

RESULT

The decision tree was built using the training data set. The values for the 'play' attribute were predicted for each instance in the testing dataset according to the decision tree built.Thereafter, the accuracy of the prediction was calculated.

CONCLUSIONS

We concluded that using the concepts of machine learning one could easily predict values for a given attribute in a dataset if the values for the other attributes are known.

These prediction values could be further used for other purposes for e.g in our case the value of the play attribute could be used to decide whether a cricket match should be held in a particular city on a particular day or not given we have the weather data for that city.

References

[1] “Introduction to WEKA”
https://www.cs.auckland.ac.nz/courses/compsci367s1c/tutorials/IntroductionToWeka.pdf

[2] Zdravko Markov,"An Introduction to the WEKA Data Mining System" ,
http://www.cs.ccsu.edu/~markov/weka-tutorial.pdf

[3]"Hello World program in WEKA " ,
http://www.programcreek.com/2013/01/a-simple-machine-learning-example-in-java/

[4] "Using WEKA in Java code" ,
http://weka.wikispaces.com/Use+WEKA+in+your+Java+code

[5] Ian H. Witten and Eibe Frank on "Introduction to Machine Learning", Data Mining :Practical Machine Learning

Thank You