KERALA & SOUTH INDIA EDITION · OCT 2026

From intern to Full Stack Developer

A 32-week shonen-style training plan built around your real constraints: 6 hours × 4 days + 1 project day, zero backend, strong HTML/CSS. Research-backed for the 2026 Indian job market — with every YouTube link verified.

🗓️ 32 weeks | ⏱️ ~30 h / week | 🎯 MERN + TypeScript | 🐍 Python + Power BI

148 checkpoints

2%

3 / 148 checkpoints (🌱 E-Rank Hunter)

Tick boxes as you finish topics — progress saves in your browser. Use the Excel tracker for hours, revisions and job applications.





TRAINING ARC

Real anime energy — because a PDF checklist never made anyone grind at 5:30 AM.

DBZ

DRAGON BALL Z ARC

Work hard in silence.

Goku didn't unlock Super Saiyan by watching 22 hours of tutorials. 6 hours today. 6 hours tomorrow. That's the entire secret.

NARUTO

NARUTO ARC

Zero talent? Perfect.

Rock Lee had no ninjutsu and still outworked every genius in Konoha. You have zero backend. Same energy, 32 weeks.

SOLO LEVELING

SOLO LEVELING ARC

E-rank ➜ S-rank.

Day 1: "What is an API?" Day 120: shipping one to production. Level up once a week and watch it compound.

MARKET INTEL · 2026

What the Indian market is actually paying for

I pulled current hiring reports, live Infopark listings and salary aggregators so your 550 study hours go where the jobs are — not where the tutorials are.

+30%

YoY demand growth

Full-stack roles in India (Naukri data, cited by multiple 2026 hiring reports)

source ↗

~3×

React vs Angular openings

≈58,000 React vs ≈19,000 Angular roles on Naukri (2026 estimate)

source ↗

~80%

of new projects use TypeScript

TypeScript is expected, not optional, at product companies

source ↗

₹3.1–4.8 LPA

Kochi fresher full-stack range

Salary aggregators (UST, IBS, Infosys, Wipro band). Start low, switch up.

source ↗

₹5–9 LPA

MERN fresher (corporate)

₹6–12 LPA at startups for strong portfolios (2026 guides)

source ↗

Live

Fresher Python + React roles

Infopark Kochi companies hiring 2023–2025 grads for Python/React full-stack

source ↗

🧠 So what does this mean for *you*?

- **Your fastest path is MERN + TypeScript**, not Java. You already have HTML/CSS/JS — extending that into React and Node is the shortest distance between you and an offer.

- **Backend is where freshers win offers.** "Knows React" is common; "shipped an authenticated API with error handling" is rare in a fresher pile.
- **Kerala is service-heavy** (Infopark/Technopark JDs often say Java + Angular), but Python + React full-stack fresher roles are live too. Keep Java for year 2.
- **Power BI is a differentiator, not a core skill.** It makes you interesting for data-adjacent roles — it won't get you a full-stack job on its own.
- **Apply beyond Kerala.** 70% Kerala + 30% Bengaluru/Chennai/Hyderabad/remote roughly 5× your market for the same effort.

Tool relevance in the India market right now

TOOL / SKILL	WHY IT MATTERS HERE	PRIORITY	WHEN YOU LEARN IT
HTML / CSS	Every JD. Your foundation. Don't skip responsive + accessibility.	MUST	Week 1–2
JavaScript (ES6+)	The #1 interview filter in India. Closures, async, array methods.	MUST	Week 3–7
React	~70% of frontend JDs list React as primary framework.	MUST	Week 8–11
TypeScript	Expected in most new product-company codebases; +25–40% pay premium.	MUST	Week 8–11
Git & GitHub	Non-negotiable. Your green squares are your proof of work.	MUST	Week 1

Node.js + Express	The 'backend' half of MERN; most common fresher full-stack stack.	MUST	Week 12–16
MongoDB / Mongoose	Default database for MERN projects and startups.	MUST	Week 12–16
SQL (MySQL/Postgres)	Half of enterprise JDs still ask for SQL. Learn joins + indexes.	MUST	Week 17–18
REST APIs + Postman	You will be asked to 'explain your API' in every backend round.	MUST	Week 12–16
Tailwind CSS	Fast UI, common in startup codebases, great for portfolio speed.	SHOULD	Week 8–11
Docker	20–40% salary premium skillset; small teams love devs who can ship.	SHOULD	Week 19–22
Cloud deployment (Vercel/Render/AWS basics)	A live URL beats a screenshot. Recruiters check.	SHOULD	Week 19–22
Python + Django/Flask	Kerala JDs frequently ask Python full-stack. A local edge for you.	SHOULD	Week 17–18
Testing (Jest basics)	Nice differentiator for product companies; not all fresher JDs require it.	SHOULD	After core
Power BI	Differentiator for data-adjacent and service-company roles.	BONUS	Week 23–24
Next.js	Growing fast in 2026 JDs; learn	BONUS	After

	after React, not before.		core
Java + Spring Boot	Very common in Kerala enterprise/Infopark JDs — but learn after you're employable.	LATER	Year 2
Kubernetes	Not a fresher requirement. Ignore for now.	LATER	Year 2+

THE TRAINING ARC

Your 32-week roadmap

Nine seasons. Each one ends with a boss you must actually defeat — a deployed project, not a finished playlist. Tick each topic as you go.



THE NINDŌ RULE

“I never go back on my word. That's my ninja way.”

You will not feel motivated every day — Naruto didn't either. What carried him was a **rule**, not a mood. Yours: **never skip two days in a row.** Miss Monday? Fine. Tuesday is non-negotiable.

01

🎮 ACADEMY ARC · WEEK 1–2

Setup, Git & HTML/CSS Pro

⏱️ 24h

19%

Lock your tools, master Git, and sharpen HTML/CSS until your UI looks hireable. You already know the basics — this arc turns them into proof.

> 👹 **Boss to defeat:** A responsive 3-page portfolio site, deployed live, with 10+ GitHub commits and a real pull request.

WATCH / READ (VERIFIED LINKS)

Complete Git and GitHub Tutorial ↗ · Kunal Kushwaha · 1h15m · English

HTML & CSS Full Course – Beginner to Pro ↗ · SuperSimpleDev · 6h30m · English

Frontend Roadmap (read, don't binge) ↗ · roadmap.sh · 30m · reference

- [x] ~~Install VS Code + Prettier, ESLint, Live Server, GitLens, Error Lens~~
- [x] ~~Install Node.js LTS · verify `node -v` and `npm -v`~~
- [x] ~~Set Git user.name / user.email + add SSH key to GitHub~~
- [ ] Create GitHub profile README + repo `learning-log`
- [ ] Master the 15 daily Git commands (add, commit, branch, merge, push, pull, stash)
- [ ] Open your first pull request (fix a typo in any open-source README)
- [ ] Semantic HTML: header / nav / main / section / article / footer + forms

- [ ] CSS box model, specificity, cascade, rem/em/clamp()
- [ ] Flexbox: justify-content, align-items, gap, wrap
- [ ] CSS Grid: auto-fit + minmax, grid-template-areas
- [ ] Mobile-first media queries + fluid typography
- [ ] CSS variables, transitions, hover & focus states
- [ ] Accessibility: alt text, contrast, keyboard nav, focus rings
- [ ] Chrome DevTools: inspect, device toolbar, console, network
- [ ] Build + deploy a 3-page portfolio to Netlify or Vercel
- [ ] Write a README with screenshots and the live link

💡 *Rule: every day ends with a commit. A green GitHub square is your new high score.*

02

⚡ CHAKRA CONTROL ARC · WEEK 3–7

JavaScript Deep Dive

⏱️ 70h 0%

JavaScript is 80% of every full-stack interview. This is the arc where you stop copying code and start understanding it.

> 👹 **Boss to defeat:** 3 vanilla JS apps deployed: Todo (localStorage), Weather (live API), Quiz (timer + score).

WATCH / READ (VERIFIED LINKS)

JavaScript Tutorial Full Course – Beginner to Pro (2024) ↗ · SuperSimpleDev · 22h · English

Namaste JavaScript (Season 1 + 2) ↗ · Akshay Saini · Playlist · English

The Modern JavaScript Tutorial ↗ · javascript.info · Reference · read daily

- [ ] let / const / var, scope, temporal dead zone, hoisting
- [ ] Functions, arrow functions, callbacks, pure functions
- [ ] Arrays: map, filter, reduce, find, some, every, sort
- [ ] Objects, destructuring, spread/rest, optional chaining
- [ ] DOM: querySelector, createElement, classList, events
- [ ] Event delegation + forms + preventDefault + validation
- [ ] ES modules (import / export)
- [ ] Promises: then / catch / finally
- [ ] async / await + try / catch + error handling
- [ ] fetch + REST + JSON + loading & error states
- [ ] localStorage / sessionStorage
- [ ] Closures, `this`, call / apply / bind

- [ ] Event loop, call stack, microtasks vs macrotasks
- [ ] Debounce & throttle (write both from scratch)
- [ ] Build Todo app with persistence
- [ ] Build Weather app with a free API (Open-Meteo needs no key)
- [ ] Build Quiz app with timer + score + high score
- [ ] Deploy all 3 + write READMEs with screenshots

💡 *Watch at 1.5×, then close the video and rebuild the feature from memory. If you can't, you didn't learn it yet.*

03

🔥 POWER-UP ARC · WEEK 8–11

React + TypeScript + Tailwind

⏱️ 80h

0%

Stop thinking in pages. Start thinking in components, state and props. TypeScript is now expected in Indian product-company JDs, not optional.

> 👹 **Boss to defeat:** React + TypeScript 'Expense Tracker' with routing, charts, filters and persistence — deployed.

WATCH / READ (VERIFIED LINKS)

Chai aur React ↗ · Hitesh Choudhary (chai aur code) · ~20h · Hindi/Hinglish

TypeScript playlist ↗ · Hitesh Choudhary · ~5h · Hindi/Hinglish

Learn React (official docs) ↗ · react.dev · Reference · English

Tailwind CSS docs ↗ · tailwindcss.com · Reference

- [ ] Create a React app with Vite (`npm create vite@latest`)
- [ ] JSX rules + conditional rendering + fragments
- [ ] Components, props, children, composition
- [ ] useState + controlled inputs + forms
- [ ] Lists & keys — and why index keys break things
- [ ] useEffect: dependency array, cleanup, avoid loops
- [ ] Lifting state up + derived state (no duplicate state)
- [ ] React Router: routes, params, nested routes, 404
- [ ] Context API + custom hooks
- [ ] Fetch data + loading skeletons + error UI
- [ ] TypeScript: types, interfaces, unions, narrowing
- [ ] Generics basics + typing props, state, events
- [ ] Tailwind: spacing scale, responsive prefixes, dark mode
- [ ] Reusable component folder structure
- [ ] Complete 2 Frontend Mentor challenges

- [ ] Complete 2 Frontend Mentor challenges
- [ ] Deploy the SPA to Vercel/Netlify

💡 *Do not start Redux yet. Context + hooks is enough for fresher interviews. Depth beats checkbox collecting.*

04

🏰 BACKEND DUNGEON ARC · WEEK 12–16

Node.js + Express + MongoDB

⏱️ 90h | 0%

Your first real API. Auth, validation, error handling, deployment — the exact things interviewers probe when they hear 'I know MERN'.

> 👹 **Boss to defeat:** A production-style REST API (Job Board) with JWT auth, roles, pagination, docs and a Postman collection — deployed.

WATCH / READ (VERIFIED LINKS)

Complete Backend Developer Course (chai aur backend) ↗ · Hitesh Choudhary · ~30h · Hindi/Hinglish

Node.js Crash Course Tutorial ↗ · The Net Ninja · 4h30m · English

MongoDB free courses ↗ · MongoDB University · Self-paced · English

- [ ] Node runtime, npm scripts, package.json, .env + dotenv
- [ ] HTTP verbs, status codes, headers, JSON body
- [ ] Express: routing, route params, query strings

- [ ] Middleware — write your own logger & auth guard
- [ ] Folder structure: routes / controllers / models / utils
- [ ] MongoDB Atlas cluster + connection string + IP allow-list
- [ ] Mongoose schema, validation, indexes
- [ ] CRUD endpoints (GET all, GET one, POST, PATCH, DELETE)
- [ ] Pagination, filtering, sorting
- [ ] bcrypt password hashing
- [ ] JWT access tokens + login/register flow
- [ ] Role-based access (user / admin / recruiter)
- [ ] Central error handler + async wrapper
- [ ] Request validation (zod or express-validator)
- [ ] File upload with Multer (Cloudinary optional)
- [ ] CORS, helmet, rate limiting
- [ ] Postman collection + test every endpoint
- [ ] README API docs with request/response examples
- [ ] Deploy API to Render or Railway + set env vars

💡 *If your API isn't deployed with a live URL in the README, most recruiters will never see it. Deploy in week 12, not week 16.*



HALFWAY CHECKPOINT · AROUND DAY 110

"Go beyond. PLUS ULTRA!"

If the authenticated API is deployed, you are no longer "an intern who knows HTML". You are a full-stack developer with a smaller portfolio. **This is the exact point where most people quit** — the second half is where the offers live.

05

🗺️ SIDE QUEST ARC · WEEK 17–18

SQL + Python (Kerala JD insurance)

⏱️ 45h | 0%

A large share of Kerala JDs ask for SQL or Python. You don't need to become a data scientist — you need to be dangerous enough to survive a technical round.

> 👹 **Boss to defeat:** A 5-table SQL schema + 20 queries for your capstone, plus a small Python CLI and a 2-endpoint Flask/Django API.

WATCH / READ (VERIFIED LINKS)

MySQL Tutorial for Beginners [Full Course] ↗ · Programming with Mosh · 3h10m · English

Python Tutorial – Python for Beginners ↗ · Programming with Mosh · 6h · English

Django official tutorial (or Flask quickstart) ↗ · Django docs · 3h · English

- [ ] SELECT, WHERE, ORDER BY, LIMIT
- [ ] INNER JOIN, LEFT JOIN, self joins
- [ ] GROUP BY, HAVING, aggregate functions
- [ ] Subqueries + CTEs (WITH)
- [ ] INSERT / UPDATE / DELETE + transactions
- [ ] Indexes: when they help and when they hurt
- [ ] Normalization + design a 5–table schema
- [ ] 20 interview-style SQL queries on your own schema
- [ ] LeetCode SQL 50 or HackerRank SQL badge
- [ ] Python syntax: lists, dicts, loops, functions
- [ ] Virtualenv + pip + requirements.txt
- [ ] OOP basics + exceptions + file I/O

- [ ] requests library + JSON parsing
- [ ] Build a Python CLI (report / scraper)
- [ ] Build a tiny Flask or Django API (2 endpoints)
- [ ] Connect Python to SQLite/Postgres and run a query

💡 *Python tip: don't do a 40-hour data-science course. 15 focused hours + one working script beats 40 hours of videos.*

06

🐲 FINAL BOSS ARC · WEEK 19–22

Capstone + Docker + CI/CD

⏱️ 70h 0%

One full-stack product you can demo for 5 minutes without notes. This is the project that carries your resume, your interviews and your confidence.

> 👹 **Boss to defeat:** 'SkillBridge' — a full-stack app (auth, roles, CRUD, dashboard) deployed live with Docker + GitHub Actions.

WATCH / READ (VERIFIED LINKS)

Docker Tutorial for Beginners [FULL COURSE in 3 Hours] ↗ · TechWorld with Nana · 3h · English

GitHub Actions documentation ↗ · GitHub Docs · Reference

Deployment guides ↗ · Vercel / Render / Railway · Reference

- [ ] Write a 1-page PRD: users, user stories, 6–8 features

- [ ] Design the database schema + ER diagram
- [ ] Auth + roles (e.g. student / recruiter / admin)
- [ ] CRUD resources + search, filter, sort
- [ ] Dashboard with charts (Recharts/Chart.js)
- [ ] File upload or image handling
- [ ] Pagination or infinite scroll
- [ ] Error boundaries + loading skeletons
- [ ] Responsive + accessible UI (keyboard, contrast)
- [ ] Dockerfile for backend + docker-compose (app + db)
- [ ] GitHub Actions: lint + test on every push
- [ ] Deploy frontend, backend, and MongoDB Atlas
- [ ] Store secrets in env vars (never in the repo)
- [ ] Seed demo data + a demo login account
- [ ] README: screenshots, architecture diagram, setup steps
- [ ] Record a 3–minute demo video (Loom or YouTube)
- [ ] Alternate capstone: 'Kerala IT Job Market Analyser' (Python scraper + pandas

+ Power BI + React dashboard)

💡 *Choose the alternate capstone if you want a data + full-stack story. It is memorable in interviews and it doubles as market research for your own job hunt.*

07

🗡️ DSA DOJO (DAILY) · WEEK 3–32 · 45 MIN/DAY

DSA & Problem Solving

⏱️ 40h | 0%

Kerala service companies and product companies both screen with aptitude + coding rounds. Consistency beats marathon weekends.

> 👹 **Boss to defeat:** 150 curated problems solved + 2 timed mock coding rounds.

WATCH / READ (VERIFIED LINKS)

- **Striver's A2Z DSA Sheet & Course ↗** · takeUforward · 450 items · free
- **Striver A2Z playlist ↗** · takeUforward · YouTube playlist
- **NeetCode Roadmap (optional) ↗** · NeetCode · Free · English

- [ ] Arrays & running sum
- [ ] Strings & frequency counting
- [ ] Hashing (maps/sets) patterns
- [ ] Two pointers
- [ ] Sliding window

- [ ] Prefix sum
- [ ] Stack (valid parentheses, next greater element)
- [ ] Queue & deque basics
- [ ] Linked list (reverse, middle, cycle)
- [ ] Binary search (and binary search on answer)
- [ ] Sorting: bubble/selection/insertion + merge/quick idea
- [ ] Recursion & backtracking basics
- [ ] Trees: traversals, height, diameter
- [ ] BST basics
- [ ] Heaps / priority queue basics
- [ ] Graphs: BFS, DFS, connected components
- [ ] Greedy basics
- [ ] Dynamic programming intro (climbing stairs, knapsack)
- [ ] Bit manipulation basics
- [ ] 150 total problems + 2 timed mocks

💡 *Track problems in the Excel sheet. If a problem takes >35 min, read the editorial, then re-solve it 3 days later from scratch.*

08

📊 BONUS BOSS ARC · WEEK 23–24 (ONLY AFTER CAPSTONE)

⏱️ 30h 0%

Power BI + Analytics

This is your differentiator, not your core. Kerala service companies and data-adjacent roles love a dev who can also build a dashboard.

> 👹 **Boss to defeat:** A 2-page Power BI dashboard published online + a 5-line business insight write-up on your portfolio.

WATCH / READ (VERIFIED LINKS)

Power BI Project for Beginners (Sales Insights) ↗ · codebasics · 3h · English

Power BI Data Analyst (PL-300) certification path ↗ · Microsoft Learn · Optional · free path

DAX overview ↗ · Microsoft Learn · Reference

- [ ] Install Power BI Desktop (Windows)
- [ ] Connect MySQL / CSV / Excel data
- [ ] Power Query: clean, split, merge, pivot
- [ ] Data model + relationships (star schema)
- [ ] DAX basics: SUMX, CALCULATE, time intelligence

- [ ] 6 visuals + slicers + drill-through
- [ ] Publish to Power BI Service + shareable link
- [ ] Build a dashboard on your own dataset
- [ ] Add a screenshot + insight to your portfolio
- [ ] Optional: attempt Microsoft PL-300

💡 *Do not start this before Season 6. Power BI is a multiplier on a full-stack profile — it cannot replace one.*

09

🏁 JOB HUNT ENDGAME · WEEK 25–32

Portfolio, Resume & Offers

⏱️ 100h 0%

Job hunting is a numbers game with a quality filter. 300 targeted applications + 30 referrals + 12 mock interviews is the formula.

> 🐲 **Boss to defeat:** A signed offer. Your first CTC is not your final form — your learning curve is.

WATCH / READ (VERIFIED LINKS)

System Design Primer ↗ · GitHub · donnemartin · Reference

Frontend interview questions ↗ · GeeksforGeeks · Reference

Career + interview videos (Malayalam) ↗ · Brototype Malayalam · Channel · Malayalam

- [ ] One-page ATS resume: projects written like experience

- [ ] Add numbers: users, endpoints, load time, test coverage
- [ ] LinkedIn headline + About + featured projects
- [ ] Portfolio site with 4 case studies (problem → build → result)
- [ ] GitHub cleanup: pinned repos, READMEs, live links, green squares
- [ ] 30–second intro + 2–minute project story (record yourself)
- [ ] STAR answers for 10 HR questions
- [ ] 12 mock interviews (peer / Pramp / Exponent)
- [ ] Revise JS, React, Node question banks
- [ ] 150 DSA problems done + 2 timed mocks
- [ ] Apply 25/week: Kerala + Bengaluru + Chennai + Hyderabad + remote
- [ ] 5 referrals/week via LinkedIn alumni & ex-colleagues
- [ ] Track every application in the Job Tracker sheet
- [ ] Follow up after 5–7 days (one polite message)
- [ ] Negotiate with a range, not a single number
- [ ] Post 2 build-in-public updates per week

💡 *A referral is worth 20 cold applications. Your current internship colleagues are referral gold — ask them before you leave.*

DAILY OPERATING SYSTEM

Your 6-hour study day

Built around an internship. Split it, protect it, and never negotiate with the clock. Total: 24 study hours + 6 project hours = 30 hours/week.

Weekday template (Mon–Thu)

05:30 – 07:00	**Deep work #1**	Video/reading at 1.25×, take notes by hand, no phone
07:00 – 08:00	**Commute / audio**	Replay a concept in your head or listen to a podcast — no new material
19:00 – 20:30	**Deep work #2**	Code along with the tutorial, then break it deliberately
20:30 – 21:30	**Build from scratch**	Close the tutorial and rebuild the feature alone
21:30 – 22:15	**DSA + review**	1–2 problems, then 10 minutes of flashcards
22:15 – 22:30	**Log it**	Tick the Excel tracker, commit to GitHub, one-line journal

The week

Mon–Thu	**6 hours**	Theory → code-along → build-alone → DSA → log
Friday	**Project day**	6+ hours of pure building. No new videos. Ship something.
Saturday	**Recovery + 1h**	Rest, family, gym. Optional: 1 hour of job-portal browsing.
Sunday	**Recovery**	Zero study guilt. Burnout is the real final boss.

⚔️ The 5 laws of this training arc

- **70/30 rule:** 70% building, 30% watching. Every video ends with the tab closed.
- **One boss per season:** no new phase until the deliverable is deployed.
- **Daily commit:** a green square is proof of life.
- **45 min DSA daily** from week 3 — not 5-hour Sunday marathons.
- **One rest day.** Burnout is the real final boss.

Milestone save-points

Day 7

Portfolio live on the internet + 7 commits

Day 30

3 JavaScript apps deployed + 20 DSA problems

Day 60

React project live + 50 DSA problems

Day 90

REST API deployed with auth + 80 DSA problems

Day 120

Capstone live with Docker + CI, demo video recorded

Day 150

Power BI dashboard + ATS resume + LinkedIn done

Day 180

100+ applications, 10+ referrals, first interviews

Day 210–240


Offer signed. Training arc complete.

BOSS RUSH

The project ladder

Five projects, increasing in difficulty. Each one exists to answer a specific interview

question. By the end, your GitHub is the portfolio.



SOLO LEVELING ARC

ARISE. Five projects = five levels.

Clear one, unlock the next. No skipping bosses — every project answers a different interview question.

LV.1 · Week 4–5

Kerala Travel Planner

HTML · CSS · JS · API · localStorage

- ✔ Search destinations
- ✔ Filter by district
- ✔ Save favourites
- ✔ Fully responsive

🎯 Shows DOM + API + state, without any framework.



LV.2 · Week 10–11

Expense Tracker (React + TS)

React · TypeScript · Tailwind · Recharts

- ✔ Add/edit/delete expenses
- ✔ Category charts
- ✔ Monthly filters
- ✔ Local persistence

🎯 Shows components, hooks, typing, charts.



LV.3 · Week 15–16

Job Board API

Node · Express · MongoDB · JWT

- ✔ Auth + roles
- ✔ CRUD jobs
- ✔ Search + pagination
- ✔ Rate limiting

🎯 Shows backend thinking: validation, errors, security.

📦 Render / Railway

LV.4 · Week 19–22

SkillBridge (Capstone)

MERN · TypeScript · Docker · CI/CD

- ✔ Student & recruiter roles
- ✔ Job posts + applications
- ✔ Dashboard analytics
- ✔ Dockerised + CI

🎯 This is the project that gets you hired. 5-minute demo.

📦 Live URL + demo video

LV.5 · Week 23–24

Kerala IT Job Market Analyser

Python · pandas · Power BI · React

- ✔ Scrape job boards
- ✔ Skill frequency analysis
- ✔ Salary bands
- ✔ Power BI dashboard

🎯 Data + full-stack story. Unique in a pile of identical MERN resumes.



ENDGAME

The Kerala job-hunt playbook

Where the openings actually live, who is hiring, what to send, and how many times to send it.

🏙️

Infopark, Kochi

Phase 1 & 2 · ~400+ companies. Check the official job board every Monday — fresher Python/React roles appear regularly.

🌴

Technopark, Trivandrum

India's first IT park. Product + service mix: IBS, Speridian, NeST, CareStack, TCS, Infosys.

🚀

Cyberpark, Kozhikode + startups

Smaller pool, faster decisions. Kerala Startup Mission ecosystem hires via networks and LinkedIn.

Where to look (bookmark these)

↗ Infopark job board

The primary source for Kochi openings — freshers included. Check every Monday.

↗ Technopark Trivandrum
Park companies + careers pages; follow each company's LinkedIn too.

↗ Naukri
Largest volume. Set alerts: 'MERN fresher Kochi', 'React developer Trivandrum'.

↗ LinkedIn Jobs
Best for referrals + recruiter DMs. Filter 'Entry level' + 'Kerala'.

↗ foundit (Monster India)
Good for Technopark/Infopark fresher listings.

↗ Indeed India
Volume + salary signals. Watch for fake consultancies.

↗ Instahyre
Curated product-company roles; good for Bengaluru remote.

↗ Cutshort
Startup roles across India, often remote-friendly.

↗ Wellfound
Startup jobs; equity + remote options.

↗ Hirist
Tech-only job board, decent fresher filters.

↗ Internshala
Convert an internship into a full-time offer — you're already an intern.

↗ Kerala Startup Mission
Kerala startup ecosystem; many early-stage teams hire via networks.


Starter target list — Kerala & nearby

Verify live openings before applying; teams change fast. Use this to build your tracker.

COMPANY	TYPE	WHERE	
UST	MNC / service	Trivandrum, Kochi	High fresher volume; strong training

			programmes.
Infosys / TCS / Wipro / Cognizant	MNC / service	Kochi, Trivandrum	Aptitude-driven hiring; steady first job, slower growth.
IBS Software	Product	Trivandrum, Kochi	Travel-tech product company; good engineering exposure.
Speridian Technologies	Product / service	Technopark	Hires Java + React/Next.js full-stack profiles.
Experion Technologies	Service / product	Kochi, Trivandrum	Product engineering; Java, .NET, JS stacks.
Thinkpalm	Product / embedded	Kochi, Trivandrum	Networking/embedded + some web roles.
Simelabs (Astek)	Product / service	Infopark	Java/Spring + Angular full-stack teams.
NeST Digital	Product / service	Kochi, Trivandrum	Broad stack; regular fresher intake.
Tata Elxsi	Design / engineering	Trivandrum, Kochi	Embedded + digital; good brand on resume.
EY GDS	GCC	Kochi, Trivandrum	Enterprise tech; pays better than classic service firms.
Litmus7	Retail tech	Kochi	Retail/e-commerce tech; modern JS stack.

CareStack	SaaS product	Trivandrum	Dental SaaS; product-minded engineering.
SurveySparrow	SaaS product	Kochi	Feedback SaaS; React-heavy frontend.
Zoho / Freshworks	Product (Tamil Nadu)	Chennai	South India product giants; strong for a 1–2 year jump.



ATTACK ON TITAN ARC

You don't know the outcome. Apply anyway.

Levi had no guarantee either. 25 applications a week — rejection is data, not a verdict on you.

📐 Application maths (be honest with yourself)

25 quality applications/week → ~300 over 12 weeks. A realistic 8–12% interview rate for freshers → **25–35 interviews** → 3–5 final rounds → 1–2 offers.

The people who "applied to 20 jobs and got nothing" usually applied to 20 jobs. Volume +

tailoring + referrals is the formula.

🤝 Referral message that works

```
Hi [Name], I'm a frontend intern moving into full-stack (MERN +
TypeScript). I built [project + live link], a job board with JWT auth and
40+ REST endpoints.

I saw [Company] is hiring for [role]. Would you be open to referring me —
or pointing me to the right person? Happy to send my resume.

Thanks either way!
```

Resume upgrades (before you apply anywhere)

Lead with projects, not duties

"Built a MERN job board with JWT auth serving 40+ REST endpoints" beats "Worked on frontend tasks".

Put the stack in the top third

Recruiters and ATS scan for React, Node, MongoDB, TypeScript, Git. Make them impossible to miss.

Add numbers

Users, endpoints, screens, response time, test coverage, number of components.

One page, one column

No photos, no skill bars, no 'references available'. ATS-friendly PDF.

Link everything

Live demo + GitHub + LinkedIn in the header. If it isn't clickable, it doesn't exist.

Turn your internship into backend evidence

Ask for one API task or bug-fix sprint, then write the measurable result.

BOSS DIALOGUE

Interview question bank

The questions Indian fresher panels actually ask. Answer each out loud — in English, then in Malayalam if that's your comfort language.

JavaScript — 10 questions +

React — 10 questions +

Node / DB / API — 10 questions +

HR / Behavioural — 10 questions +

POWER-UPS

Shortcuts, commands & PDF cheat sheets

Print the PDFs. Stick them above your desk. Muscle memory is a real superpower in

interviews and at work.

RESOURCE	TYPE	WHY YOU'LL USE IT
VS Code keyboard shortcuts (official PDF) ↗	PDF	Print it. Stick it on your wall.
GitHub Git cheat sheet (official PDF) ↗	PDF	Every command you need for the first year.
Docker CLI cheat sheet (official PDF) ↗	PDF	For Season 6 deployment week.
Chrome DevTools shortcuts ↗	Web	Learn Ctrl+Shift+C and Ctrl+Shift+P first.
MDN JavaScript reference ↗	Web	The only JS docs you should trust.
React official docs ↗	Web	Read 'Thinking in React' twice.
Node.js learn ↗	Web	Event loop + modules sections.
SQL quick reference ↗	Web	Bookmark for Season 5.
Power BI keyboard shortcuts ↗	Web	Speeds up dashboard building.
Markdown cheat sheet ↗	Web	For READMEs that actually look good.
DevDocs (offline docs) ↗	Web	All docs in one search bar, works offline.
regex101 ↗	Web	Test regex with explanations.

Can I Use ↗	Web	Before using any new CSS feature at work.
Full-stack roadmap ↗	Web	Your map when you feel lost.

⌨️ VS Code — 15 shortcuts

`Ctrl + P`	Quick open file
`Ctrl + Shift + P`	Command palette (the cheat code for everything)
`Ctrl + ` `	Toggle terminal
`Ctrl + B`	Toggle sidebar
`Ctrl + D`	Select next occurrence (multi-cursor)
`Ctrl + Shift + L`	Select all occurrences
`Alt + ↑ / ↓`	Move line up / down
`Shift + Alt + ↓`	Duplicate line
`Ctrl + Shift + K`	Delete line
`F2`	Rename symbol everywhere
`Ctrl + /`	Toggle comment
`Ctrl + Shift + F`	Search across files
`Ctrl + G`	Go to line
`Ctrl + K, Ctrl + 0`	Fold all
`Ctrl + Shift + V`	Markdown preview

🌿 Git — daily commands

`git init`	Start a repo
`git status`	What changed?
`git add .`	Stage everything
`git commit -m "feat: add login"`	Commit with a meaningful message
`git branch -M main`	Rename branch to main
`git remote add origin <url>`	Connect to GitHub
`git push -u origin main`	First push
`git checkout -b feature/auth`	New branch
`git merge feature/auth`	Merge into current branch
`git pull --rebase`	Sync cleanly
`git stash / git stash pop`	Park work temporarily
`git log --oneline --graph`	See history visually
`git reset --hard HEAD~1`	Undo last commit (careful)
`git clone <url>`	Copy a repo locally

🧩 JS array methods to memorise

`map()`	Transform every item → new array

`filter()`	Keep items that pass a test
`reduce()`	Boil an array down to one value
`find()`	First matching item
`some() / every()`	Any match? / All match?
`sort()`	Sort (mutates — copy first)
`flatMap()`	Map + flatten one level
`Object.entries()`	Object → [key, value] pairs
`Object.fromEntries()`	Pairs → object
`Array.from()`	Convert iterable to array
`at(-1)`	Last element without .length - 1
`structuredClone()`	Real deep copy (modern browsers)

PEER REVIEW · RED-TEAM PASS

I had a second agent try to destroy this plan

Before shipping, I ran the plan through a hostile review whose only job was to find why it fails. These were the seven hits — and the fixes baked into the roadmap above.

⚠️ You are trying to learn MERN + Python + Power BI + DSA in 6 months. That is how people burn out at month 3.

✅ Sequence, don't parallelise. Python and Power BI are locked until the capstone ships. DSA is only 45 min/day.

⚠️ Kerala's market is service-heavy: many Infopark JDs ask Java/Spring + Angular, not MERN.

✅ Keep MERN as your primary (fastest given your JS base), add Python/Django basics for Kerala JDs, and learn Java in year 2 if you target enterprise.

⚠️ Tutorial hell is the #1 killer. Watching 22 hours of JS while typing nothing feels productive.

✅ 70/30 rule: 70% of study time is building. Every video must end with the tab closed and code written from memory.

⚠️ If you learn React before backend, you risk becoming a 'card designer' who freezes when asked about auth or databases.

✅ Frontend first is fine, but your API must be live by week 12. Backend is where fresher offers are won.

⚠️ Applying only in Kerala shrinks the pool to a few hundred roles and depresses your first salary.

✅ Apply 70% Kerala (Infopark/Technopark/Cyberpark) + 30% Bengaluru/Chennai/Hyderabad/remote. Same effort, 5× the market.

⚠️ DSA can eat your entire life and delay shipping.

✅ 150 curated problems, not 500. Patterns over volume. Stop DSA prep the week you have 3 interviews.

⚠️ Your current internship is being wasted if you only do frontend tickets.

✅ Ask your lead for one backend task, one bug-fix sprint, and one code review. Then put the measurable outcome on your resume.

WHY YOU'LL FINISH

Training-arc energy

You are not behind. You are at the start of the arc where the protagonist is still weak — and that's exactly where every good story begins.

“This is not even my final form.”

Week 12: backend dungeon. Week 19: final boss. Week 32: you're someone else.

The offer is the arc reward.

Not luck. 550 logged hours, 4 deployed projects, 1 demo you can give half-asleep.

Day 1: “What is an API?” · Day 120: “Have you considered indexing that field?”

SOLO LEVELING · E-RANK TO S-RANK

“Work hard in silence. Let success be your noise.” · You at 05:30, before the rest of the house wakes up.

DRAGON BALL Z · GOKU

“I'm not a genius. I'm someone who works harder than a genius.” · Rock Lee had no ninjutsu. You have no backend. Same arc.

NARUTO · ROCK LEE

“GO BEYOND… PLUS ULTRA!” · Also you, when the test finally passes on the 9th attempt.

MY HERO ACADEMIA · ALL MIGHT

“I don't know the outcome, but I'm still gonna try.” · You, submitting application #247 at 11:58 PM.

ATTACK ON TITAN · LEVI

Watching 22 hours of tutorials with nothing to show ❌ · Rebuilding one feature from memory ✅

TUTORIAL HELL · FINAL BOSS

“Arise.” — Day 1 you summoned one console.log(). Today you summoned a shadow army of REST endpoints.

SOLO LEVELING

Nobody: … You at 5:30 AM: LET'S GO, training arc starts now.

ACADEMY ARC

Your first offer is not your final form.

ENDGAME

DUE DILIGENCE

Sources & further reading

Salary ranges are directional, not guarantees — always sanity-check against live listings and offers. Verified as of October 2026.

↗ Full-Stack Developer Hiring in India 2026 — role demand & NASSCOM context

↗ React vs Angular 2026 — India job counts & salaries

↗ Most in-demand full-stack skills 2026 — TypeScript/React/Node adoption

↗ Full-stack developer salary in Kochi 2026

↗ Web developer jobs for freshers in India 2026 — salary bands

↗ Infopark live company job board

↗ Infopark fresher opening — Python + React full-stack

↗ Technopark Trivandrum — park & company info

↗ Full-stack developer salary in India 2026 (stack comparison)

↗ React developer salary & skills premium in India 2026

A note on honesty

- All YouTube videos, playlists and PDFs above were checked to exist when this page was built. Playlists get updated — the channel name is your fallback.
- Salary figures come from job boards, salary aggregators and 2026 hiring reports, which vary wildly. Use them to negotiate a range, not to fix an expectation.
- This is a plan, not a guarantee. What actually moves the needle: shipped projects, referrals, and interviews.

Operation Full Stack · Kerala Edition

Built for a future full-stack developer in Kerala · October 2026

148 checkpoints · 9 seasons · 5 projects

Save this page (Ctrl+S) — it works offline.