

केंद्रीय मुहर विभाग-2

संदर्भ : कें.मु.वि-2/जी-73/16: 14543

30 07 2025

**विषय : आई एस 14543 : 2024 पैकेजबंद पेय जल (पैकेजबंद प्राकृतिक मिनरल जल के अलावा)
— विशिष्टि का संशोधित प्रॉडक्ट मानुयल**

- 1) यह उपरोक्त के संदर्भ में है।
- 2) IS 14543 : 2024 का अनुमोदित संशोधित प्रॉडक्ट मानुयल BIS वेबसाइट पर: "Conformity Assessment → Product Certification → Product Specific Information → Product Manual" के अंदर होस्ट कर दिया गया है।
- 3) PDW के लिए मौजूदा उत्पाद मैनुअल को संशोधित किया गया है, जिसमें दायरे से मात्रा क्षमता को हटाया गया है और SIT में नाइट्रेट के उप-कॉन्टैक्टिंग की अनुमति दी गई है।
- 4) लाइसेंस का दायरा अब केवल सामग्री (PE/PET/PVC/कांच आदि) और कंटेनरों के प्रकार (बोतलें, जार आदि) को शामिल करता है, अर्थात् समान सामग्री और कंटेनर के प्रकार के लिए लाइसेंस पाने वाला किसी भी क्षमता में PDW भर सकता है बिना उस क्षमता के समावेश के लिए कोई अतिरिक्त अनुमोदन की आवश्यकता के।
- 5) सभी शाखा कार्यालयों से अनुरोध है की यह प्रॉडक्ट मानुयल जिसमें SIT भी संयुक्त है, को आवेदकों एवं अनुज्ञप्तिधारकों को 7 दिन के भीतर भेजें।

(इंद्रजीत सिंह)
वैज्ञानिक-डी

प्रमुख, (कें.मु.वि.-2)

उप महानिदेशक(प्रमाणन)

क्षेत्रीय/शाखा कार्यालयों को intranet के माध्यम से परिचालित

CENTRAL MARKS DEPARTMENT-2

Our Ref: CMD-2/G-73/16: 14543

30 07 2025

Subject: Revised Product Manual for Packaged Drinking Water (other than Packaged Natural Mineral Water) — Specification According to IS 14543: 2024

1. This has reference to the subject mentioned above.
2. The approved revised Product Manual for IS 14543: 2024 has been hosted on the BIS website under "Conformity Assessment → Product Certification → Product Specific Information → Product Manual".
3. the existing product manual for PDW has been revised with deletion of capacity from the scope and allowing subcontracting of nitrate in SIT.
4. The scope of license now includes only the material (PE/PET/PVC/Glass etc.) and type of containers (bottles, jars etc.) i.e. for same material and container type the licensee may fill PDW in all capacities without requirement for any additional endorsement for inclusion of that capacity.
5. BOs are advised to send this Product Manual which incorporates SIT to all licensees and applicants within 7 days.

(Inderjeet Singh)
Scientist-D

Head (CMD 2)

DDG (Certification)

Circulated to: All ROs/BOs through BIS intranet