

1. Tech Productivity Index — TPI

Syntax :


```
Bwa_Development_Time = float(input("Enter Coding Time In Minutes : "))
```

```
Coding_Days = int(input("Enter number of valid recorded days: "))
```

```
TPI = Bwa_Development_Time / Coding_Days
```

```
print("\nTech Productivity Index (TPI):", round(TPI, 2), "min/day")
```

Output :



The screenshot shows a Visual Studio Code editor window with a file explorer on the left and a code editor in the center. The file explorer shows a folder named 'LPU-PYTHON' containing several files, including 'TechProductivityIndex_TPI.py'. The code editor displays the following Python code:

```
1 Bwa_Development_Time = float(input("Enter Coding Time In Minutes : "))
2 Coding_Days = int(input("Enter number of valid recorded days: "))
3
4 TPI = Bwa_Development_Time / Coding_Days
5
6 print("\nTech Productivity Index (TPI):", round(TPI, 2), "min/day")
```


Below the code editor, the terminal window shows the execution of the script. The prompt is 'PS D:\GITClone\PythonRepo\LPU-PYTHON>'. The user enters 'c:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:\GITClone\PythonRepo\LPU-PYTHON\TechProductivityIndex_TPI.py'. The script prompts for 'Enter Coding Time In Minutes : 1530' and 'Enter number of valid recorded days: 40'. The output is 'Tech Productivity Index (TPI): 38.25 min/day'.

2. Academic Activity Index — AAI

Syntax :

```
Bwa_Study_Time = float(input("Enter total study time in minutes: "))
Valid_Class_Time = float(input("Enter total class time in minutes: "))
Total_Days = int(input("Enter number of valid recorded days: "))
AAI = (Bwa_Study_Time + Valid_Class_Time) / Total_Days
print("\nAcademic Activity Index (AAI):", round(AAI, 2), "min/day")
```

Output :



The screenshot shows a Python IDE with a file explorer on the left, a code editor in the center, and a terminal at the bottom. The code editor displays the following Python code:

```
1 Bwa_Study_Time = float(input("Enter total study time in minutes: "))
2 Valid_Class_Time = float(input("Enter total class time in minutes: "))
3 Total_Days = int(input("Enter number of valid recorded days: "))
4
5 AAI = (Bwa_Study_Time + Valid_Class_Time) / Total_Days
6
7 print("\nAcademic Activity Index (AAI):", round(AAI, 2), "min/day")
```

The terminal shows the execution of the program with the following input and output:

```
PS D:\GITClone\PythonRepo\LPY-PYTHON> C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:\GITClone\PythonRepo\LPY-PYTHON\AchedemicActivityIndex AAI.py
Enter total study time in minutes: 3960
Enter total class time in minutes: 8640
Enter number of valid recorded days: 40

Academic Activity Index (AAI): 315.0 min/day
PS D:\GITClone\PythonRepo\LPY-PYTHON>
```

3. Physical Activity Index — PhAI

Syntax :


```
Bwa_Workout_Time = float(input("Enter total fitness time in minutes: "))
```

```
Valid_Days = int(input("Enter number of valid recorded days: "))
```

```
PhAI = Bwa_Workout_Time / Valid_Days
```

```
print("\nPhysical Activity Index (PhAI):", round(PhAI, 2), "min/day")
```

Output :



The screenshot shows a Visual Studio Code window with a Python file named `PhysicalActivityIndex_phAI.py` open. The code in the file is as follows:

```
1 Bwa_Workout_Time = float(input("Enter total fitness time in minutes: "))
2 Valid_Days = int(input("Enter number of valid recorded days: "))
3
4 PhAI = Bwa_Workout_Time / Valid_Days
5
6 print("\nPhysical Activity Index (PhAI):", round(PhAI, 2), "min/day")
```

The terminal at the bottom shows the execution of the script:

```
PS D:\GitCloneF\PythonRepo\LPU-PYTHON> & C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:\gitclonef\pythonrepo\LPU-PYTHON\PhysicalActivityIndex_phAI.py
Enter total fitness time in minutes: 1100
Enter number of valid recorded days: 40

Physical Activity Index (PhAI): 27.5 min/day
PS D:\GitCloneF\PythonRepo\LPU-PYTHON>
```

4. Sleep & Recovery Index — SRI

Syntax :


```
Bwa_Sleep_time = float(input("Enter total sleep time in minutes: "))
```

```
Valid_Days = int(input("Enter number of valid recorded days: "))
```

```
SRI = Bwa_Sleep_time / Valid_Days
```

```
print("\nSleep & Recovery Index (SRI):", round(SRI, 2), "min/day")
```

Output :



```
File Edit Selection View Go Run Terminal Help LPU-PYTHON
SleepRecoveryIndex_SRI.py X
1 Bwa_Sleep_time = float(input("Enter total sleep time in minutes: "))
2 Valid_Days = int(input("Enter number of valid recorded days: "))
3
4 SRI = Bwa_Sleep_time / Valid_Days
5
6 print("\nSleep & Recovery Index (SRI):", round(SRI, 2), "min/day")

Terminal Ports Debug Console Problems Output
PS D:\GITClone\PythonRepo\LPU-PYTHON> C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:/GITClone/PythonRepo/LPU-PYTHON/SleepRecoveryIndex_SRI.py
Enter total sleep time in minutes: 16080
Enter number of valid recorded days: 40
Sleep & Recovery Index (SRI): 402.0 min/day
PS D:\GITClone\PythonRepo\LPU-PYTHON>
```

5. Activity Balance Index — ABI

Syntax :


```
Bwa_Free_Time = float(input("Enter total free / unaccounted time in minutes: "))
```

```
Valid_Days = int(input("Enter number of valid recorded days: "))
```

```
ABI = Bwa_Free_Time / Valid_Days
```

```
print("\nActivity Balance Index (ABI):", round(ABI, 2), "min/day")
```

Output :



The screenshot shows a Python IDE with a file explorer on the left and a code editor on the right. The file explorer shows a folder named 'LPU-PYTHON' containing several files, including 'ActivityBalanceIndex_ABI.py'. The code editor displays the following Python code:

```
1 Bwa_Free_Time = float(input("Enter total free / unaccounted time in minutes: "))
2 Valid_Days = int(input("Enter number of valid recorded days: "))
3
4 ABI = Bwa_Free_Time / Valid_Days
5
6 print("\nActivity Balance Index (ABI):", round(ABI, 2), "min/day")
```

The terminal at the bottom shows the execution of the script:

```
PS D:\GitClone\PythonRepo\LPU-PYTHON> & c:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:/GitClone/PythonRepo/LPU-PYTHON/ActivityBalanceIndex_ABI.py
Enter total free / unaccounted time in minutes: 22980
Enter number of valid recorded days: 40
Activity Balance Index (ABI): 574.5 min/day
PS D:\GitClone\PythonRepo\LPU-PYTHON>
```

6. Time Utilization Index — TUI

Syntax :


```
total_tracked_time = float(input("Enter total tracked time in minutes: "))
```

```
valid_days = int(input("Enter number of valid recorded days: "))
```

```
TUI = total_tracked_time / valid_days
```

```
print("\nTime Utilization Index (TUI):", round(TUI, 2), "min/day")
```

Output :



The screenshot shows a Python IDE with a file explorer on the left, a code editor in the center, and a terminal at the bottom. The code editor displays the following Python code:

```
1 total_tracked_time = float(input("Enter total tracked time in minutes: "))
2 valid_days = int(input("Enter number of valid recorded days: "))
3
4 TUI = total_tracked_time / valid_days
5
6 print("\nTime Utilization Index (TUI):", round(TUI, 2), "min/day")
```

The terminal shows the execution of the program:

```
PS D:\GitCloneE\PythonRepo\LPY-PYTHON> C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:\GitCloneE\PythonRepo\LPY-PYTHON\ActivityBalanceIndex ABI.py
Enter total tracked time in minutes: 34620
Enter number of valid recorded days: 40


Time Utilization Index (TUI): 865.5 min/day
PS D:\GitCloneE\PythonRepo\LPY-PYTHON>
```

7. Experience Index — EI

Syntax :

```
RealCalculatedFeelings = float(input("Enter average feeling score (out of 5): "))  
RealCalculatedsatisfaction = float(input("Enter average satisfaction score (out of 5): "))  
CalculatedEnergy = float(input("Enter average energy score (out of 5): "))  
EI = (RealCalculatedFeelings + RealCalculatedsatisfaction + CalculatedEnergy) / 3  
print("\nExperience Index (EI):", round(EI, 2), "/ 5")
```

Output :



The screenshot shows a Python IDE with the following code in the editor:

```
1 RealCalculatedFeelings = float(input("Enter average feeling score (out of 5): "))  
2 RealCalculatedsatisfaction = float(input("Enter average satisfaction score (out of 5): "))  
3 CalculatedEnergy = float(input("Enter average energy score (out of 5): "))  
4  
5 EI = (RealCalculatedFeelings + RealCalculatedsatisfaction + CalculatedEnergy) / 3  
6  
7 print("\nExperience Index (EI):", round(EI, 2), "/ 5")
```

The terminal output shows the program execution with the following input and output:

```
PS D:\GITClone\PythonRepo\LPY-PYTHON> & C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:\GITClone\pythonRepo\LPY-PYTHON\ExperienceIndex  
EI.py  
Enter average feeling score (out of 5): 4.5  
Enter average satisfaction score (out of 5): 4.55  
Enter average energy score (out of 5): 4.775  
  
Experience Index (EI): 4.61 / 5  
PS D:\GITClone\PythonRepo\LPY-PYTHON>
```

8. Data Continuity Index — DCI

Syntax :


```
Bwa_Expected_Days = int(input("Enter expected number of days: "))
```

```
Valid_Days = int(input("Enter valid recorded days: "))
```

```
DCI = (Valid_Days / Bwa_Expected_Days) * 100
```

```
print("\nData Continuity Index (DCI):", round(DCI, 2), "%")
```

Output :



The screenshot shows a Python IDE with a file explorer on the left and a terminal at the bottom. The file explorer shows a project named 'LPU-PYTHON' with several files, including 'DataContinuityIndex_DCI.py'. The terminal shows the execution of the script, which prompts the user to enter the expected number of days (40) and the valid recorded days (40). The output is 'Data Continuity Index (DCI): 100.0 %'.

```
1 Bwa_Expected_Days = int(input("Enter expected number of days: "))
2 Valid_Days = int(input("Enter valid recorded days: "))
3
4 DCI = (Valid_Days / Bwa_Expected_Days) * 100
5
6 print("\nData Continuity Index (DCI):", round(DCI, 2), "%")
```

```
PS D:\GITClone\PythonRepo\LPU-PYTHON> .\DataContinuityIndex_DCI.py
Enter expected number of days: 40
Enter valid recorded days: 40


Data Continuity Index (DCI): 100.0 %
PS D:\GITClone\PythonRepo\LPU-PYTHON>
```

9. Personal Activity Index — PAI

Syntax :

```
TPI = float(input("Enter TPI: "))
AAI = float(input("Enter AAI: "))
PhAI = float(input("Enter PhAI: "))
SRI = float(input("Enter SRI: "))
TUI = float(input("Enter TUI: "))
EI = float(input("Enter EI: "))
DCI = float(input("Enter DCI: "))
PAI = (
    0.15 * TPI + 0.20 * AAI + 0.15 * PhAI + 0.20 * SRI + 0.15 * TUI + 0.10 * EI + 0.05 * DCI
)
print("\nPersonal Activity Index (PAI):", round(PAI, 2))
```

Output :



```
Terminal Ports Debug Console Problems Output
PS D:\GitClone\PythonRepo\LPU-PYTHON> & C:\Users\giris\AppData\Local\Programs\Python\Python314\python.exe d:/GitClone/PythonRepo/LPU-PYTHON/PersonalActivityIndex_PAI.py
Enter TPI: 38.25
Enter AAI: 315.0
Enter PhAI: 27.5
Enter SRI: 402.0
Enter TUI: 865.5
Enter EI: 4.61
Enter DCI: 100

Personal Activity Index (PAI): 288.55
PS D:\GitClone\PythonRepo\LPU-PYTHON>
```