

**A INTERNSHIP REPORT ON FRONT END**  
**Submitted to DEPARTMENT OF COMPUTER SCIENCE (SF)**  
**SRI PARASAKTHI COLLEGE FOR WOMEN**  
**(An Autonomous College of the Manonmaniam Sundaranar**  
**University, Tirunelveli)**  
**Re accredited with “A” Grade by NAAC**  
**[Under the Management of H.R &C.E. Dept.]**  
**COURTALLAM**  
**In partial fulfillment of the requirement for the award of degree**  
**of**  
**MASTER OF SCIENCE**



**Submitted by,**  
**M.GIRISAA PRIYADHARSINI**  
**REG NO : SIT2105**  
**INFORMATION TECHNOLOGY**  
**SRI PARASAKTHI COLLEGE FOR WOMEN**  
**COURTALLAM-627802.**

**PLACE:**

**STAFF IN-CHARGE**

**DATE:**

**HEAD OF THE DEPARTMENT**

**EXTERNAL EXAMINER**



**KARYOUN INNOVATIONS PVT.LTD.**

[www.parts2product.com](http://www.parts2product.com)

CIN : U74999TZ2020PTC034855

GST: 33AAICK4049AIZY

# CERTIFICATE

OF COMPLETION

Participant ID: P2P0142

THIS CERTIFICATE IS PRESENTED TO

**GIRISAA PRIYADHARSHINI M**

Has completed the Internship on "**Front-End Development**" in the duration of  
01-06-2023 To 29-07-2023 at Parts2Product.


TRAINER  
SIGNATURE

MoU Signed by

Hosted by,

Incubated by,

Co-Incubated by,





- To develop and deliver advanced digital learning solutions that are tailored to meet the individual needs of students and teachers, while promoting the use of technology to enhance education.
- We strive to provide our customers with the highest quality educational experiences that are affordable and accessible.

# Day 1

## HTML

### Introduction

- HTML stands for HyperText Markup Language.
  - It is used to design web pages using a markup language.
  - HTML is a combination of Hypertext and Markup language. Hypertext defines the link between web pages.
  - A markup language is used to define the text document within the tag which defines the structure of web pages.
  - This language is used to annotate (make notes for the computer) text so that man-readable.
- 

# Day 2

### What is an HTML Element?

- The HTML **element** is everything from the start tag to the end tag:
- `<tagname>Content goes here...</tagname>`
- Examples of some HTML elements:
- `<h1>My First Heading</h1>`
- `<p>My first paragraph.</p>`

### HTML Heading

- HTML headings are defined with the `<h1>` to `<h6>` tags.
- `<h1>` defines the most important heading. `<h6>` defines the least important heading.

### Example

`<h1>Heading 1</h1>`

`<h2>Heading 2</h2>`

`<h3>Heading 3</h3>`

`<h4>Heading 4</h4>`

`<h5>Heading 5</h5>`

`<h6>Heading 6</h6>`

---

## Bigger Headings

Each HTML heading has a default size.

However, you can specify the size for any heading with the `style` attribute, using the CSS `font-size` property:

### Example

`<h1 style="font-size:60px;">Heading 1</h1>`

---

## HTML Paragraphs

The HTML `<p>` element defines a paragraph.


A paragraph always starts on a new line, and browsers automatically add some white space (a margin) before and after a paragraph.

### Example

`<p>This is a paragraph.</p>`  
`<p>This is another paragraph.</p>`

## A Simple HTML Document

### Example



## OUTPUT:



## Day 3

### HTML Attributes

- ❑ All HTML elements can have **attributes**
- ❑ Attributes provide **additional information** about elements
- ❑ Attributes are always specified in **the start tag**
- ❑ Attributes usually come in name/value pairs like: **name="value"**

### The href Attribute

The `<a>` tag defines a hyperlink. The `href` attribute specifies the URL of the page the link goes to:

### Example

```
<a href="https://www.youtube.com/@HYBELABELS">Visit Hybelabels</a>
```

### The src Attribute

The `<img>` tag is used to embed an image in an HTML page. The `src` attribute specifies the path to the image to be displayed:

### Example

```

```

There are two ways to specify the URL in the `src` attribute:

**1. Absolute URL** - Links to an external image that is hosted on another website.

Example: `src="/Video/BTS_(방탄소년단)'Dynamite'_Official_MV(1080p).mp4"`.

**Notes:** External images or videos might be under copyright. If you do not get permission to use it, you may be in violation of copyright laws. In addition, you cannot control external images or videos; it can suddenly be removed or changed.

**2. Relative URL** - Links to an image that is hosted within the website. Here, the URL does not include the domain name. If the URL begins without a slash, it will be relative to the current page.

**Example:**

`src="img_girl.jpg"`. If the URL begins with a slash, it will be relative to the domain.

---

## The width and height Attributes

The `<img>` tag should also contain the `width` and `height` attributes, which specify the width and height of the image (in pixels):

**Example**

```

```

## The alt Attribute

The required `alt` attribute for the `<img>` tag specifies an alternate text for an image, if the image for some reason cannot be displayed. This can be due to a slow connection, or an error in the `src` attribute, or if the user uses a screen reader.

**Example**

```

```

---

## HTML `<button>` Tag

**Example**

A clickable button is marked up as follows:

```
<button type="button">Click Me!</button>
```

## Definition and Usage

- The <button> tag defines a clickable button. Inside a <button> element you can put text (and tags like <i>, <b>, <strong>, <br>, <img>, etc.). That is not possible with a button created with the <input> element!
  - Tip: Always specify the type attribute for a <button> element, to tell browsers what type of button it is.
- 

## Background Color

- The CSS `background-color` property defines the background color for an HTML element.

## Example

Set the background color for a page to powderblue:

```
<body style="background-color:powderblue;">
<h1>This is a heading</h1>
<p>This is a paragraph.</p>
</body>
```

## Example

Set background color for two different elements:

```
<body>
<h1 style="background-color:powderblue;">This is a heading</h1>
<p style="background-color:tomato;">This is a paragraph.</p>
</body>
```

---

## HTML media Attribute

### Definition and Usage

- The media attribute specifies what media/device the linked document is optimized for.
- This attribute is used to specify that the target URL is designed for special devices (like iPhone) , speech or print media.



- This attribute can accept several values.

## A Example

### A link with a media attribute:

```
<video src="./Video/BTS_(방탄소년단)_'Dynamite'_Official_MV(1080p).mp4"
height="350px" width="550px" controls autoplay muted loop type=" " ></video>
```

---



## A Simple HTML Document with Attributes


### Example : (Index.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1>BTS</h1>
  <h1>Image</h1>
  
  <h1>Introduction</h1>
  <p>BTS (Korean: 방탄소년단; RR: Bangtan Sonyeondan; lit. Bulletproof
Boy Scouts), also known as the Bangtan Boys,
is a South Korean boy band formed in 2010. The band consists of Jin,
Suga, J-Hope, RM, Jimin, V, and Jungkook,
who co-write or co-produce much of their material. Originally a hip hop
group, their musical style has
evolved to incorporate a wide range of genres, while their lyrics have
focused on subjects
including mental health, the troubles of school-age youth and coming of
age, loss, the journey towards self-love,
individualism, and the consequences of fame and recognition.
Their discography and adjacent work has also referenced literature,
philosophy and psychological concepts,
and includes an alternate universe storyline.</p>
  <a href="https://wa.me/+916379290070"><button>contact me</button></a>.
</body>
  <a href="https://youtu.be/gdZLi9oWNZg" target="blank"><button>My
Favorite Channel</button></a>
<hr>
```

```
<video src="./Video/BTS_(방탄소년단)_'Dynamite'_Official_MV(1080p).mp4"
height="350px" width="550px" controls autoplay muted looptype="
"></video>
<h5>Audio</h5>
<audio src="./Audio/BTS_(방탄소년단)_'Dynamite'_Official_MV(128k).m4a"
controls></audio>
</html>
```

## OUTPUT :





## Day 4

### HTML Forms

- An HTML form is used to collect user input. The user input is most often sent to a server for processing.

### The `<form>` Element

The HTML `<form>` element is used to create an HTML form for user input:

```
<form>
  .
  form elements
  .
</form>
```

The `<form>` element is a container for different types of input elements, such as: text fields, checkboxes, radio buttons, submit buttons, etc.

All the different form elements are covered in this chapter: [HTML Form Elements](#).

### The `<input>` Element

- The HTML `<input>` element is the most used form element.

- An `<input>` element can be displayed in many ways, depending on the `type` attribute.

## Text Fields

The `<input type="text">` defines a single-line input field for text input.

### Example

A form with input fields for text:

```
<form>
<label for="fname">First name:</label><br>
<input type="text" id="fname" name="fname"><br>
<label for="lname">Last name:</label><br>
<input type="text" id="lname" name="lname">
</form>
```

## Radio Buttons

The `<input type="radio">` defines a radio button.  
Radio buttons let a user select ONE of a limited number of choices.

### Example

A form with radio buttons:

```
<p>Choose your favorite Web language:</p>

<form>
<input type="radio" id="html" name="fav_language" value="HTML">
<label for="html">HTML</label><br>
<input type="radio" id="css" name="fav_language" value="CSS">
<label for="css">CSS</label><br>
<input type="radio" id="javascript" name="fav_language"
value="JavaScript">
<label for="javascript">JavaScript</label>
</form>
```

This is how the HTML code above will be displayed in a browser:  
Choose your favorite Web language:

☐ HTML ☐ CSS

## The Submit Button

The `<input type="submit">` defines a button for submitting the form data to a form-handler.

The form-handler is typically a file on the server with a script for processing input data.

The form-handler is specified in the form's **action** attribute.

### Example

A form with a submit button:

```
<form action="/action_page.php">
<label for="fname">First name:</label><br>
<input type="text" id="fname" name="fname" value="John"><br>
<label for="lname">Last name:</label><br>
<input type="text" id="lname" name="lname" value="Doe"><br><br>
<input type="submit" value="Submit">
</form>
```

## A Simple HTML Application form

### Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Document</title>
</head>
<body>
  <h1>Application Form</h1>
  <form>
    <body bgcolor="black"></body>
    First Name:<input type="text" name="fname" placeholder="First
Name">
    Last Name:<input type="text" name="fname" placeholder="Last
Name">
    <br><br>
    <table>
      <tr>
        <td>Current Address</td>
        <td>Permanent Address</td>
      </tr>
      <tr>
        <td><textarea rows="10" cols="30" name="currentaddress"
placeholder="type your address"></textarea>
        </td>
```

```

        <td><textarea rows="10" cols="30" name="permanentaddress"
placeholder="type your address"></textarea></td>
    </tr>
</table>
<br>
<p><strong>Phone:</strong></p>
    Phone Number:<input type="text" name="fnumber"
placeholder="Phone number">
    <br><br>
    E-mail:<input type="E-mail" name="email" placeholder="email
address">
    Upload cv:<input type="file" name="CV">
    <hr>
    <strong>Employment Desired</strong>
    <br>
    <p><strong>Position</strong></p>
    Manager:<input type="radio" name="Position">
    Secretary:<input type="radio" name="Position">
    Security:<input type="radio" name="Position">
    <br>
    <p><strong>Are you currently employed:</strong></p>
    Yes:<input type="radio" name="Employment status">
    No:<input type="radio" name="Employment status">
    <br>
    <strong>Availability</strong>
    <br>
    Monday:<input type="Checkbox" name="Day">
    Tuesday:<input type="Checkbox" name="Day">
    Wednesday:<input type="Checkbox" name="Day">
    Thursday:<input type="Checkbox" name="Day">
    Friday:<input type="Checkbox" name="Day">
    <hr>
    Submit:<input type="submit" name="submit">
    Reset:<input type="reset" name="reset">
</form>
</body>
</html>

```

**OUTPUT:**

The screenshot shows a web browser window with the address bar displaying '127.0.0.1:5500/index.html'. The page contains two main sections:

**Application Form**

First Name:  Last Name:

Current Address:  Permanent Address:

Phone:

Phone Number:

E-mail:  Upload cv:  No file chosen

**Employment Desired**

Position

Manager: ☐ Secretary: ☐ Security: ☐

Are you currently employed:

Yes: ☐ No: ☐

Availability


Monday: ☐ Tuesday: ☐ Wednesday: ☐ Thursday: ☐ Friday: ☐

Submit:

Activate Windows  
Go to Settings to activate windows.

## HTML `<section>` Element

The `<section>` element defines a section in a document. According to W3C's HTML documentation: "A section is a thematic grouping of content, typically with a heading."



## HTML <footer> Element

- The <footer> element defines a footer for a document or section.

## HTML <header> Element

The <header> element represents a container for introductory content or a set of navigational links.

### A <header> element typically contains:

one or more heading elements (<h1> - <h6>)  
logo or icon authorship information.

**Note:** You can have several <header> elements in one HTML document. However, <header> cannot be placed within a <footer>, <address> or another <header> element.

---

## Day 5 to 8

## PROJECT 1

## MYDRAMALIST WEBSITE CREATION USING HTML

### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
</head>
<body>
<div class="search-group">
<input type="text" placeholder="Find Asian Drama, Movies" class="form-search">
<button> </button>
</div>
<ol>
<ul>
<li><a href="#">Home </a></li>
</ul>
</ol>
<ol>
<ul>
```



<li><a href="#">Hide ads</a></li>  
<li><a href="#">Calender</a></li>  
<li><a href="#">Lists</a></li>  
<li><a href="#">Feeds</a></li>  
<li><a href="#">Articles</a></li>  
<li><a href="#">Trailers</a></li>  
<li><a href="#">Forums</a></li>  
<li><a href="#">Contributers</a></li>  
<li><a href="#">Games NEW</a></li>  
<li><a href="#">Stars Leaderboard NEW</a></li>  
</ul>  
</ol>  
<br>  
<ul>  
<li><a href="#">Shows </a></li>  
</ul>  
<ol>  
<ul>  
<li><a href="#"> Top Shows</a></li>  
<li><a href="#"> Most Popular Shows</a></li>  
<li><a href="#"> Variety Shows</a></li>  
<li><a href="#"> Upcoming</a></li>  
<li><a href="#"> Reviews</a></li>  
<li><a href="#"> Recommendations</a></li>  
<li><a href="#"> Recommendations For You</a></li>  
<li><a href="#"> Add New Title</a></li>  
</ul>  
</ol>  
</ol>  
<ol>  
<br>  
<ul>  
<li><a href="#"> Movies</a></li>  
</ul>  
<ol>  
<ul>  
<li><a href="#"> Top Movies</a></li>  
<li><a href="#"> Most Popular Movies</a></li>  
<li><a href="#"> Upcoming</a></li>  
<li><a href="#"> Reviews</a></li>  
<li><a href="#"> Recommendations</a></li>  
<li><a href="#"> Add New Title</a></li>  
</ul>  
</ol>  
</ol>  
<ol>  
<br>  
<ul>  
<li><a href="#"> People</a></li>  
</ul>


```
<ol>
<ul>
<li><a href="#"> Top Actors</a></li>
<li><a href="#"> Add New Person</a></li>
</ul>
<p><a href="#">MDLv6.6</a></p>
</ol>
</ol>
<div class="search-group"></div>
<ol>
<br>
<ul>
<li>en</li>
<li><input type="text" placeholder="Find Asian Drama, Movies" class="form-
search">
<button> </button></li>
<li><a href="#"> Sign up</a></li>
<li><a href="#"> Log in</a></li>
</ol>
<br>
<input type="text" placeholder="Find Asian Drama, Movies" class="form-search">
<button> </button>
</ul>
</ol>
</div>
<ol>
<ul>
<li>Home</li>
<a href="#"> Feeds</a> <a href="#"> Calender</a> <a href="#"> Articles</a> <a
href="#"> Trailers</a>
<li>Explore</li>
<h3>TV Shows</h3>
<p><a href="#"> Tv Shows</a> <a href="#"> Most Popular Shows</a> <a
href="#">Variety Shows</a>
<a href="#">Newest</a><a href="#">Upcoming</a><br><a href="#">Reviews</a>
<a href="#">Recommendations</a><br><a href="#">Recommended For You</a>
<a href="#">Add New Title</a></p>
<h3>Movies</h3>
<p><a href="#">Top Movies</a> <a href="#"> Most Popular Movies</a> <a
href="#">Newest</a>
<a href="#">Upcoming</a><br> <a href="#">Reviews</a> <a
href="#">Recommendations</a></p>
<h3>People</h3>
<p><a href="#">Top Actors</a> <a href="#">And</a><br><a href="#">New
Person</a></p>
<table>
<tr>
<td>    </td>
</tr>
<tr>
```


```

<td><textarea rows="10" cols="30" name=" " placeholder=" "></textarea></td>
</tr>
</table>
<p><a href="#">WantedWho's the most loved Actor on MDL?</a><br><a
href="#">Featured</a></p>
</ul>
<br>
<ol>
<ul>
<li><a href="#">Community</a> <a href="#">NEW</a><br> <a
href="#">Feeds</a><a href="#">Lists</a>
<a href="#">Forums</a> <a href="#">Contributors</a> <a href="#">Games
NEW</a>
<a href="#">Stars Leaderboard NEW</a></li>
<li><a href="#">Community</a></li>
</ul>
</ol><br>
</ol>
</ol>

```

## OUTPUT:





## Index.html

```

<h1>A Business Proposal (2022)</h1>
<ol>
<ul>
<li><a href="#"> Details</a></li>
<li><a href="#"> Episode guide</a></li>
<li><a href="#"> Cast & Crew</a></li>
<li><a href="#"> Reviews</a></li>
<li><a href="#"> Recommendations</a></li>
<li><a href="#"> Photos</a></li>
</ul>
</ol>
<a href="#">Edit this page</a>
<p>Edit Information</p>
<a href="#">Primary</a> <a href="#">Details</a> <a href="#">Cover Image</a><a
href="#">Related Tiltles</a>
<a href="#">Cast</a> <a href="#">Crew</a> <a href="#">Genres</a> <a
href="#">Tags</a>
<a href="#">Release Information</a> <a href="#">Service</a> <a
href="#">External Links </a> <a href="#">Production Information</a>
<p>Report</p>

<br>
<button>Watch Trailer</button><br>
<a href="#">Buy on Amazon</a><br>
<button>Add to list</button><button> </button>
<hr>
<p>Your Rating: 0/10<br>
Ratings: 8.7/10 from 75,782 users<br>
# of Watchers: 108,598
Reviews: <a href="#">355 users</a><br>
Ranked #229<br>
Popularity #25<br>
Watchers 75,782</p><hr>
<p>Shin Ha Ri is a single woman and works for a company. She has a male friend,
who she has had a crush on for a long time, but she learns he has a girlfriend.

```

Shin Ha Ri feels sad and decides to meet her friend Jin Young Seo, who is a daughter of a chaebol family.

Jin Young Seo then asks Shin Ha Ri to take her place in a blind date and even offers some money for her time.

Shin Ha Ri accepts her friend's offer. She goes out on the blind date as Jin Young Seo, while having the

intention to get rejected by her date. When she sees her blind date, Shin Ha Ri is dumbfounded. Her blind date

is Kang Tae Mu. He is the CEO of the company where she works. Kang Tae Mu is the CEO of a company that

his grandfather founded. One day, his grandfather informed him of an upcoming blind date that he set up for him.

Kang Tae Mu is a workaholic and he is annoyed that his grandfather sets up blind dates for him. He decides

to marry the next woman whom he meets at a blind date, so he won't be disturbed from his work anymore.

That woman is Shin Ha Ri, but pretending to be Jin Young Seo. On the following day, Shin Ha Ri receives a

phone call from Kang Tae Mu. He asks her to marry him. (Source: AsianWiki) ~~

Adapted from the web novel

"The Office Blind Date" (사내 맞선) by Hae Hwa (해화). [Edit Translation](#)

<ul>

<li>English</li>

<li>中文(简体)</li>

<li>中文(台灣)</li>

<li>Arabic</li>

<h4><li>Related contents</li></h4>

<p><a href="#">Curious Business Proposal Story Y</a>(Korean compilation)<br>

<a href="#">A Business Proposal</a>(Hong Kong remake)<br>

<li>Also Known as:<a href="#">In-House Confrontation</a>

<a href="#">In-House Match, </a><a href="#">Confrontation in the Company,</a>

<a href="#">사내맞선,</a>

<a href="#">Cast</a> <a href="#">Crew</a> <a href="#">Genres</a> <a href="#">Tags</a>

<a href="#">Blind date</a><br><a href="#"> The Office </a> <a href="#">A Business Proposal</a></li>

<li>Director:<a href="#">Park Seon Ho</a></li><li>Screenwriter:<a href="#">Han Sul Hee,</a>

<a href="#">Hong Bo Hee</a></li>

<li>Country: South Korea</li>

<li>Type: Drama</li>

<li>Episodes: 12</li>

<li>Aired: Feb 28, 2022 - Apr 5, 2022</li>

<li>Aired On: Monday, Tuesday</li>

<li>Original Network:<a href="#">Netflix</a> <a href="#">SBS</a></li>

<li>Duration: 60 min.</li>

<li>>Score: 8.7 (scored by<a href="#">75,782 users</a></li>

<li>Ranked: #229</li>

<li>Popularity: #25</li>  
<li>Content Rating: 15+ - Teens 15 or older</li></p>  
</ul>  
<br>  
<br>

## OUTPUT:

### A Business Proposal (2022)

- [Details](#)
- [Episode guide](#)
- [Cast & Crew](#)
- [Reviews](#)
- [Recommendations](#)
- [Photos](#)

[Edit this page](#)

Edit Information

[Primary Details](#) [Cover Image](#) [Related Titles](#) [Cast Crew](#) [Genres](#) [Tags](#) [Release Information](#) [Service](#) [External Links](#) [Production Information](#)

Report



Report



[Watch Trailer](#)  
[Buy on Amazon](#)  
[Add to list](#)

Your Rating: 0/10  
Ratings: 8.7/10 from 75,782 users  
# of Watchers: 108,598 Reviews: [355 users](#)  
Ranked #229  
Popularity #25  
Watchers 75,782

Activate Windows  
Go to Settings to activate Windows.



Shin Ha Ri is a single woman and works for a company. She has a male friend, who she has had a crush on for a long time, but she learns he has a girlfriend. Shin Ha Ri feels sad and decides to meet her friend Jin Young Seo, who is a daughter of a chaebol family. Jin Young Seo then asks Shin Ha Ri to take her place in a blind date and even offers some money for her time. Shin Ha Ri accepts her friend's offer. She goes out on the blind date as Jin Young Seo, while having the intention to get rejected by her date. When she sees her blind date, Shin Ha Ri is dumbfounded. Her blind date is Kang Tae Mu. He is the CEO of the company where she works. Kang Tae Mu is the CEO of a company that his grandfather founded. One day, his grandfather informed him of an upcoming blind date that he set up for him. Kang Tae Mu is a workaholic and he is annoyed that his grandfather sets up blind dates for him. He decides to marry the next woman whom he meets at a blind date, so he won't be disturbed from his work anymore. That woman is Shin Ha Ri, but pretending to be Jin Young Seo. On the following day, Shin Ha Ri receives a phone call from Kang Tae Mu. He asks her to marry him. (Source: AsianWiki) — Adapted from the web novel "The Office Blind Date" (사내맞선) by Hae Hwa (해화). [Edit Translation](#)

- [English](#)
- [中文\(简体\)](#)
- [中文\(台灣\)](#)
- [Arabic](#)

#### • Related contents

[Curious Business Proposal Story Y \(Korean compilation\)](#)

[A Business Proposal \(Hong Kong remake\)](#)

- Also Known as [In-House Confrontation](#) [In-House Match](#) [Confrontation in the Company](#) [사내맞선](#) [Cast Crew](#) [Genres](#) [Tags](#) [Blind date](#)
- [The Office A Business Proposal](#)
- Director [Park Seon Ho](#)
- Screenwriter [Hui Sul Hee](#) [Hong Bo Hee](#)
- Country [South Korea](#)
- Type [Drama](#)
- Episodes [12](#)
- Aired [Feb 28, 2022](#) - [Apr 5, 2022](#)
- Aired On [Monday, Tuesday](#)
- Original Network [Netflix](#) [33IS](#)
- Duration [60 min.](#)
- Score: [8.7](#) (scored by [75,782 users](#))
- Ranked: [#229](#)
- Popularity: [#25](#)
- Content Rating: [15+ - Teens 15 or older](#)

Activate Windows  
Go to Settings to activate Windows.



Index.html

### <h3>Where to Watch A Business Proposal</h3>

<header>

<br>

<a href="#">Wavve</a><br>

Free (sub)<br>

<br>

<a href="#">Netflix</a><br>

Subscription (sub)

</header>

### <h3>Cast & Credits</h3>

<header>

Main Role

<br>

<a href="#">Ahn Hyo Seop in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Ahn Hyo Seop</a><br>

<a href="#">Kang Tae Moo</a><br>

Main Role

<br>

<a href="#">Kim Se Jeong in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Kim Se Jeong</a><br>

<a href="#">Shin Ha Ri</a><br>

Main Role

<br>

<a href="#">Kim Min Gue in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Kim Min Gue</a><br>

<a href="#">Cha Sung Hoon</a><br>

Main Role

<br>

<a href="#">Seol In Ah in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Seol In Ah</a><br>

<a href="#">Jin Young Seo</a><br>

Support Role

<br>

<a href="#">Lee Deok Hwa in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Lee Deok Hwa</a><br>

<a href="#">Kang Da Goo [Tae Moo's grandfather / 'Go Food' chairman]</a><br>

Support Role

<br>

<a href="#">Choi Byung Chan in A Business Proposal Korean Drama (2022)</a><br>

<a href="#">Choi Byung Chan</a><br>

<a href="#">Shin Ha Min [Ha Ri's brother]</a><br>

</header>

<br>

<br>


<header>


OUTPUT:

A Business Proposal (2022) - My Document


127.0.0.1:5501/index.html


Where to Watch A Business Proposal

  
Wavve  
Free (sub)

  
Netflix  
Subscription (sub)

Cast & Credits

  
Main Role  
[Ahn Hyo Seop in A Business Proposal Korean Drama \(2022\)](#)  
[Ahn Hyo Seop](#)  
[Kang Tae Moo](#)

  
Main Role  
[Seol In Ah in A Business Proposal Korean Drama \(2022\)](#)  
[Seol In Ah](#)  
[Jin Young Seo](#)

Activate Windows  
Go to Settings to activate Windows.

Type here to search 33°C Partly sunny 11:32 AM 09-06-2023

  
Main Role  
[Kim Min Gue in A Business Proposal Korean Drama \(2022\)](#)  
[Kim Min Gue](#)  
[Cha Sung Hoon](#)

  
Main Role  
[Seol In Ah in A Business Proposal Korean Drama \(2022\)](#)  
[Seol In Ah](#)  
[Jin Young Seo](#)


Activate Windows  
Go to Settings to activate Windows.


Type here to search 33°C Partly sunny 11:32 AM 09-06-2023

A Business Proposal (2022) - My Document

127.0.0.1:5501/index.html

[Jin Young Seo](#)

  
Support Role  
[Lee Deok Hwa in A Business Proposal Korean Drama \(2022\)](#)  
[Kang Da Goo \[Tae Moo's grandfather / 'Go Food' chairman\]](#)

  
Support Role  
[Choi Byung Chan in A Business Proposal Korean Drama \(2022\)](#)  
[Choi Byung Chan](#)  
[Shin Ha Min \[Ha Ri's brother\]](#)

Index.html

<h3>Photos</h3>



[View all \(617\)](#)  
<br>  
<br>  
<br>  
<br>  
<br>  
<br>  
<br>  
</header>  
<h3>Reviews</h3>  
<a href="#">Write Review</a><br>  
<br>  
Completed<br>  
<a href="#">Catherine</a><br>  
<a href="#">Other reviews by this user</a><br>  
<a href="#">6</a><br>  
<p>Apr 5, 2022<br>  
12 of 12 episodes seen<br>  
Completed <a href="#">6</a><br>  
Overall 7.5<br>  
Story 8.0<br>  
Acting/Cast 8.0<br>  
Music 7.0<br>  
Rewatch Value 7.0<br></p>  
<h4>Cliches done right!</h4>  
<p>This is how you incorporate all the cliches without making them annoying.  
This is how you incorporate humor without making it loud and cringy. This is how  
you do the perfect rom-com.  
<br>  
<br>  
Business Proposal felt like a throwback to early 2010 k-dramas and the golden age of  
romantic comedies,  
but it modernized it and fixed all the frustrating misunderstandings and  
miscommunications that made me  
tear my hair out back then.  
<br>  
<br>  
I felt like the friendships were such an important part of this show from beginning to  
end and  
it made it that much better. The FLs and MLs are each so supportive of each other  
with their respective  
family situations, the coworkers are also such a supportive team, and it made the show  
that much more  
comforting to watch even when side characters came in to sabotage things as they  
usually do.  
<br>  
<br>

I admit that the ending is a little short and leaves some scenes and closure to be desired —  
but I understand that we only had twelve episodes and there probably wasn't much time to spend on  
some of the more interesting, non-romance subplots like backstories and family issues.

<br>

<br>

Nevertheless, if you're looking for something light-hearted and stress-free, this drama is the one.</p>

<br>

<a href="#">Read More</a><br>


was this review helpful to


you?<button>Yes</button><button>No</button><button>Cancel</button><button>

</button>

<a href="#">View All</a><br>

## OUTPUT:





## Index.html


```
<h2>Recommendations</h2>
<a href="#">Add Recommendations</a><br>
<br>
<br>
<br>
<br>
<h2>Details</h2>
<li>Drama: A_Business_Proposal</li>
<li>Country: South Korea</li>
<li>Episodes: 12</li>
<li>Aired: Feb 28, 2022 - Apr 5, 2022</li>
<li>Aired On: Monday, Tuesday</li>
<li>Original Network:<a href="#">Netflix</a> <a href="#">SBS</a></li>
<li>Duration: 60 min.</li>
<li>Duration: 60 min.</li>
<h2>Statistics</h2>
<li>>Score: 8.7 (scored by<a href="#">75,782 users</a></li>
<li>Ranked: #229</li>
<li>Popularity: #25</li>
<li>Watchers: 108,668</li>
<h2>News & Articles</h2>
<a href="#"> Reigniting</a> <a href="#">Love for K-Dramas: Attempt #1</a>
<br><a href="#"> K-drama Actors Win Awards at SBS Drama Awards 2022</a>
<hr>
© Copyright 2023. All rights reserved.
<br>
```


```

<br>
<br>
Download on the<br>
App Store
<br>
<br>
Download on the<br>
Google Play
<h3>About Us</h3>
<ol>
<ul>
<li><a href="#"> FAQ</a></li>
<li><a href="#"> About us</a></li>
<li><a href="#"> Contact</a></li>
<li><a href="#"> Terms</a></li>
<li><a href="#"> Privacy</a></li>
</ul>
</ol>
<a href="#">Support Us</a>
</body>
</html>

```

## OUTPUT:





# Day 09


## CSS

### Introduction:

- CSS stands for Cascading Style Sheets
- CSS describes how HTML elements are to be displayed on screen, paper, or in other media
- CSS saves a lot of work. It can control the layout of multiple web pages all at once
- External stylesheets are stored in CSS files

### CSS Syntax

A CSS rule consists of a selector and a declaration block.



- The selector points to the HTML element you want to style.
- The declaration block contains one or more declarations separated by semicolons.
- Each declaration includes a CSS property name and a value, separated by a colon.

### Example

In this example all <p> elements will be center-aligned, with a red text color:

```
p {  
  color: red;  
  text-align: center;  
}
```

---

### Example Explained

- `p` is a selector in CSS (it points to the HTML element you want to style: <p>).
- `color` is a property, and `red` is the property value
- `text-align` is a property, and `center` is the property value

## CSS background-color

The background-color property specifies the background color of an element.

### Example

The background color of a page is set like this:

```
body {  
  background-color: lightblue;  
}
```

With CSS, a color is most often specified by:

a valid color name - like "red"  
a HEX value - like "#ff0000"  
an RGB value - like "rgb(255,0,0)"

Look at CSS Color Values for a complete list of possible color values.

---

# Day 10

## CSS Colors

Colors are specified using predefined color names, or RGB, HEX, HSL, RGBA, HSLA values.

---

## CSS Background Color

You can set the background color for HTML elements:

---

Hello World

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat.

## Example

```
<h1 style="background-color:DodgerBlue;">Hello World</h1>
<p style="background-color:Tomato;">Lorem ipsum...</p>
```

---

## CSS background-color

The `background-color` property specifies the background color of an element.

## Example

The background color of a page is set like this:

```
body {
background-color: lightblue;
}
```

---

## CSS Selectors

CSS selectors are used to "find" (or select) the HTML elements you want to style. We can divide CSS selectors into five categories:

---

## The CSS Grouping Selector

The grouping selector selects all the HTML elements with the same style definitions.

Look at the following CSS code (the h1, h2, and p elements have the same style definitions):

```
h1 {
text-align: center;
color: red;
}
h2 {
text-align: center;
color: red;
}
p {
text-align: center;
color: red;
}
```

It will be better to group the selectors, to minimize the code.  
To group selectors, separate each selector with a comma.

## Example

In this example we have grouped the selectors from the code above:

```
h1, h2, p {  
text-align: center;  
color: red;  
}
```

---

## CSS Layout - The z-index Property

---

The z-index property specifies the stack order of an element.

---

### The z-index Property

When elements are positioned, they can overlap other elements.

The z-index property specifies the stack order of an element (which element should be placed in front of, or behind, the others).

An element can have a positive or negative stack order:

This is a heading



Because the image has a z-index of -1, it will be placed behind the text.



Example

```
img {  
  position: absolute;  
  left: 0px;  
  top: 0px;  
  z-index: -1;  
}
```

---

## Day 11 & 12

### PROJECT 2

## NEXFLIX WEBSITE CLONE USING HTML AND CSS

### Index.html

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  <title>Document</title>  
  <link rel="stylesheet" href="style.css">  
</head>  
<body>  
  <div class="header">  
    <nav>  
        
    </div>  
    <button class="language-btn">English </button>  
    <button>Sign In</button>  
  </div>  
</nav>  
  <div class="header-content">  
    <h1>Unlimited movies, TV shows and more.</h1>  
    <h3>Watch anywhere. Cancel anytime.</h3>  
    <p>Ready to watch? Enter your email to create or restart your membership.</p>  
    <form class="email-signup">  
      <input type="email" placeholder="Email address" required>  
      <button type="submit">Get Started</button>  
    </form>  
  </div>  
</div>  
/* Main */  
<div class="features">
```

```
<div class="row">
<div class="text-col">
<h2>Enjoy on your TV</h2>
<p>Watch on smart TVs, PlayStation, Xbox, Chromecast, Apple TV, Blu-ray
players and more.</p>
</div>
<div class="img-col">

</div>
</div>
<div class="row">
<div class="img-col">

</div>
<div class="text-col">
<h2>Download your shows to watch offline</h2>
<p>Save your favourites easily and always have something to watch.</p>
</div>
</div>
<div class="row">
<div class="text-col">
<h2>Watch everywhere</h2>
<p>Stream unlimited movies and TV shows on your phone, tablet, laptop, and TV.</p>
</div>
<div class="img-col">

</div>
</div>
<div class="row">
<div class="img-col">

</div>
<div class="text-col">
<h2>Create profiles for kids</h2>
<p>Send children on adventures with their favourite characters in a space made just for
them—free with your membership.</p>
</div>
</div>

<div class="faq">
<h2>Frequently Asked Question</h2>
<ul class="accordion">
<li>
<input type="radio" name="accordion" id="first">
<label for="first">What is Netflix?</label>
<div class="content">
<p>Netflix is a subscription-based streaming service that allows our members to watch TV
shows
and movies on an internet-connected device.</p>
</div>
</li>
</ul>
</div>
```

```
</li>
<li>
<input type="radio" name="accordion" id="second">
<label for="second">How much does Netflix cost?</label>
<div class="content">
<p>The Netflix Standard Subscription Plan costs Rs 649 per month and is the highest plan
available from Netflix for customers to watch Ultra High Definition (4K+HDR) content on
four simultaneous screens at a time, including phone, tablet, computer and smart TV.</p>
</div>
</li>
<li>
<input type="radio" name="accordion" id="third">
<label for="third">Where can I watch?</label>
<div class="content">
<p>Watch anywhere, anytime. Sign in with your Netflix account to watch instantly on the
web at netflix.com from your personal computer or on any internet-connected device
that offers the Netflix app, including smart TVs, smartphones, tablets, streaming media
players and game consoles.</p>
</div>
</li>
<li>
<input type="radio" name="accordion" id="fourth">
<label for="fourth">Where do I cancel?</label>
<div class="content">
<p>Click your profile picture in the upper-right corner of the page. Click Account to
open the Account Details page. Click the Cancel Membership button under Membership &
Billing to open the cancellation confirmation page that shows the end date of your plan
if you decide to cancel. Click Finish Cancellation</p>
</div>
</li>
<li>
<input type="radio" name="accordion" id="fifth">
<label for="fifth">What can I watch on Netflix?</label>
<div class="content">
<p>Netflix has an extensive library of feature films, documentaries, TV shows, anime,
award-winning Netflix originals, and more.</p>
</div>
</li>
<li>
<input type="radio" name="accordion" id="sixth">
<label for="sixth">Is Netflix good for kids?</label>
<div class="content">
<p>Netflix comes with a set of controls called 'Parental Controls' that come with settings
that enable parents to ensure that their kids watch only the right set of videos.
Netflix allows users to manage the types of TV shows and movies that people on
their Netflix account can watch</p>
</div>
</li>
</ul>
<small>Ready to watch? Enter your email to create or restart your membership.</small>
<form class="email-signup">
```

```

<input type="email" placeholder="Email address" required>
<button type="submit">Get Started</button>
</form>
</div>

<div class="footer">
<h2>Question? call 000-000-000-009</h2>

<div class="row">
<div class="col">
<a href="#">FAQ</a>
<a href="#">Investor Relations</a>
<a href="#">Privacy</a>
<a href="#">Speed Test</a>
</div>
<div class="col">
<a href="#">Help Center</a>
<a href="#">Jobs</a>
<a href="#">Cookies Preferences</a>
<a href="#">Legal Notices</a>
</div>
<div class="col">
<a href="#">Account</a>
<a href="#">Ways to watch</a>
<a href="#">Corporate Information</a>
<a href="#">Only on Netflix</a>
</div>
<div class="col">
<a href="#">Media Center</a>
<a href="#">Terms of Use</a>
<a href="#">Contact Us</a>
</div>
</div>
<button class="language-btn">English </button>
<p class="copyright-txt">Netflix India</p>
</div>
</body>
</html>

```

## Style.css

```

*{
margin: 0;
padding: 0;
font-family: 'Poppins', sans-serif;
box-sizing: border-box;
}
body{
background: #000;
color: #fff;
}

```

```
.header{
width: 100%;
height: 100vh;
background-image: linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.7)),
url(Images/0aa33c4c483f63a5a1ec383457aa0f98.jpg);
background-size: cover;
background-position: center;
padding: 10px 8%;
position: relative;
}
nav{
display: flex;
align-items: center;
justify-content: space-between;
padding: 10px 0;
}
.logo{
width: 150px;
cursor: pointer;
}
nav button{
border: 0;
outline: 0;
background: #db0001;
color: #fff;
padding: 7px 20px;
font-size: 12px;
border-radius: 4px;
margin-left: 10px;
cursor: pointer;
}
.language-btn{
display: inline-flex;
align-items: center;
background: transparent;
border: 1px solid #fff;
padding: 7px 10px;
}
.language-btn img{
width: 10px;
margin-left: 10px;
}
.header-content{
position: absolute;
top: 50%;
left: 50%;
transform: translate(-50%, -50%);
text-align: center;
margin-top: 100px;
}
.header-content h1{
```

```
font-size: 60px;
line-height: 70px;
font-weight: 600;
max-width: 650px;
}
.header-content h3{
font-weight: 400;
margin-bottom: 20px;
}
.email-signup{
background: #fff;
border-radius: 4px;
display: flex;
align-items: center;
margin-top: 30px;
overflow: hidden;
}
.email-signup input{
flex: 1;
border: 0;
outline: 0;
margin-left: 20px;
}
.email-signup button{
background: #db0001;
border: 0;
outline: 0;
color: #fff;
font-size: 16px;
cursor: pointer;
padding: 15px 30px;
}
```

```
/* features */
```

```
.features{
padding: 50px;
font-size: 22px;
}
.row{
display: flex;
width: 100%;
align-items: center;
flex-wrap: wrap;
padding: 50px 0;
}
.text-col{
flex-basis: 50%;
margin-bottom: 20px;
}
.img-col{
```

```
flex-basis: 50%;
margin-bottom: 20px;
}
\img-col img{
display: block;
width: 90%;
margin: auto;
}
.features h2{
font-size: 50px;
font-weight: 600;
margin-bottom: 20px;
}
```

```
/*faq*/
```

```
.faq{
padding: 10px 12%;
text-align: center;
font-size: 18px;
}
.faq h2{
font-weight: 500;
font-size: 40px;
}
```

```
.accordion{
margin: 60px auto;
width: 100%;
max-width: 750px;
}
.accordion li{
list-style: none;
width: 100%;
padding: 5px;
}
.accordion li label{
display: flex;
align-items: center;
padding: 20px;
font-size: 18px;
font-weight: 500;
background: #303030;
margin-bottom: 2px;
cursor: pointer;
position: relative;
}
label::after{
content: '+';
font-size: 34px;
position: absolute;
```

```
right: 20px;
transition: transform 0.5s;
}
input[type="radio"]{
display: none;
}
.accordion .content{
background: #303030;
text-align: left;
padding: 0 20px;
max-height: 0;
overflow: hidden;
transition: max-height 0.5s, padding 0.5s;
}
.accordion input[type="radio"]:checked + label + .content{
max-height: 600px;
padding: 30px 20px;
}
.accordion input[type="radio"]:checked + label::after{
transform: rotate(135deg);
}
.faq .email-signup{
max-width: 600px;
margin: 20px auto 60px;
}
.faq small{
font-size: 13px;
}
```

```
/*footer*/
```

```
.footer{
padding: 50px 15% 100px;
border-top: 6px solid #333;
color: #777;
}
.footer h2{
font-size: 18px;
font-weight: 400;
margin-bottom: 30px;
}
.footer .col{
flex-basis: 25%;
flex-grow: 1;
margin-bottom: 20px;
}
.footer .col a{
display: block;
text-decoration: none;
color: #777;
font-size: 14px;
```



```
margin-bottom: 10px;
}
.footer .row{
align-items: flex-start;
padding: 10px 0;
}
.footer .language-btn{
color: #fff;
padding: 10px 20px;
border-radius: 3px;
}
.copyright-txt{
font-size: 14px;
margin-top: 20px;
margin-bottom: 10px;
}



/*media queries*/
@media only screen and (max-width: 600px){
.logo{
width: 100px;
}
nav button{
padding: 5px 10px;
}
nav .language-btn{
padding: 4px 8px;
}
.header-content{
position: unset;
transform: none;
padding-top: 150px;
}
.header-content h1{
font-size: 30px;
}
.email-signup button{
font-size: 12px;
padding: 10px 15px;
}
.text-col, .img-col{
flex-basis: 100%;
}
.features h2{
font-size: 30px;
}
.features p{
font-size: 15px;
}
.row:nth-child(2), .row:nth-child(4){
flex-direction: column-reverse;
}
```





```



}
.features .row{
padding: 10px 0;
}
.faq h2{
font-size: 20px;
}
.accordion .content{
font-size: 14px;
}
.accordion li label{
padding: 10px;
font-size: 14px;
}
label::after{
font-size: 22px;
}
}

```

## OUTPUT:







---

## Day 13

# JAVASCRIPT

### Introduction

- JavaScript is the world's most popular programming language.
- JavaScript is the programming language of the Web.
- JavaScript is easy to learn.

### JavaScript Can Change HTML Content

One of many JavaScript HTML methods is `getElementById()`.

The example below "finds" an HTML element (with `id="demo"`), and changes the element content (`innerHTML`) to "Hello JavaScript":

### Example

```
document.getElementById("demo").innerHTML = "Hello JavaScript";
```

JavaScript accepts both double and single quotes:

### Example

```
document.getElementById('demo').innerHTML = 'Hello JavaScript';
```

---

## JavaScript Can Change HTML Attribute Values

In this example JavaScript changes the value of the src (source) attribute of an `<img>` tag:

### The Light Bulb



Turn on the light

Turn off the light

---

## JavaScript Functions

---

- A JavaScript function is a block of code designed to perform a particular task.
- A JavaScript function is executed when "something" invokes it (calls it).

### Example

```
// Function to compute the product of p1 and p2
function myFunction(p1, p2) {
  return p1 * p2;
}
```

---

## JavaScript Function Syntax

- A JavaScript function is defined with the function keyword, followed by a name, followed by parentheses ().
- Function names can contain letters, digits, underscores, and dollar signs (same rules as variables).
- The parentheses may include parameter names separated by commas: (parameter1, parameter2, ...)
- The code to be executed, by the function, is placed inside curly brackets: { }

- `function name(parameter1, parameter2, parameter3) {  
    // code to be executed  
}`
  - Function parameters are listed inside the parentheses () in the function definition.
  - Function arguments are the values received by the function when it is invoked.
  - Inside the function, the arguments (the parameters) behave as local variables.
- 

## Day 14

### JavaScript Events

---

- HTML events are "things" that happen to HTML elements.
  - When JavaScript is used in HTML pages, JavaScript can "react" on these events.
- 

#### HTML Events

An HTML event can be something the browser does, or something a user does.

Here are some examples of HTML events:

An HTML web page has finished loading

An HTML input field was changed

An HTML button was clicked

Often, when events happen, you may want to do something.

JavaScript lets you execute code when events are detected.

- HTML allows event handler attributes, with JavaScript code, to be added to HTML elements.

#### With single quotes:

`<element event='some JavaScript'>`

#### With double quotes:

`<element event="some JavaScript">`

In the following example, an onclick attribute (with code), is added to a `<button>` element:

### Example

```
<button onclick="document.getElementById('demo').innerHTML = Date()">The time is?</button>
```

In the example above, the JavaScript code changes the content of the element with id="demo".

---

## Day 15

### BOOTSTRAP

#### Introduction

Bootstrap is a free front-end framework for faster and easier web development

Bootstrap includes HTML and CSS based design templates for typography, forms, buttons, tables, navigation, modals, image carousels and many other, as well as optional JavaScript plugins

Bootstrap also gives you the ability to easily create responsive designs

#### What is Responsive Web Design?

Responsive web design is about creating web sites which automatically adjust themselves to look good on all devices, from small phones to large desktops.

---

#### Create First Web Page With Bootstrap

1. Add the HTML5 doctype

Bootstrap uses HTML elements and CSS properties that require the HTML5 doctype.

Always include the HTML5 doctype at the beginning of the page, along with the lang attribute and the correct character set:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
  </head>
</html>
```

#### 2. Bootstrap 3 is mobile-first

Bootstrap 3 is designed to be responsive to mobile devices. Mobile-first styles are part of the core framework.

To ensure proper rendering and touch zooming, add the following <meta> tag inside the <head> element:

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

The width=device-width part sets the width of the page to follow the screen-width of the device (which will vary depending on the device).

The initial-scale=1 part sets the initial zoom level when the page is first loaded by the browser.

---

## Day 16 & 17

### PROJECT 3(Final project)

### MY PORTFOLIO

#### Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>My Portfolio</title>
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css">
<link rel="stylesheet" href="style.css">
</head>
<body>
<!-- Navbar -->
<header>
<a href="#" class="logo">My Portfolio</a>

<div class="bx bx-menu" id="menu-icon"></div>

<ul class="navbar">
<li><a href="#home">Home</a></li>
<li><a href="#about">About</a></li>
<li><a href="#myedits">MyEdits</a></li>
<li><a href="#skills">Skills</a></li>
```



```

<li><a href="#services">Services</a></li>
<li><a href="#contact">Contact</a></li>
<div class="bx bx-moon" id="darkmode"></div>
</ul>
</header>
<!-- Home -->

<section class="home" id="home">
<div class="social">
<a href="#"><i class='bx bxl-github'></i></a>
<a href="https://www.youtube.com/@xiaonai._weiwei07_bangta127"><i class='bx bxl-youtube'></i></a>
<a href="https://www.instagram.com/_trust_none._/"><i class='bx bxl-instagram'></i></a>
</div>
<div class="home-img">

</div>
<div class="home-text">
<span>Hello, I'm</span>
<h1>Girisaa Priyadharsini</h1>
<h2>Video/Audio Editor</h2>
<p>Hello everybody, This is a promotion for my editing pages as well as my personal portfolio.
<br> Additionally, you can ask me to alter your favourite stars <br>or television shows. If you're not a fan of LGBTQ+ content, you can leave my website. I don't have any issues with it.</p>
<a href="https://www.instagram.com/bl_world_tn/" class="btn">Contact Me</a>
</div>

</section>
<!-- About -->
<section class="about" id="about">
<div class="heading">
<h2>About Me</h2>
<span>Introduction</span>
</div>
<!-- About Content -->
<div class="about-container">
<div class="about-img">

</div>
<div class="about-text">
<p>Hey everyone myself Girisha I love making edits with my favorite series, kpop(mostly bts) coz I'm an bts army...
I enjoy reading books and writing stories.Currently, I am doing my graduate in information technology.
</p>
<div class="information">
<!-- Box 1 -->
<div class="info-box">

```

```

<i class='bx bxs-user' ></i>
<span>@bl_world_tn @ot7_bangtan_forever</span>
</div>
<!-- Box 2 -->
<div class="info-box">
<i class='bx bxs-envelope' ></i>
<span>blworld77@gmail.com</span>
</div>
</div>
<a href="#" class="btn">Home</a>
</div>
</div>
</section><br><br>
<!-- MyEdits -->
<br>
<section class="MyEdits" id="myedits">
<div class="heading">
<h2>MyEdits</h2>
<span>Instagram/Youtube</span>
</div>
<div class="features">
<div class="row">
<div class="text-col">
<h2>My Channel</h2>
<p>Utilise my edits on Instagram and YouTube as a diversion
<a href="https://www.youtube.com/@xiaonai._.weiweiot7_bangta127/featured"
target="blank"><button>My Channel</button></a></p>
</div>
<div class="img-col">

</div>
</div>
<div class="row">
<div class="img-col">

</div>
<div class="text-col">
<h2>Download the videos to watch offline</h2>
<p>Save your favourites edits easily and always have something to watch. <a
href="https://www.youtube.com/@bl_world_tn247/featured" target="blank"><button>My
Backup Channel</button></a></p>
</div>
</div>
<div class="row">
<div class="text-col">
<h2>Watch everywhere</h2>
<p>You can watch this video by clicking the link below,The video will take you to a story I
wrote.Watch the complete video on my channel.
<a href="https://www.youtube.com/@bl_world__4109/featured"
target="blank"><button>My other account</button></a></p>
</div>

```

```

<div class="img-col">
<video src="./videos/InShot_20230727_203326719.mp4" height="250px" width="330px"
controls autoplay muted looptype="" "></video>
</div>
</div>
<div class="row">
<div class="img-col">
<video src="./videos/InShot_20230727_202458451.mp4" height="250px" width="330px"
controls autoplay muted looptype="" "></video>
</div>
<div class="text-col">
<h2>Anime Edits</h2>
<p>I am involved in editing the anime series, which is popular with many people. Watch the
complete video on my channel.
<a href="https://www.youtube.com/watch?v=-jYf0WGnxKI" target="blank"><button>Anime
Edits</button></a></p>
</div>
</div>
</div>
<!-- Skills -->
<section class="skills" id="skills">
<div class="heading">
<h2>Skills</h2>
<span>My Skills</span>
</div>
<!-- Skills Content -->
<div class="skills-container">
<div class="bars">
<!-- Box 1 -->
<div class="bars-box">
<h3>HTML</h3>
<span>94%</span>
<div class="light-bar"></div>
<div class="percent-bar html-bar"></div>
</div>
<!-- Box 2 -->
<div class="bars-box">
<h3>CSS</h3>
<span>84%</span>
<div class="light-bar"></div>
<div class="percent-bar css-bar"></div>
</div>
<!-- Box 3 -->
<div class="bars-box">
<h3>JavaScript</h3>
<span>53%</span>
<div class="light-bar"></div>
<div class="percent-bar js-bar"></div>
</div>
<!-- Box 4 -->
<div class="bars-box">

```

```
<h3>Video Editing</h3>
<span>80%</span>
<div class="light-bar"></div>
<div class="percent-bar react-bar"></div>
</div>
</div>
</div>
<!-- Services -->
<section class="services" id="services">
<div class="heading">
<h2>Services</h2>
<span>Our Services</span>
</div>
<div class="services-content">
<!-- Box 1 -->
<div class="services-box">
<i class='bx bx-code-alt' ></i>
<h3>Web Development</h3>
<a href="#">Learn More</a>
</div>
<!-- Box 2 -->
<div class="services-box">
<i class='bx bx-server' ></i>
<h3>Frontend Development</h3>
<a href="#">Learn More</a>
</div>
<!-- Box 3 -->
<div class="services-box">
<i class='bx bx-video' ></i>
<h3>Video editing</h3>
<a href="#">Learn More</a>
</div>

<div class="services-box">
<i class='bx bx-music'></i>
<h3>Audio Editing</h3>
<a href="#">Learn More</a>
</div>
</div>
</section>
<!-- Contact -->
<section class="contact" id="contact">
<div class="heading">
<h2>Contact</h2>
<span>Connect With Us</span>
</div>
<div class="contact-form">
<form action="">
<input type="text" placeholder="Your Name">
<input type="email" name="Instagram" id="" placeholder="Your Instagram Id">
<textarea name="" id="" cols="30" rows="10" placeholder="Write Your Request"></textarea>
```

```

<a href="https://www.instagram.com/bl_world_tn/" class="btn">Send</a>

</form>
</div>
</section>
<!-- Footer -->
<div class="footer">
<h2>My Portfolio</h2>
<div class="footer-social">
<a href="https://twitter.com/ot7bangtanfore1?t=KEm3knAmseeBRaIRiz3B_A&s=09"><i
class='bx bxl-twitter' ></i></a>
<a href="https://www.instagram.com/bl_world_tn/"><i class='bx bxl-instagram' ></i></a>
<a href="https://www.youtube.com/@xiaonai._.weiweiot7_bangta127"><i class='bx bxl-
youtube' ></i></a>
</div>
</div>
</div>
</div>
<!-- Copyright -->
<div class="copyright">
<p>Copyright @2023 <a href="">by @girisapriyadharsini</a> | All Right Reserved.</p>
</div>
<!-- Link To JS -->
<script src="script.js"></script>
</body>
</html>

```

## Style.css

```

/* Google Fonts */
@import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;700&di
splay=swap");
*{
margin: 0;
padding: 0;
box-sizing: border-box;
list-style: none;
text-decoration: none;
scroll-behavior: smooth;
scroll-padding-top: 2rem;
font-family: "Poppins", sans-serif;
scroll-behavior:smooth;
}
:root {
--main-color: #0e54b1;
--bg-color: #19191a;
--text-color: #eaeaea;
--hover: hsl(260, 100%, 51%);

--big-font: 3.2rem;

```

```
--medium-font: 1.8rem;
--p-font: 0.941rem;
}
section {
  padding: 50px 10%;
}
body.active {
  --text-color: #fff;
  --bg-color: #0f0c27;
}
body {
  background: var(--bg-color);
  color: var(--text-color);
}
*::selection {
  color: var(--bg-color);
  background: var(--main-color);
}
.heading {
  text-align: center;
}
.heading h2 {
  font-size: 30px;
}

.heading span {
  font-size: var(--p-font);
  color: rgb(2, 166, 70);
}
header {
  position: fixed;
  width: 100%;
  top: 0;
  right: 0;
  z-index: 1000;
  display: flex;
  align-items: center;
  justify-content: space-between;
  background: var(--bg-color);
  padding: 13px 10%;
  transition: 0.2s;
  box-shadow: -3px -3px 7px #fff,
    2px 2px 5px rgba(94, 104, 121, 0.288);
}
header.shadow {
  box-shadow: 0 0 4px rgb(14 55 54 / 15%);
}
.logo {
  font-size: 1.61rem;
  font-weight: 600;
  color: var(--text-color);
}
```

```
}
.navbar {
  display: flex;
}
.navbar a {
  font-size: 1rem;
  padding: 10px 20px;
  color: var(--text-color);
  font-weight: 500;
}
.navbar a:hover {
  color: var(--hover);
}
#menu-icon {
  font-size: 24px;
  cursor: pointer;
  z-index: 10001;
  display: none;
}
#darkmode {
  font-size: 22px;
  cursor: pointer;
}
.home {
  position: relative;
  width: 100%;
  min-height: 100vh;
  display: grid;
  grid-template-columns: 0.2fr 1fr 1fr;
  align-items: center;
  gap: 1rem;
}
.home-img {
  order: 3;
}
.home-img img {
  width: 100%;
}
.home-text span {
  font-size: var(--medium-font);
  font-weight: 500;
}
.home-text h1 {
  font-size: var(--big-font);
}
.home-text h2 {
  font-size: 1.1rem;
  font-weight: 400;
}
.home-text p {
  font-size: var(--p-font);
}
```

```
font-weight: 400;
margin: 0.7rem 0 1rem;
}
.social {
display: flex;
flex-direction: column;
}
.social a {
margin-bottom: 1rem;
font-size: 22px;
color: var(--text-color);
}
.social a:hover {
color: var(--hover);
}
.btn {
display: inline-block;
background: var(--main-color);
color: #131212;
padding: 0.7rem 1.3rem;
border-radius: 0.5rem;
}
.btn:hover {
background: var(--hover);
}

.about-container {
display: grid;
grid-template-columns: repeat(2, 1fr);
gap: 1rem;
margin-top: 2rem;
}

.about-img img {
width: 80%;
border-radius: 0.5rem;
}
.about-text p {
font-size: var(--p-font);
font-weight: 400;
text-align: justify;
}
.features{
padding: 50px;
font-size: 22px;
}
.row{
display: flex;
width: 100%;
align-items: center;
```



```
    flex-wrap: wrap;
    padding: 50px 0;
}
.text-col{
    flex-basis: 50%;
    margin-bottom: 20px;
}
.img-col{
    flex-basis: 50%;
    margin-bottom: 20px;
}
.features button {
    width: 160px;
    cursor: pointer;
    background: #2768d9;
    color: #fff;
    justify-content: center;
    text-transform: uppercase;
    letter-spacing: 1px;
    margin-left: 35%;
}
.features-button:hover {
    background: var(--hover);
}
\img-col img{
    display: block;
    width: 100%;
    margin: auto;
}
.features h2{
    font-size: 50px;
    font-weight: 600;
    margin-bottom: 20px;
}
.information {
    margin: 1rem 0 1.4rem;
}
.information .info-box {
    display: flex;
    align-items: center;
    margin-bottom: 1.4rem;
}
.information .info-box .bx {
    font-size: 22px;
}
.information .info-box span {
    font-weight: 400;
    margin-left: 1rem;
}
.bars-box {
    position: relative;
```

```
display: flex;
justify-content: space-between;
align-items: center;
padding: 1rem 0;
margin-bottom: 1rem;
}
.bars-box h3,
span {
font-size: 1.1rem;
font-weight: 500;
}
.light-bar {
position: absolute;
bottom: 0;
left: 0;
width: 100%;
height: 0.5rem;
background: hsla(260, 100%, 44%, 0.4);
border-radius: 0.5rem;
}
.percent-bar {
position: absolute;
bottom: 0;
left: 0;
height: 0.5rem;
background: var(--main-color);
border-radius: 0.5rem;
}
.html-bar {
width: 94%;
}
.css-bar {
width: 84%;
}
.js-bar {
width: 74%;
}
.react-bar {
width: 80%;
}
.services-content {
display: grid;
grid-template-columns: repeat(auto-fit, minmax(200px, auto));
justify-content: center;
gap: 1rem;
margin-top: 2rem;
}
.services-box {
padding: 20px;
width: 260px;
display: flex;
```

```
flex-direction: column;
align-items: center;
text-align: center;
border-radius: 0.5rem;
border-bottom: 2px solid var(--main-color);
box-shadow: 0 2px 7px rgb(14 55 54 / 15%);
}
.services-box:hover{
background-color: #02225a;
}

.services-box h3 {
font-size: 1rem;
font-weight: 600;
margin: 0.7rem 0 0.4rem;
}
.services-box:hover h3{
color: #fff;
}
.services-box .bx {
padding-top: 2rem;
font-size: 54px;
color: var(--main-color);
}
.services-box:hover .bx{
color: #22cf91;
}
.services-box a {
color: var(--main-color);
font-size: var(--p-font);
font-weight: 500;
}
.services-box:hover a{
color: #8b8a8f;
}
.portfolio-content {
display: grid;
grid-template-columns: repeat(auto-fit, minmax(280px, auto));
gap: 1rem;
margin-top: 2rem;
}
.portfolio-img {
overflow: hidden;
border-radius: 0.5rem;
}
.portfolio-img img {
width: 100%;
display: block;
}
.portfolio-img img:hover {
transform: scale(1.1);
```

```
    transition: 1s;
  }
  .contact-form {
    display: grid;
    place-items: center;
    margin-top: 2rem;
  }
  .contact-form form {
    display: flex;
    flex-direction: column;
    width: 650px;
  }
  form input,
  textarea {
    padding: 15px;
    border-radius: 0.5rem;
    width: 100%;
    border: none;
    outline: none;
    background: hsla(260, 100%, 44%, 0.1);
    margin-bottom: 1rem;
    color: var(--text-color);
  }
  form input::placeholder,
  textarea::placeholder {
    color: var(--text-color);
  }
  form textarea {
    resize: none;
    height: 200px;
  }
  .contact-button {
    width: 160px;
    cursor: pointer;
    background: #2768d9;
    color: #fff;
    justify-content: center;
    text-transform: uppercase;
    letter-spacing: 1px;
    margin-left: 35%;
  }
  .contact-button:hover {
    background: var(--hover);
  }
  .footer {
    display: grid;
    place-items: center;
    padding: 20px;
    background: #ebebeb;
    color: #000;
  }
```

```
.footer h2 {
  font-size: 1.5rem;
  margin-bottom: 1.6rem;
}
.footer-social a i{
  color: rgb(10, 26, 208);
  font-size: 25px;
  margin-left: 10px;
  text-align: center;
  line-height: 40px;
  background-color: #fff;
  border-radius: 50%;
  width: 40px;
  height: 40px;
}
.copyright {
  padding: 20px;
  background: var(--main-color);
  text-align: center;
  color: #141414;
}
.copyright a{
  color: #22cf91;
}
/* Making Responsive */
@media (max-width: 991px) {
  header {
    padding: 18px 4%;
  }
  section {
    padding: 50px 4%;
  }
}
@media (max-width: 881px) {
  :root {
    --big-font: 2.7rem;
    --medium-font: 1.4rem;
  }
}
@media (max-width: 768px) {
  :root {
    --big-font: 2.4rem;
    --medium-font: 1.2rem;
  }
  header {
    padding: 11px 4%;
  }
  #menu-icon {
    display: initial;
    color: var(--text-color);
  }
}
```



```
header .navbar {
  position: absolute;
  top: -500px;
  left: 0;
  right: 0;
  display: flex;
  flex-direction: column;
  background: var(--bg-color);
  box-shadow: 0 4px 4px rgb(0 0 0 / 10%);
  transition: 0.2s ease;
  text-align: center;
}
.navbar.active {
  top: 100%;
}
.navbar a {
  padding: 1.5rem;
  display: block;
  background: var(--bg-color);
}
#darkmode {
  position: absolute;
  top: 1.4rem;
  right: 2rem;
}
.scroll-down {
  display: none;
}
.home {
  grid-template-columns: 0.5fr 3fr;
}
.home-text {
  grid-column: 1/3;
  padding-left: 1.4rem;
}
.home-img {
  order: initial;
}
.about-container {
  grid-template-columns: 1fr;
}
.about-img {
  display: flex;
  justify-content: center;
}
.skills-container {
  grid-template-columns: 1fr;
}
.skills-img img {
  padding-left: 0;
}
```

```




.skills-img {
  padding-top: 2rem;
  display: flex;
  justify-content: center;
}
.contact-form form{
  width: 300px;
}
.contact-button{
  margin-left: 25%;
}
.text-col, .img-col{
  flex-basis: 100%;
}
}
}
@media (max-width: 340px) {
  :root {
    --big-font: 1.7rem;
    --medium-font: 1.1rem;
  }
  .home-text span {
    font-size: 1rem;
  }
  .home-text h2 {
    font-size: 0.9rem;
    font-weight: 500;
  }
  .information .info-box span {
    font-size: 1rem;
  }
  .portfolio-content {
    grid-template-columns: repeat(auto-fit, minmax(200px, auto));
  }
  .contact-form form{
    width: 300px;
  }
  .contact-button{
    margin-left: 25%;
  }
}
html {
  scroll-behavior: smooth;
}


```

## OUTPUT:











## Script.js

```
// Sticky Navbar
let header = document.querySelector('header');
let menu = document.querySelector('#menu-icon');
let navbar = document.querySelector('.navbar');

window.addEventListener('scroll', () => {
  header.classList.toggle('shadow', window.scrollY > 0);
});
menu.onclick = () => {
  navbar.classList.toggle('active');
}
window.onscroll = () => {
  navbar.classList.remove('active');
}
// Dark Mode
let darkmode = document.querySelector('#darkmode');

darkmode.onclick = () => {
  if(darkmode.classList.contains('bx-moon')){
    darkmode.classList.replace('bx-moon','bx-sun');
    document.body.classList.add('active');
  }else{
    darkmode.classList.replace('bx-sun','bx-moon');
    document.body.classList.remove('active');
  }
}
```

## OUTPUT:



**MY PORTFOLIO WEBSITE : (HOSTED BY GITHUB)**

<https://girishapriyadharshini.github.io/website.github.io/>