Exp -06:

Write a Servlet to demonstrate session tracking using HttpSession. Implement a simple login system where the user's session is tracked.

Aim

To implement session tracking in a Java Servlet using **HttpSession**, demonstrating how a simple login system can maintain user session data across multiple requests for an enhanced user experience.

Algorithm

1. Start

• The user opens the login page in a web browser.

2. Display Login Form

- The HTML page loads a login form with two input fields:
 - Username (text input)
 - o **Password** (password input)
- A submit button is provided to send the login credentials.

3. Apply CSS Styling

- The form is styled to be **centered** and visually appealing.
- Aesthetic enhancements like background color, rounded corners, shadow effects, and hover effects for buttons are applied.

4. Submit Form Data

- The user enters their username and password.
- Upon clicking the **Login** button, the form sends the data using the **POST** method to LoginServlet.

5. Handle Request in Java Servlet

- The servlet retrieves the **username** and **password** from the request parameters.
- It verifies the credentials against stored values or a database.

6. Display Response

- If the login is successful:
 - o Redirect the user to a dashboard or homepage.
- If login fails:
 - o Show an **error message** and prompt the user to try again.

7. **End**

• The user either logs in successfully or is asked to re-enter their credentials.

CODE:

HTML:

```
body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f9;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  margin: 0;
.login-container {
  background-color: #fff;
  padding: 30px;
  border-radius: 10px;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
  width: 350px;
  text-align: center;
}
h2 {
  color: #333;
  margin-bottom: 20px;
.form-group {
  margin-bottom: 15px;
  text-align: left;
}
label {
  font-weight: bold;
  display: block;
  margin-bottom: 5px;
input[type="text"], input[type="password"] {
  width: 100%;
```

```
padding: 10px;
      border: 1px solid #ccc;
      border-radius: 5px;
      box-sizing: border-box;
    .btn {
      background-color: #4CAF50;
      color: white;
      padding: 10px 20px;
      border: none;
      border-radius: 5px;
      cursor: pointer;
      width: 100%;
      font-size: 16px;
      transition: 0.3s;
    .btn:hover {
      background-color: #45a049;
  </style>
</head>
<body>
  <div class="login-container">
    <h2>Login Form</h2>
    <form action="LoginServlet" method="post">
      <div class="form-group">
         <label for="username">Username:</label>
         <input type="text" id="username" name="username" required>
      </div>
       <div class="form-group">
         <label for="password">Password:</label>
         <input type="password" id="password" name="password" required>
      </div>
```

```
<input type="submit" class="btn" value="Login">
     </form>
  </div>
</body>
</html>
Servlet.java:
package com.example.session;
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class LoginServlet extends HttpServlet {
  private static final String USERNAME = "admin";
  private static final String PASSWORD = "password";
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    String username = request.getParameter("username");
    String password = request.getParameter("password");
    if(USERNAME.equals(username) && PASSWORD.equals(password)) {
       HttpSession session = request.getSession(true);
       session.setAttribute("username", username);
       response.sendRedirect("WelcomeServlet");
       out.println("<h3>Invalid credentials. Please try again.</h3>");
       out.println("<a href='login.html'>Back to Login</a>");
package com.example.session;
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class LogoutServlet extends HttpServlet {
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    HttpSession session = request.getSession(false);
    if(session != null) {
       String username = (String) session.getAttribute("username");
       session.invalidate();
```

```
out.println("<h3>" + username + ", you have been logged out.</h3>");
       out.println("<h3>You were not logged in!</h3>");
    out.println("<a href='login.html'>Login again</a>");
}
package com.example.session;
import java.io.*;
import java.text.SimpleDateFormat;
import java.util.Date;
import javax.servlet.*;
import javax.servlet.http.*;
public class WelcomeServlet extends HttpServlet {
  protected void doGet(HttpServletRequest request, HttpServletResponse response)
       throws ServletException, IOException {
    response.setContentType("text/html");
    PrintWriter out = response.getWriter();
    HttpSession session = request.getSession(false);
    if(session == null || session.getAttribute("username") == null) {
       response.sendRedirect("login.html");
       return;
    }
    String username = (String) session.getAttribute("username");
    SimpleDateFormat sdf = new SimpleDateFormat("MMM dd, yyyy HH:mm:ss");
    out.println("<html><head><title>Welcome</title></head><body>");
    out.println("<h2>Welcome, " + username + "!</h2>");
    out.println("Session ID: " + session.getId() + "");
    out.println("Last accessed: " + sdf.format(new
Date(session.getLastAccessedTime())) + "");
    out.println("<form action='LogoutServlet' method='post'>");
    out.println("<input type='submit' value='Logout'>");
    out.println("</form></body></html>");
  }
}
web.xml:
<web-app xmlns="http://java.sun.com/xml/ns/javaee"</pre>
     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
     xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
     http://java.sun.com/xml/ns/javaee/web-app 3 1.xsd"
     version="3.1">
  <servlet>
    <servlet-name>DemoServlet</servlet-name>
    <servlet-class>DemoServlet</servlet-class>
```

```
</servlet>
    <servlet-mapping>
   <servlet-name>DemoServlet</servlet-name>
    <url-pattern>/DemoServlet</url-pattern>
   </servlet-mapping>
</web-app>
```

Login Form Username: Password: Login

RESULT:

Thus the give program is executed successfully