Girls' Programming Network

Markov Chains
Workbook 1

Tutors Only

This project was created by GPN Australia for GPN sites all around Australia!

This workbook and related materials were created by tutors at:

Sydney, Canberra and Perth

Girls' Programming Network

If you see any of the following tutors don't forget to thank them!!

Writers	Testers
Alex McCulloch	Vivian Dang
Maddy Reid	Annie Liu
Renee Noble	Anton Black
Caitlin Mangan	Georgia Kirkpatrick-Jones
Sheree Pudney	Olivia Gorton
	Leesandra Fernandes
	Josie Ang
	Isabel Brison
	Maddie Jones
	Kassandra di Bona
	Ashleigh Pribilovic

Part 1: Welcome message

Task 1.1: Print a message

At the top of the file use a comment to write your name!

We want to print a message to tell the user what our program does.

1. On the line after your name, use the `print` statement to display the following message:

   ```
   I am a markov chain generator
   ```

2. Now **run your program** to see what happens!

Hint

Any line starting with # is a comment.
```
# Amy
```

You can print out a greeting like this:
```
print("Hello, world")
```

TUTOR TIPS

☑ CHECKPOINT ☑

If you can tick all of these off you can go to Part 2:

☐ Add a comment with your name

☐ Print a message to the user

TUTOR TIPS

The code should look like this:
```
# <the student's name>
print("I am a markov chain generator")
```

Part 2: The first word

Task 2.1: Get the user to choose the first word

1. Use `input` to ask the user for the first word in our sentence, and store their answer in a variable called `current_word`.

2. Use a `print` statement to display the `current_word`.

3. When you **run your program**, you should see something like this:

```
I am a markov chain generator
What word do you want to start with? a
a
```

Hint

You can get information from the user using `input`:

```
name = input("What is your name? ")
```

This will put the name the user enters into the variable called `name`.

TUTOR TIPS

- You need a space at the end of the **input** string, or the prompt will be squished together with the user's answer like this:
  What word do you want to start with?oh no
- Make sure they're printing the **variable** `current_word` and not the **string** `"current_word"`

☑ CHECKPOINT ☑

If you can tick all of these off you can go to Part 3:

☐ Get your program to print the word the user enters

TUTOR TIPS

The code should look like this:

```python
# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word)
```

Part 3: What comes next?

For now we are going to use this text for our program!

one fish two fish red fish blue fish
this one has a little car

Task 3.1: Let's figure it out

Fill in this table with what words come after it in the example text

one	fish has
two	fish
red	fish
blue	fish
this	one
has	a
a	little
little	car
car	one
fish	two red blue this

Hint

The last word in the text should connect to the first word so that we don't just stop when we get to car

TUTOR TIPS

- Make sure they fill in car properly with the first word in the text

Task 3.2: What could come after current_word?

Let's write an if statement that would figure out what words could come after the word "one"

1. Write an if statement that checks if the current word is the word "one"

2. Inside that if statement, create a variable called "next_word_options" and store the list of possible words that come after the word "one"

3. Print next_word_options outside the if statement

4. Run your program, enter "one" as your starting word, and make sure that it prints out ["fish", "has"]

Hint

Have a look at the table you filled out in the last task to see what next_word_options should be.

Remember that an if looks like this:
Remember to use == in your if line and = to assign a value to a variable.
if name == "Alex":
    message = "I love your name"

Remember that a list looks like this:
`animals = ["dog", "cat"]`

TUTOR TIPS

If student inputs a word that is not "one", they will get a NameError! Error is expected and fixed later. Make sure spell it correctly and don't use capitals

Task 3.3: Now for all the words!

1. We need an if statement for all the different words in the first column of the table! Let's make those now.

2. Make sure you just have 1 print statement at the end after the if statements like this:

Note: this is an example - if you use this exact code it **won't work**

```
if name == "Alex":
    message = "I love your name"
if name == "Lyndsey":
    message = "Your name is awesome"

print(message)
```

3. Run your program, entering other words as the first word. Make sure what prints is correct.

If you can tick all of these off you can go to Part 4:

☐ You have filled in the table in Task 3.1

☐ You have an if statement for the current word equal to "one"

☐ You have a variable named next_word_options that has a list of possible words

☐ You've run your program using "one" as your starting word

☐ You have an if statement for each word in the first column of the table

☐ You've run your program using other words from the first column of the table as your starting word.

TUTOR TIPS

The code should look like this:

```python
# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word)

if current_word == "one":
    next_word_options = ["fish", "has"]
if current_word == "two":
    next_word_options = ["fish"]
if current_word == "red":
    next_word_options = ["fish"]
if current_word == "blue":
    next_word_options = ["fish"]
if current_word == "this":
    next_word_options = ["one"]
if current_word == "has":
    next_word_options = ["a"]
if current_word == "a":
    next_word_options = ["little"]
if current_word == "little":
    next_word_options = ["car"]
if current_word == "car":
    next_word_options = ["one"]
if current_word == "fish":
    next_word_options = ["two", "red", "blue", "this"]

print(next_word_options)
```

★ BONUS 3.4 Lowercase

What if the user puts in "One" or "ONE" or "Fish" or "FiSh" as their start word?

Case is important in Python ("One" is not the same as "one"), so we want to make the word the user enters lowercase too!

1. Use .lower() on the input we get from the user to convert any uppercase letters in the word they enter to lowercase

2. **Run your program** and make sure the output is correct even if the word you enter has some capital letters (like "oNE")

Python has a shortcut for making things lowercase, here is an example:

```
>>> name = input("What's your name? ")
KeLlY
>>> name = name.lower()
>>> print(name)
kelly
```

TUTOR TIPS

The code should look like this:
```
# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
current_word = current_word.lower()
print(current_word)

if current_word == "one":
    next_word_options = ["fish", "has"]
if current_word == "two":
    next_word_options = ["fish"]
if current_word == "red":
    next_word_options = ["fish"]
if current_word == "blue":
    next_word_options = ["fish"]
if current_word == "this":
    next_word_options = ["one"]
if current_word == "has":
    next_word_options = ["a"]
if current_word == "a":
    next_word_options = ["little"]
if current_word == "little":
    next_word_options = ["car"]
if current_word == "car":
```

```python
    next_word_options = ["one"]
if current_word == "fish":
    next_word_options = ["two", "red", "blue", "this"]

print(next_word_options)
```

Part 4: Making choices

Task 4.1: Import Random Library

To get access to cool random things we need to import random!

1. At the top of your file, below your name, add this line:
   ```
   import random
   ```

Task 4.2: Choose a random word!

1. After all the if statements, randomly choose a word from `next_word_options`, and put that word in a new variable called `next_word`
2. `print` out `next_word`
3. Delete where you print next_word_options

Hint

If I wanted to choose a random food for dinner, I can use the `random.choice` like this:

```
dinner = random.choice(["pizza", "chocolate", "nutella", "lemon"])
```

Task 4.3:

Run your program several times, using **'fish'** as the starting word each time, until you get 3 different words.

☑ CHECKPOINT ☑

If you can tick all of these off you can go to Part 5:

☐ The program randomly chooses a next word and prints it out

☐ When you run the program multiple times with the word "fish" you get 3 different words

The code should look like this:

```python
import random

# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word)

if current_word == "one":
    next_word_options = ["fish", "has"]
if current_word == "two":
    next_word_options = ["fish"]
if current_word == "red":
    next_word_options = ["fish"]
if current_word == "blue":
    next_word_options = ["fish"]
if current_word == "this":
    next_word_options = ["one"]
if current_word == "has":
    next_word_options = ["a"]
if current_word == "a":
    next_word_options = ["little"]
if current_word == "little":
    next_word_options = ["car"]
if current_word == "car":
    next_word_options = ["one"]
if current_word == "fish":
    next_word_options = ["two", "red", "blue", "this"]

next_word = random.choice(next_word_options)

print(next_word)
```

Part 5: Even more words

Task 5.1: Now let's do that 100 times!

That was so much fun we're going to do it 100 times!

1. Before your first if statement, create a for loop that will run 100 times
2. Indent all the code after your for loop so it is inside the for loop (check out the hints below for indenting lots of lines quickly).
3. Run your code. You might have to make your Console window bigger and scroll through it to see all the 100 words you get!

A **for loop** that runs 100 times looks like this:

```
for i in range(100):
    # The thing you want to do 100 times goes here
```

Hint

When we put some code in an `if` or a `for` loop, we have to **indent** it. Indented lines have a tab at the start like this, only the indented things get repeated:

```
for blah in something:
    # THIS IS INDENTED
```

An easy way to do this is to select all the code you want to indent and then press CTL +] or TAB

Task 5.2: Too many lines !!!

Woah, that's hard to read!! Let's make it print on one line only!

When we use print("blah blah blah") it automatically adds an ENTER to end the line so the next line prints on a new line! We don't want that.

We can tell it to end the line with something different than ENTER. When we end the line with something different than ENTER, it will keep the next print in the same line!

The example below makes the print end with a space (so this will put a space after what it prints AND keep the next print on the same line!)

1. Change the ending symbol of your print to a space (end=" ") to make it print on one line! Don't forget to do it for when you print the first word too!
2. Run your code. Are your words now one after the other, with a space between them, and not on separate lines?

```
>>> print("blah blah blah", end=" ")
>>> print("BLAH", end=" ")
blah blah blah BLAH
```

Task 5.3: Almost … but not quite

Run your program a few times using 'one' as the starting word. What do you notice? Does it only contain the words 'fish' and 'has'?

Something's not quite right - we're always choosing from the first word ('one') so we're only getting words that normally come after the word 'one'!

Here's what the options for 'one' look like:
```
"one" = ['fish', 'has']
```
And here's what happens when we run our program starting with 'one'. We're only getting words that normally come after the word 'one':

```
I am a markov chain generator
What word do you want to start with? one
one has has has fish has fish has has has fish has fish fish
fish has has fish fish has has has fish fish fish fish fish has
fish fish fish fish fish has fish fish fish fish has has fish
has fish has fish has fish fish has has fish fish fish has fish
fish fish fish fish has has fish fish has has fish has has fish
fish has fish has has fish fish has fish has fish fish has fish
fish has has has fish fish fish fish fish has has fish has fish
has fish has fish
```

To fix the problem, we have to make sure we always look at the last word we printed. That means we have to update what the new current word is each time we print the next word.

1. At the end of your for loop after you print next_word, add a line to set `current_word` to be the `next_word` we just printed (make sure it is still indented in your for loop)

2. When you run your program you should look a little like one of these! It should be different every time!

```
I am a markov chain generator
What word do you want to start with? one
one has a little car one has a little car one fish red fish
blue fish red fish two fish this one fish two fish red fish red
fish two fish red fish this one fish this one has a little car
one has a little car one fish red fish blue fish blue fish this
one has a little car one fish red fish blue fish two fish red
fish blue fish blue fish this one has a little car one fish
this one fish two fish red fish red fish red fish two fish two
fish red fish red
```

```
I am a markov chain generator
What word do you want to start with? one
```

```
one blue fish blue fish red fish red fish blue fish red fish
blue fish red fish blue fish two fish red fish this one fish
two fish blue fish this one fish red fish two fish this one has
a little car one fish this one fish two fish this one fish red
fish red fish this one fish this one has a little car one has a
little car one fish red fish blue fish blue fish red fish blue
fish blue fish red fish this one has a little car one has a
little car one fish blue fish
```

Your program is writing the next word in the sentence based on the previous word to make a full sentence!

☑ CHECKPOINT ☑

If you can tick all of these off you can move to part 6!

☐ Your programs prints a silly sentence with 101 words (the starting word + 100 more)

☐ Each word is based on the previous word

TUTOR TIPS

The code should look like this:

```python
import random

# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word, end=" ")

for i in range(100):
  if current_word == "one":
      next_word_options = ["fish", "has"]
  if current_word == "two":
      next_word_options = ["fish"]
  if current_word == "red":
      next_word_options = ["fish"]
  if current_word == "blue":
      next_word_options = ["fish"]
  if current_word == "this":
      next_word_options = ["one"]
  if current_word == "has":
      next_word_options = ["a"]
  if current_word == "a":
      next_word_options = ["little"]
  if current_word == "little":
```

```python
        next_word_options = ["car"]
    if current_word == "car":
        next_word_options = ["one"]
    if current_word == "fish":
        next_word_options = ["two", "red", "blue", "this"]

    next_word = random.choice(next_word_options)
    print(next_word, end=" ")
    current_word = next_word
```

★ BONUS 5.5: Not so fast!!

This would look cooler if the computer wrote our story 1 word at a time. At the moment the computer goes so fast, it looks like it appears all at once!

1) At the top of your file write **import time**
   This will let us use what we need to make our program sleep for a few seconds.

2) Before any **print**, add a line that says **time.sleep(0.1)**
   This will make our program 'sleep' for a tenth of a second! You can adjust it to any time you want.

TUTOR TIPS

The code should look like this:

```python
import random
import time

# <the student's name>
print("I am a markov chain generator")
current_word = input("What word do you want to start with? ")
print(current_word, end=" ")

for i in range(100):
  if current_word == "one":
      next_word_options = ["fish", "has"]
  if current_word == "two":
      next_word_options = ["fish"]
  if current_word == "red":
      next_word_options = ["fish"]
  if current_word == "blue":
      next_word_options = ["fish"]
  if current_word == "this":
      next_word_options = ["one"]
  if current_word == "has":
      next_word_options = ["a"]
  if current_word == "a":
      next_word_options = ["little"]
  if current_word == "little":
      next_word_options = ["car"]
  if current_word == "car":
      next_word_options = ["one"]
  if current_word == "fish":
      next_word_options = ["two", "red", "blue", "this"]

  next_word = random.choice(next_word_options)
  time.sleep(0.1)
  print(next_word, end=" ")
  current_word = next_word
```