Centro Universitário Paraíso UniFAP
Desenvolvimento Web Back-end
Prof. Jhonatta Pietro

Cursos: Git e GitHub - Respostas das questões

Giselle Alves Freire - 20242180278 - ADS

JUAZEIRO DO NORTE – CE, 05 de Março de 2026

Evidencias de conclusão dos cursos:



Git: Become an Expert in Git & GitHub in 4 Hours



Git e Github para iniciantes



Quiz 1 – Respostas

Pergunta 1:

Que tipo de software é o Git?

- ○ Rastreador de progresso.
- ○ Controle de histórico.
- ◉ **Controle de versão.** Correct
  Git is a version control (or source control) tracker built for developers.
- ○ Rastreador de origem.

Question 2:

What is one feature that is **not** a difference between Git and GitHub?

- ○ Extra features and access on GitHub.
- ○ The ability to share your repositories to the world.
- ○ GitHub stores your repositories remotely.
- ◉ **GitHub contains a special terminal on the web to interact with your repository.** Correct
  This is not a difference between Git and GitHub.

Question 3:

What is the best terminal to use across all operating systems?

- ○ Git Bash
- ◉ **Bash** Correct
  Bash is the most widely used terminal by developers.
- ○ Native terminal (Command Prompt, Native Terminal)

Quiz 2 – Respostas

Pergunta 1:

Qual é o comando correto para voltar um nível?

- ○ voltar
- ◉ **cd ..** — Correct
  This command takes you up one level in your folder structure.
- ○ verso do CD
- ○ Vá para ..

Question 2:

How would I create a folder called **dir** in the terminal?

- ○ touch dir
- ◉ **mkdir dir** — Correct
  mkdir, or 'make directory' is the command used to make a directory in the terminal.
- ○ touch -f dir
- ○ touch --folder dir

Question 3:

What does ~ stand for in the terminal?

- ○ The top level path.
- ○ The most recent file opened.
- ◉ **The default path.** — Correct
  ~ is a character used as a substitute for the default path.
- ○ The current directory.

Question 4:

What is the correct command to change directories?

- ○ cf
- ◉ **cd** — Correct
  cd, or 'Change Directory' is the command used to change between directories.
- ○ move
- ○ goto

Question 5:

How are directories removed in the terminal?

- ○ remove dir
- ○ rm dir
- ◉ **rm -rf dir** — Correct
  This allows you to remove directories in the terminal.
- ○ rf dir

Quiz 3 – Respostas

Pergunta 1:

O que é a CABEÇA?

- ○ O ramo selecionado no momento.
- ◉ **O commit selecionado no momento.** Correct ✓
- ○ Todos os arquivos não rastreados.
- ○ Os arquivos atualmente monitorados, mas ainda não confirmados.

Question 2:

True or False: You can commit as soon as you make changes.

- ○ True
- ◉ **False** Correct ✓
  Files must be added to the staging area before you commit them.

Question 3:

what does the command 'git add .' do?

- ○ Commit all files.
- ◉ **Add all files to the staging area.** Correct ✓
  . stands for all, so 'git add .' would add all the files.
- ○ Commit all hidden files.
- ○ Add all hidden files to the staging area.

Question 4:

True or False: git rm -f removes the file from the working directory

- [x] **True** — Correct
  -f stands for force, so this command force removes the file from the working directory
- [ ] False

Question 5:

What is the command used to create a new repository?

- [x] **git init** — Correct
  This is the command used to create a git repository.
- [ ] git new
- [ ] git create
- [ ] You don't need to create a repository.

Quiz 4 – Respostas

Pergunta 1:

Como adicionar e fazer checkout de um branch no Git?

- [ ] git branch <nome>
- [ ] git branch -c <nome>
- [x] **git checkout -b <nome>** — Correct
  This creates and checks out a new branch in Git.
- [ ] git add -b <nome>

Question 2:

True or False: Merging branches weaves all the commits together into one timeline.

- ○ True
- ◉ **False** — Correct
  Merging only takes the last commit of the source branch.

Question 3:

What is a branch?

- ◉ **A chain of commits that does not interfere with other branches.** — Correct
  A branch is a chain of commits that are on a separate timeline from the master, therefore, they do not have conflicting timelines.
- ○ Multiple commits taken from git history.
- ○ A sub-repository.

Question 4:

True or False: You can have multiple HEAD pointers when having more than 1 branch.

- ○ True
- ◉ **False** — Correct
  You can have only one checked out commit at a time.

Question 5:

Pick one answer that is **not** a benifit of using branches.

- ○ Have multiple development lines for different tasks (eg. development, bug fixing, release)
- ○ Avoid complete data damage.
- ◉ **Increase the complexity of your project.** Correct ✓
- ○ Clean up your source control.

Quiz 5 – Respostas

Question 1:

True or False: Forking is the same thing as pulling.

- ○ True
- ◉ **False** Correct ✓

  Forking clones the repository into your repository list; pulling takes a branch from a repository and fits it into your already existing repository.

Question 2:

What is forking?

- ○ Taking a file from a GitHub repo.
- ◉ **Cloning a GitHub repository into your own GitHub repositories.** Correct ✓
- ○ Compiling a GitHub repo into a .exe on your local machine.

Question 3:

What is the main feature of GitHub?

- ○ Giving you a shared server to place your repositories.
- ○ Have a GUI to interact with Git.
- ◉ **Allow you to collaborate with others.** Correct
  Git's main goal is to allow people to work together on projects.
- ○ Make the Git workflow easier.

Question 4:

What is GitHub?

- ○ A source control software similar to Git.
- ◉ **A Git hosting platform.** Correct
  It allows you to put your repos on shared servers, as well as use their platform to interact with your repository.
- ○ A git forum.
- ○ The official Git documentation.

Question 5:

True or False: GitHub repositories can be private.

- ◉ **True** Correct
  It is a feature, however, you must have a premium plan to make your repositories private.
- ○ False

Quiz 6 – Respostas

Question 1:

What is the command used to add a remote origin?

- ○ git remote add <url>
- ○ git origin add <url>
- ○ git add origin <url>
- ◉ **git remote add origin <url>** Correct ✓

Question 2:

True or False: git remote -v shows you all of your remote origins.

- ◉ **True** Correct ✓
  It shows you the remote origins you use to push and pull information.
- ○ False

Question 3:

What is a remote origin?

- ○ A special branch in your repository
- ○ The original version of your repository
- ◉ **The link to your remote repository** Correct ✓
  A remote origin is a link to access your remote repository.
- ○ The hosting service for your repository

Question 4:

How many branches can you push at a time to a remote repository?

- ○ 2
- ○ 1 Cluster
- ○ Unlimited
- ◉ **1** — Correct
  You can only push one branch at a time to a remote repository.

Question 5:

How do you interact with a GitHub repository?

- ○ Through their platform
- ○ Copy+Paste
- ◉ **Through a Push/Pull Cycle** — Correct
  You can push and pull information between your repositories using this method.
- ○ Through A GUI

Quiz 7 – Respostas

Question 1:

True or False: You need an account to use SourceTree.

- ◉ **True** — Correct
  Atlassian requires you to create an account to use SourceTree.
- ○ False

Question 2:

What type of software is SourceTree?

- ○ Terminal
- ○ Web App
- ◉ **GUI** — Correct ✓
  SourceTree is a Graphical User Interface.
- ○ Library

Question 3:

Pick one answer that is **not** a benefit of using SourceTree.

- ◉ **Better performance.** — Correct ✓
  This is not a benefit of using SourceTree.
- ○ Less errors and conflicting commits.
- ○ Visual reassurance.
- ○ User-friendly environment.

Question 4:

True or False: It is very difficult to add remote origins through SourceTree.

- ◉ **True** — Correct ✓
  This is why we used the command line to add remote origins to our repo.
- ○ False

Question 5:

What does 'Git-flow' do?

- ○ Change the layout of SourceTree to make it more simplistic.
- ○ Creates a more in-depth visualisation of your commit tree.
- ◉ **Sets up a template for you to use in your repo.** Correct ✓
  Git-flow sets up multiple branches in order to create a template for the user.
- ○ Resolves any conflicts in your repo.