



CHIAROSCURO

A Marp theme in light and shadow
One slide per layout

Contents

- 1

Fourteen layouts, one slide each
- 2

Modifiers, named as they come up
- 3

Nothing here you have to write CSS for

**What is this
subject about?**



Titles go here

Default

The document page: a brief line before each exhibit.

A long equation gets the whole measure to itself:

$$X[k] = \sum_{n=0}^{N-1} x[n] e^{-j2\pi kn/N} = \sum_{n=0}^{N-1} x[n] \cos\left(\frac{2\pi kn}{N}\right) - j \sum_{n=0}^{N-1} x[n] \sin\left(\frac{2\pi kn}{N}\right), \quad k = 0, \dots, N - 1$$

A long table drops to `xsmall` — here also `centered`:

Layout	The photograph	Credit
<code>half · side</code>	<code>![bg right]</code> , or <code>![bg left]</code> to mirror	top right
<code>board</code>	a full-bleed band across the top	top right
<code>image</code>	covering the slide, cropped to fit	top right

Indent

`indent` is the everyday slide with the body hung off the title: a quarter of the measure is given away and the three quarters left close against the right margin. It is what the everyday slide used to do by default — and this one is also set with `justify`, which is why these paragraphs come out flush on both edges.

One block of an *ordinary* slide takes `<div class="indent">` instead — the block form of the same indent; the two are for different slides, not for nesting. `no-rule` drops the red bar and `centered` centres everything, here as anywhere; a **word** can be picked out of a sentence, with a **test link**.

MODIFIER

Columns

`columns-2` ... `columns-6` set the body of an everyday slide in columns, with the title spanning them; `columns-1` is the way back when a deck-wide `class:` said otherwise. The same modifier counts text columns on `comparison`, photographs on `trio` and photo panels on `board` — one name, one variable, four things to count.

The sixth heading level is the eyebrow above: caps, letter-spaced, in the secondary ink. It is the only place the theme uses capitals other than a cover title. The listing below — set in the theme's own palette, not highlight.js defaults — is wrapped in `<div class="break">`, which opens the next column where the browser would have balanced:

```
// --fs-code reaches a fence
// a class cannot.
int median(std::vector<int>& v) {
    auto m = v.begin() + v.size() / 2;
    std::nth_element(v.begin(), m, v.end());
    return *m;
}
```

The content **series**

`--red` is the theme's own — the rule under this title, the dash in front of a list row, the bars of `agenda` — and `.accent-1` is that same red under a second name. The four beside it are yours, a ramp running from it to blue:

1 2 3 4 5

No rule in the theme reads one of them, so nothing on any other slide moves if you replace all five. They colour text; for a shape — a bar, a cell, a path of an inline SVG — read `var(--accent-3)` straight.

The **scale**

Twelve sizes in two families, on the 4 px grid. The six of **content** are for sentences, and each fits on a page:

24 28 32 48 64 80

The six of **symbol** — 128 · 192 · 256 · 384 · 512 · 768 — are for a glyph or a numeral, never a sentence, and are too large to stand here.

Line weights have a scale of their own, and an inline SVG reads it straight, **stroke-width="var(--sw-medium)"**:

	--sw-xxsmall · 1 — a hairline
	--sw-xsmall · 2 — rules and guides
	--sw-small · 3
	--sw-medium · 4 — axes and curves
	--sw-large · 6 — the emphasis line
	--sw-xlarge · 8

Half

Title and body on the left half, the right half free for a photo. Write `![bg right]` with no percentage: the split is forced to 50/50, and a different percentage only narrows the text box without moving the photo.



Half, free field

For something other than a photo, wrap it in `<div class="right">`. The field carries no type style of its own; compose it with `symbol`, `red` or `pale` when you want one.

```
// A free field: it takes a code
// block, a list, a table, an
// inline SVG – whatever you put
// in the div.
int main() {
    return 0;
}
```

Half, few glyphs

The same field at the top of the scale. **symbol** is the display step, 384 px, and the name is the instruction: a few glyphs or a number, never a sentence. **pale** takes it down to a tint of the page.

Together they turn the subject of the slide into the illustration of it — something to look at while the body is read, rather than one more thing to read.

o(n)



placeholder text

MODIFIER

Half, mirrored

Nothing to switch on: write `![bg left]` and the layout follows the photo. The title and its rule move to the outer edge, the body keeps its ranging and hugs the same one. For a field rather than a photo, say it yourself with `<div class="left">`.

Where a side is a real choice and no photo implies it, that is what `mirror` is for: it flips `split`, `comparison`, `board` and the everyday slide.

Side

Same idea as **half**, with the whole block dropped to the middle of the page. Bullets come out as dashes:

- first point
- second point
- third point



Edge

Borrowed from

left and right


the left margin of `half`, and its mirror

top and bottom

the band a full-bleed photograph fills

Board


One free field, with the title of `comparison` under it and an `h2` beside it. The table keeps its own width — `wide` would stretch it to the field's.




Board, **photo**

A raster image is a photograph: a full-bleed band, cropped to fit. `columns-2` ... `columns-4` share it edge to edge, with no gutter.

Image



Something in **light**



Something in **shadow**

Duo

Two photos, a rule and a caption each. The line beside the title is an `h2`, and it lands in the bottom strip whatever order you write it in.



First



Second



Third

Trio

Three photos in a row, written the same way as `duo`. With `columns-2` the photos widen and their rules follow.

Light

Columns hang from a full-bleed line, with a dot each. Two of them by default — write one h3 per column, then its text and its list.

- code in a list
- comes out underlined

Shadow

The h1 goes last and lands at the **bottom left**, with its rule bleeding off that edge — the same corner as every other title in the theme.

- a point
- another one

Comparison

An `h2` lands beside the title, in the same strip `duo` and `trio` use.

One

`columns-3` ... `columns-6`
for more than two.

- a point
- another one

Two

The gutter stays at
70.5 px throughout.

- fixed
- gutter

Three

Only the column
width is recomputed.

- width
- scales

Four

Past four, prefer bare
lists to prose. This slide
is `mirror`ed, so the
title is on the right.

- terse
- items

Four columns

Dark

`dark` turns any layout black. It has no rules of its own: the page, the ink, the code panel, the rules of a table and the slide number are all one set of variables, redefined once.

```
// Recoloured by the palette, not by a  
// second theme; strings and numbers too.
```

```
std::vector<int> v{3, 1, 2};  
std::sort(v.begin(), v.end());
```

Reads	From
the panel	--pre-bg
the table rule	--gray-rule

Light

What the deck says out loud.

Shadow

What it leaves for the room to fill in.

chiaroscuro