Experiment No: 1

Date: _____

Aim

To write an HTML program to display **education details in a tabular format**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Education Details</title>
</head>

<body>

<h2 align="center">Education Details</h2>

<table border="1" align="center" cellpadding="5">
<tr>
<th>Qualification</th>
<th>School/College</th>
<th>Board/University</th>
<th>Year of Passing</th>
<th>Percentage / CGPA</th>
</tr>

<tr>
<td>10th</td>
<td>ABC High School</td>
<td>CBSE</td>
<td>2018</td>
<td>85%</td>
</tr>
```

```
<tr>
<td>12th</td>
<td>XYZ Senior Secondary School</td>
<td>CBSE</td>
<td>2020</td>
<td>88%</td>
</tr>

<tr>
<td>B.Tech (CSE)</td>
<td>Guru Ghasidas Vishwavidyalaya</td>
<td>Central University</td>
<td>2025</td>
<td>8.2 CGPA</td>
</tr>

</table>

</body>
</html>
```

Output

A webpage is displayed showing **education details in a table format** with columns for qualification, institution, board/university, year of passing, and percentage/CGPA.

Education Details

Qualification	School/College	Board/University	Year of Passing	Percentage / CGPA
10th	ABC High School	CBSE	2018	85%
12th	XYZ Senior Secondary School	CBSE	2020	88%
B.Tech (CSE)	Guru Ghasidas Vishwavidyalaya	Central University	2025	8.2 CGPA

Experiment No: 2

Date: _____

Aim

To write an HTML program to display a **Curriculum Vitae (CV) on a web page**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Curriculum Vitae</title>
</head>

<body>

<h1 align="center">Curriculum Vitae</h1>

<h3>Personal Information</h3>
<p>
<b>Name:</b> Rahul Sharma <br>
<b>Email:</b> rahulsharma@gmail.com <br>
<b>Phone:</b> 9876543210 <br>
<b>Address:</b> New Delhi, India
</p>

<h3>Career Objective</h3>
<p>
To secure a challenging position in a reputed organization where I
can utilize
my technical and analytical skills for the growth of the company.
</p>

<h3>Educational Qualification</h3>

<table border="1" cellpadding="5">
<tr>
<th>Qualification</th>
<th>Institution</th>
<th>Board/University</th>
<th>Year</th>
```

```
</tr>

<tr>
<td>10th</td>
<td>Green Valley School</td>
<td>CBSE</td>
<td>2018</td>
</tr>

<tr>
<td>12th</td>
<td>City Public School</td>
<td>CBSE</td>
<td>2020</td>
</tr>

<tr>
<td>B.Sc Computer Science</td>
<td>ABC College</td>
<td>Delhi University</td>
<td>2024</td>
</tr>

</table>

<h3>Technical Skills</h3>
<ul>
<li>C Programming</li>
<li>Java</li>
<li>HTML</li>
<li>CSS</li>
<li>SQL</li>
</ul>

<h3>Hobbies</h3>
<ul>
<li>Reading Books</li>
<li>Playing Cricket</li>
<li>Listening to Music</li>
</ul>

<h3>Declaration</h3>
```

```
<p>
I hereby declare that the above information is true to the best of
my knowledge.
</p>

<p>
<b>Date:</b> __________ <br>
<b>Place:</b> __________
</p>

<p align="right">
<b>Signature</b><br>
Rahul Sharma
</p>

</body>
</html>
```

Output

The web page displays a **Curriculum Vitae (CV)** containing personal details, career objective, educational qualification, technical skills, hobbies, and declaration.

Curriculum Vitae

Personal Information

Name: Rahul Sharma
Email: rahulsharma@gmail.com
Phone: 9876543210
Address: New Delhi, India

Career Objective

To secure a challenging position in a reputed organization where I can utilize my technical and analytical skills for the growth of the company.

Educational Qualification

Qualification	Institution	Board/University	Year
10th	Green Valley School	CBSE	2018
12th	City Public School	CBSE	2020
B.Sc Computer Science	ABC College	Delhi University	2024

Technical Skills

- C Programming
- Java
- HTML
- CSS
- SQL

Hobbies

- Reading Books
- Playing Cricket
- Listening to Music

Declaration

I hereby declare that the above information is true to the best of my knowledge.

Date: _____
Place: _____

Signature
Rahul Sharma

Experiment No: 3

Date: _____

Aim

To write an HTML program to create a **webpage describing a department using paragraph and list tags**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Department of Computer Science</title>
</head>

<body>

<h1>Department of Computer Science</h1>

<p>
The Department of Computer Science is one of the most important
departments
in the institution. It focuses on providing quality education in the
field
of computer science and information technology. The department aims
to
develop strong programming, analytical, and problem-solving skills
among students.
</p>

<p>
The department offers various courses related to programming,
database
management, web development, and software engineering. Students are
also
encouraged to participate in workshops, seminars, and technical
events
to enhance their practical knowledge.
</p>

<h3>Courses Offered</h3>

<ul>
<li>Programming in C</li>
<li>Data Structures</li>
<li>Database Management System</li>
<li>Web Programming</li>
```

```
<li>Artificial Intelligence</li>
</ul>

<h3>Facilities</h3>

<ol>
<li>Modern Computer Labs</li>
<li>High-Speed Internet</li>
<li>Experienced Faculty Members</li>
<li>Project Development Support</li>
<li>Technical Workshops and Seminars</li>
</ol>

</body>
</html>
```

Output

The webpage displays information about the **Computer Science department** using paragraph text and lists for courses and facilities.

Department of Computer Science

The Department of Computer Science is one of the most important departments in the institution. It focuses on providing quality education in the field of computer science and information technology. The department aims to develop strong programming, analytical, and problem-solving skills among students.

The department offers various courses related to programming, database management, web development, and software engineering. Students are also encouraged to participate in workshops, seminars, and technical events to enhance their practical knowledge.

Courses Offered

- Programming in C
- Data Structures
- Database Management System

- Web Programming
- Artificial Intelligence

Facilities

1. Modern Computer Labs
2. High-Speed Internet
3. Experienced Faculty Members
4. Project Development Support
5. Technical Workshops and Seminars

Experiment No: 4

Date: _____

Aim

To write an HTML program to **apply different colors to keywords, use font styling (italic, underline, different fonts), and header tags**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Font Styling and Colors</title>
</head>

<body>

<h1 style="color:blue;">Web Programming</h1>

<h2 style="color:green;">Introduction to HTML</h2>

<p>
<font color="red" face="Arial">
HTML (Hyper Text Markup Language)
```

```
</font>
is used to create
<u>web pages</u>
and structure the content of a website.
</p>

<p>
<i><font color="purple" face="Times New Roman">
CSS (Cascading Style Sheets)
</font></i>
is used to design and style web pages by applying colors, layouts
and fonts.
</p>

<h3 style="color:orange;">Important Technologies</h3>

<p>
<font color="blue" face="Verdana">
JavaScript
</font>
is a scripting language used to make web pages
<i>interactive</i> and <u>dynamic</u>.
</p>

<h4 style="color:brown;">Key Features</h4>

<ul>
<li><font color="green">Simple to learn</font></li>
<li><font color="red"><u>Platform independent</u></font></li>
<li><font color="purple"><i>Supports multimedia</i></font></li>
</ul>

</body>
</html>
```

Output

The webpage displays text with **different colors, font styles (italic and underline), different font faces, and header tags (h1, h2, h3, h4)** to highlight important keywords.

Web Programming

Introduction to HTML

HTML (Hyper Text Markup Language) is used to create web pages and structure the content of a website.

CSS (Cascading Style Sheets) is used to design and style web pages by applying colors, layouts and fonts.

Important Technologies

JavaScript is a scripting language used to make web pages *interactive* and dynamic.

Key Features

- Simple to learn
- Platform independent
- *Supports multimedia*

Experiment No: 5

Date: _____

Aim

To write an HTML program to **create hyperlinks on words (Wi-Fi and LAN) that link to their Wikipedia pages**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Hyperlink Example</title>
</head>

<body>

<h1>Computer Networking</h1>

<p>
Computer networks allow devices to communicate and share resources.
Two common types of networks are
<a href="https://en.wikipedia.org/wiki/Wi-Fi" target="_blank">Wi-
```

```
Fi</a>
and
<a href="https://en.wikipedia.org/wiki/Local_area_network"
target="_blank">LAN</a>.
</p>

<p>
<a href="https://en.wikipedia.org/wiki/Wi-Fi" target="_blank">Wi-
Fi</a>
is a wireless networking technology that allows devices such as
laptops,
smartphones, and tablets to connect to the internet without cables.
</p>

<p>
A
<a href="https://en.wikipedia.org/wiki/Local_area_network"
target="_blank">LAN</a>
(Local Area Network) connects computers within a limited area such
as
a home, school, or office building.
</p>

</body>
</html>
```

Output

The webpage displays information about **computer networking**.
When the user clicks on **Wi-Fi** or **LAN**, the respective **Wikipedia page opens in a new tab**.

Computer Networking

Computer networks allow devices to communicate and share resources. Two common types of networks are Wi-Fi and LAN.

Wi-Fi is a wireless networking technology that allows devices such as laptops, smartphones, and tablets to connect to the internet without cables.

A LAN (Local Area Network) connects computers within a limited area such as a home, school, or office building.

Experiment No: 6

Date: _____

Aim

To write an HTML program to **insert an image and create a hyperlink such that clicking on the image redirects the user to another webpage**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Image as Link</title>
</head>

<body>

<h1>Click the Image to Visit a Website</h1>

<p>
Click on the image below to open the Wikipedia homepage.
</p>

<a href="https://www.wikipedia.org" target="_blank">
<img src="image.jpg" alt="Wikipedia Image" width="300" height="200">
</a>

</body>
</html>
```

Output

The webpage displays an **image**. When the user clicks on the image, it **redirects to another webpage (Wikipedia)**.

Click the Image to Visit a Website

Click on the image below to open the Wikipedia homepage.

Experiment No: 7

Date: _____

Aim

To write an HTML program to **change the background color of a webpage and create a link at the bottom that takes the user to the top of the page**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Background Color and Top Link</title>
</head>

<body bgcolor="lightblue">
```

```
<a name="top"></a>

<h1>Welcome to Web Programming</h1>

<p>
HTML is used to create web pages and structure the content of
websites.
It allows developers to organize text, images, links, and other
multimedia
elements on a webpage.
</p>

<p>
CSS is used to style the webpage by applying colors, layouts, and
fonts.
It improves the appearance and design of web pages.
</p>

<p>
JavaScript is a scripting language used to make webpages interactive
and dynamic.
</p>

<br><br><br><br><br><br><br><br><br><br>

<p align="center">
<a href="#top">Go to Top of the Page</a>
</p>

</body>
</html>
```

Output

The webpage displays content with a **light blue background color**.
At the bottom of the page, there is a **link that allows the user to return to the top of the page** when clicked.

Welcome to Web Programming

HTML is used to create web pages and structure the content of websites. It allows developers to organize text, images, links, and other multimedia elements on a webpage.

CSS is used to style the webpage by applying colors, layouts, and fonts. It improves the appearance and design of web pages.

JavaScript is a scripting language used to make webpages interactive and dynamic.

Go to Top of the Page

Experiment No: 8

Date: _____

Aim

To write an HTML program to **create a table to display a class time-table**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Class Time Table</title>
</head>

<body>

<h2 align="center">TIME TABLE (23/03/26)</h2>

<table border="1" cellpadding="6" cellspacing="0" align="center">

<tr>
<th>Class</th>
<th>9:00-10:00</th>
```

```
<th>10:00-11:00</th>
<th>11:10-12:10</th>
<th>12:10-1:00</th>
<th>1:30-2:20</th>
<th>2:20-3:10</th>
<th>3:10-4:00</th>
<th>Room No</th>
</tr>

<tr>
<td>II SEM BCA AI</td>
<td>VR/MP</td>
<td>VG</td>
<td>RR</td>
<td>RK</td>
<td>DGS</td>
<td>RK</td>
<td>BS</td>
<td>B4</td>
</tr>

<tr>
<td>II SEM BCA DS</td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
<td></td>
</tr>

<tr>
<td>II SEM BCOM</td>
<td>RK</td>
<td>TC</td>
<td>VR/BK</td>
<td>RR</td>
<td>BK</td>
<td>VG</td>
<td>BK</td>
```

<td>B8</td>
</tr>

<tr>
<td>II SEM BBA</td>
<td>RR</td>
<td>VR/VG</td>
<td>RK</td>
<td>KA</td>
<td>VG</td>
<td>KA</td>
<td>RK</td>
<td>B5</td>
</tr>

<tr>
<td>IV SEM BCA DS</td>
<td>DGS</td>
<td>KA</td>
<td>TC</td>
<td>MK</td>
<td>DR SBS</td>
<td>KL</td>
<td>MK</td>
<td>C7</td>
</tr>

<tr>
<td>IV SEM BCA H</td>
<td>TC</td>
<td>KA</td>
<td>TC</td>
<td>RR</td>
<td></td>
<td>KL</td>
<td>RR</td>
<td></td>
</tr>

<tr>
<td>IV SEM AI</td>
<td>DGS</td>

<td>MK</td>
<td>KA</td>
<td>TC</td>
<td>MK</td>
<td>DR SBS</td>
<td>KL</td>
<td>C12</td>
</tr>

<tr>
<td>IV SEM B.Com</td>
<td>AK</td>
<td>DGS</td>
<td>DR SBS</td>
<td>AK</td>
<td>AK</td>
<td>BK</td>
<td>KA</td>
<td>C11</td>
</tr>

<tr>
<td>IV SEM BBA</td>
<td>VG</td>
<td>VG</td>
<td>BS</td>
<td>KA</td>
<td>KL</td>
<td></td>
<td></td>
<td>C10</td>
</tr>

<tr>
<td>IV SEM STAT</td>
<td>BJ</td>
<td>BJ</td>
<td>DGS</td>
<td>BJ</td>
<td>BJ</td>
<td>DGS</td>
<td>DR SBS</td>

```
<td>C9</td>
</tr>

<tr>
<td>IV SEM BSC COMPU</td>
<td>BS</td>
<td>MP</td>
<td>BS</td>
<td>DGS</td>
<td>MP</td>
<td>BS</td>
<td></td>
<td>C8</td>
</tr>

</table>

</body>
</html>
```

Output

The webpage displays the **class timetable in a tabular format** showing different classes, subjects/faculty for each time slot, and the room numbers.

TIME TABLE (23/03/26)

Class	9:00-10:00	10:00-11:00	11:10-12:10	12:10-1:00	1:30-2:20	2:20-3:10	3:10-4:00	Room No
II SEM BCA AI	VR/MP	VG	RR	RK	DGS	RK	BS	B4
II SEM BCA DS								
II SEM BCOM	RK	TC	VR/BK	RR	BK	VG	BK	B8
II SEM BBA	RR	VR/VG	RK	KA	VG	KA	RK	B5
IV SEM BCA DS	DGS	KA	TC	MK	DR SBS	KL	MK	C7
IV SEM BCA H	TC	KA	TC	RR		KL	RR	
IV SEM AI	DGS	MK	KA	TC	MK	DR SBS	KL	C12
IV SEM B.Com	AK	DGS	DR SBS	AK	AK	BK	KA	C11
IV SEM BBA	VG	VG	BS	KA	KL			C10
IV SEM STAT	BJ	BJ	DGS	BJ	BJ	DGS	DR SBS	C9
IV SEM BSC COMPU	BS	MP	BS	DGS	MP	BS		C8

Experiment No: 9

Date: _____

Aim

To write an HTML program to **use tables to provide layout for a webpage describing the infrastructure of Vignanasudha Degree and PG College, Chittoor**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Vignanasudha Degree and PG College</title>
</head>

<body>

<table border="1" width="100%" cellpadding="10">

<tr>
<td colspan="2" align="center">
<h1>Vignanasudha Degree and PG College</h1>
<h3>Chittoor, Andhra Pradesh</h3>
</td>
</tr>

<tr>

<td width="30%" valign="top">

<h3>Campus Facilities</h3>

<ul>
<li>Well equipped Computer Laboratories</li>
<li>Central Library with books and journals</li>
<li>Wi-Fi Internet Facility</li>
```

```
<li>Seminar Halls and Classrooms</li>
<li>Sports Ground</li>
<li>Cafeteria</li>
<li>Hostel Accommodation</li>

</ul>

</td>

<td width="70%" valign="top">

<h3>About the Infrastructure</h3>

<p>
Vignanasudha Degree and PG College is located in Chittoor,
Andhra Pradesh. The college was established in 1997 and is
affiliated with Sri Venkateswara University, Tirupati.
</p>

<p>
The campus has well designed academic buildings with spacious
classrooms and seminar halls that support interactive learning.
The college also provides modern computer laboratories with
internet connectivity for students.
</p>

<p>
The library contains a large collection of books, magazines,
and digital learning resources for academic study. The campus
also provides sports facilities, hostel accommodation, and
other student amenities.
</p>

</td>

</tr>

<tr>

<td colspan="2" align="center">
© 2026 Vignanasudha Degree and PG College
</td>
```

```
</tr>

</table>

</body>
</html>
```

Output

The webpage displays **information about Vignanasudha Degree and PG College infrastructure arranged using tables**, where the left side shows campus facilities and the right side contains the description.



Experiment No: 10

Date: _____

Aim

To write an HTML program to **design a webpage layout using `<div>` tags to describe Vignanasudha Degree and PG College infrastructure instead of using tables**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Vignanasudha Degree and PG College</title>

<style>

body{
font-family: Arial;
margin:0;
}

.header{
background-color:lightblue;
text-align:center;
padding:20px;
}

.container{
display:flex;
}

.sidebar{
width:30%;
background-color:#f2f2f2;
padding:20px;
}

.content{
width:70%;
padding:20px;
}

.footer{
background-color:lightgray;
text-align:center;
padding:10px;
}

</style>
```

```
</head>

<body>

<div class="header">

<h1>Vignanasudha Degree and PG College</h1>
<h3>Chittoor, Andhra Pradesh</h3>

</div>


<div class="container">

<div class="sidebar">

<h3>Campus Facilities</h3>

<ul>
<li>Computer Laboratories</li>
<li>Central Library</li>
<li>Wi-Fi Internet Facility</li>
<li>Seminar Halls</li>
<li>Sports Ground</li>
<li>Cafeteria</li>
<li>Hostel Facilities</li>

</ul>

</div>


<div class="content">

<h3>About the Infrastructure</h3>

<p>
Vignanasudha Degree and PG College is located in Chittoor,
Andhra Pradesh. The college is affiliated with
Sri Venkateswara University, Tirupati.
</p>
```

```
<p>
The campus has well designed classrooms, seminar halls,
and modern computer laboratories with internet connectivity
for students.
</p>

<p>
The college library provides a wide collection of books,
journals, and digital learning resources. The campus also
provides sports facilities, hostel accommodation, and
other student support services.
</p>

</div>

</div>


<div class="footer">

© 2026 Vignanasudha Degree and PG College

</div>

</body>
</html>
```

Output

The webpage displays the **college infrastructure information using `<div>` layout** with a **header, sidebar for facilities, content section for description, and footer**.



Experiment No: 11

Date: _____

Aim

To write an HTML program to **create a webpage divided into three frames: 20% on the left for contents, 60% in the center for the body, and 20% on the right for remarks**.

Program / Source Code

Main Frame Page (index.html)

```
<!DOCTYPE html>
<html>
<head>
<title>Frame Layout Example</title>
</head>

<frameset cols="20%,60%,20%">
```

```
<frame src="contents.html" name="leftframe">
<frame src="body.html" name="centerframe">
<frame src="remarks.html" name="rightframe">

</frameset>

</html>
```

Left Frame Page (contents.html)

```
<!DOCTYPE html>
<html>
<body>

<h3>Contents</h3>

<ul>
<li>Home</li>
<li>Courses</li>
<li>Departments</li>
<li>Faculty</li>
<li>Contact</li>
</ul>

</body>
</html>
```

Center Frame Page (body.html)

```
<!DOCTYPE html>
<html>
<body>

<h2>Welcome</h2>

<p>
This frame displays the main body of the webpage.
Information about the website or organization can
be shown here.
```

```
</p>

</body>
</html>
```

Right Frame Page (remarks.html)

```
<!DOCTYPE html>
<html>
<body>

<h3>Remarks</h3>

<p>
This frame can be used to display notes,
announcements, or remarks related to the webpage.
</p>

</body>
</html>
```

Output

The webpage is divided into **three frames**:

- **Left frame (20%)** shows the contents or navigation links.
- **Center frame (60%)** displays the main body of the webpage.
- **Right frame (20%)** displays remarks or notes.



Experiment No: 12

Date: _____

Aim

To write an HTML program to **embed audio and video into a web page**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>Audio and Video Example</title>
</head>

<body>

<h1>Embedding Audio and Video in HTML</h1>

<h2>Audio Example</h2>

<audio controls>
<source src="audio.mp3" type="audio/mpeg">
Your browser does not support the audio element.
</audio>

<br><br>
```

```
<h2>Video Example</h2>

<video width="400" height="300" controls>

<source src="video.mp4" type="video/mp4">

Your browser does not support the video tag.

</video>

</body>
</html>
```

Output

The webpage displays an **audio player and a video player**.
The user can **play, pause, and control the audio and video** directly from the webpage.

Embedding Audio and Video in HTML

Audio Example



Video Example



Experiment No: 13

Date: _____

Aim

To write an HTML program to **illustrate the usage of Ordered List, Unordered List, and Definition List**.

Program / Source Code

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Lists Example</title>
</head>

<body>

<h1>HTML List Examples</h1>

<h2>Ordered List</h2>

<ol>
<li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
<li>Python</li>
</ol>


<h2>Unordered List</h2>

<ul>
<li>Computer</li>
<li>Keyboard</li>
<li>Mouse</li>
<li>Monitor</li>
</ul>


<h2>Definition List</h2>
```

```
<dl>

<dt>HTML</dt>
<dd>Hyper Text Markup Language used to create web pages.</dd>

<dt>CSS</dt>
<dd>Cascading Style Sheets used to style web pages.</dd>

<dt>JavaScript</dt>
<dd>A scripting language used to make web pages interactive.</dd>

</dl>

</body>
</html>
```

Output

The webpage displays three types of lists:

- **Ordered List** showing items in numbered format.
- **Unordered List** showing items with bullet points.
- **Definition List** showing terms with their definitions.

HTML List Examples

Ordered List

1. HTML
2. CSS
3. JavaScript
4. Python

Unordered List

- Computer
- Keyboard
- Mouse
- Monitor

Definition List

HTML
: Hyper Text Markup Language used to create web pages.

CSS
: Cascading Style Sheets used to style web pages.

JavaScript
: A scripting language used to make web pages interactive.

Experiment No: 14

Date: _____

Aim

To write an HTML program to **create a frameset having header, footer, navigation, and content sections**.

Program / Source Code

Main Frameset Page (index.html)

```
<!DOCTYPE html>
<html>
<head>
<title>Frameset Layout</title>
</head>

<frameset rows="20%,70%,10%">

<frame src="header.html" name="header">

<frameset cols="25%,75%">
<frame src="navigation.html" name="navigation">
<frame src="content.html" name="content">
</frameset>

<frame src="footer.html" name="footer">

</frameset>

</html>
```

Header Page (header.html)

```
<!DOCTYPE html>
<html>
<body bgcolor="lightblue">

<h1 align="center">My Website</h1>

</body>
</html>
```

Navigation Page (navigation.html)

```
<!DOCTYPE html>
<html>
<body bgcolor="lightgray">

<h3>Navigation</h3>

<ul>
<li>Home</li>
<li>About</li>
<li>Services</li>
<li>Contact</li>
</ul>

</body>
</html>
```

Content Page (content.html)

```
<!DOCTYPE html>
<html>
<body>

<h2>Welcome</h2>

<p>
This section displays the main content of the webpage.
Information related to the website or organization can
```

```
be displayed here.
</p>

</body>
</html>
```

Footer Page (footer.html)

```
<!DOCTYPE html>
<html>
<body bgcolor="lightblue">

<p align="center">© 2026 My Website</p>

</body>
</html>
```

Output

The webpage is divided into **four sections**:

- **Header** at the top
- **Navigation menu** on the left
- **Content section** in the center
- **Footer** at the bottom

Each section is displayed using **HTML frames.**



Practical: Demonstrate the Usage of Inline CSS

Aim: To create an HTML page that uses inline CSS to style elements.

Code:

```
<!DOCTYPE html>
<html>
<head>
    <title>Inline CSS Example</title>
</head>
<body>

<h1 style="color: blue; text-align: center;">Welcome to Inline CSS
Example</h1>

<p style="font-size: 18px; color: green;">
    This paragraph is styled using inline CSS.
   Inline CSS allows you to apply styles directly to HTML elements
using the "style" attribute.
</p>

<p style="background-color: yellow; padding: 10px;">
    This paragraph has a yellow background and padding of 10 pixels.
</p>
```

```
<button style="background-color: red; color: white; font-size: 16px;
padding: 8px 16px;">
    Click Me
</button>

</body>
</html>
```

Output:

- A heading “Welcome to Inline CSS Example” appears in **blue** and **centered**.
- First paragraph is **green** with font size **18px**.
- Second paragraph has **yellow background** with **10px padding**.
- A button appears with **red background**, **white text**, and padding.



Observation:

- Inline CSS styles are applied directly using the `style` attribute.
- Changes affect only the specific HTML element.

Conclusion:

- Inline CSS is useful for applying **quick and specific styles**.
- For multiple elements or large projects, **internal or external CSS** is better for maintenance.

Practical: Demonstrate the Usage of Internal CSS

Aim: To create an HTML page that uses internal CSS to style elements.

Code:

```
<!DOCTYPE html>
<html>
<head>
```

```
    <title>Internal CSS Example</title>
    <style>
        h1 {
            color: purple;
            text-align: center;
            font-family: Arial, sans-serif;
        }
        p {
            font-size: 16px;
            color: darkgreen;
        }
        .highlight {
            background-color: yellow;
            padding: 10px;
        }
        button {
            background-color: orange;
            color: white;
            font-size: 16px;
            padding: 8px 16px;
            border: none;
            cursor: pointer;
        }
        button:hover {
            background-color: darkorange;
        }
    </style>
</head>
<body>

<h1>Welcome to Internal CSS Example</h1>

<p>This paragraph is styled using internal CSS defined in the
<code>&lt;style&gt;</code> section inside the &lt;head&gt;.</p>

<p class="highlight">This paragraph has a yellow background and
padding applied using a CSS class.</p>

<button>Click Me</button>

</body>
</html>
```

Output:

- Heading “Welcome to Internal CSS Example” appears **purple**, **centered**, with **Arial font**.
- First paragraph is **dark green** with font size **16px**.
- Second paragraph has **yellow background** and **10px padding**.
- Button is **orange** with **white text** and changes to **dark orange** when hovered.



Observation:

- Internal CSS is written in the `<style>` tag inside the `<head>` section.
- Styles can be applied to multiple elements, classes, or IDs.
- Useful for single-page projects or testing styles without external files.

Conclusion:

- Internal CSS helps in **centralized styling** for a single HTML document.
- For large websites, external CSS files are preferred for reusability.

Practical: Demonstrate the Usage of External CSS

Aim: To create an HTML page that uses external CSS to style elements.

Step 1: Create the External CSS File

File Name: `style.css`

```
h1 {
    color: navy;
    text-align: center;
    font-family: Verdana, sans-serif;
}
p {
    font-size: 16px;
    color: darkred;
}
.highlight {
```

```
    background-color: lightblue;
    padding: 10px;
}
button {
    background-color: green;
    color: white;
    font-size: 16px;
    padding: 8px 16px;
    border: none;
    cursor: pointer;
}
button:hover {
    background-color: darkgreen;
}
```

Step 2: Create the HTML File

File Name: `index.html`

```
<!DOCTYPE html>
<html>
<head>
    <title>External CSS Example</title>
    <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>

<h1>Welcome to External CSS Example</h1>

<p>This paragraph is styled using an external CSS file linked via
the <code>&lt;link&gt;</code> tag.</p>

<p class="highlight">This paragraph has a light blue background and
padding applied using a CSS class from the external file.</p>

<button>Click Me</button>

</body>
</html>
```

Output:

- Heading “Welcome to External CSS Example” appears **navy**, **centered**, with **Verdana font**.
- First paragraph is **dark red** with font size **16px**.
- Second paragraph has **light blue background** and **10px padding**.
- Button is **green** with **white text** and changes to **dark green** when hovered.



Observation:

- External CSS is stored in a separate `.css` file.
- The HTML file links the CSS file using the `<link>` tag inside `<head>`.
- Makes it easy to **reuse styles across multiple pages**.

Conclusion:

- External CSS is the **best practice** for styling large websites because it keeps HTML clean and allows **centralized style management**.