

SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Sample Name: **Lemon Sour Diesel**

Tested for: Western Oregon Botanicals

Compliance - Usable

Laboratory ID: 19D0054-02 Matrix: Useable Marijuana

Sample Metrc ID: 1A40103000098BF000001596 Lot # 3/22 LSD

Batch RFID: 1A40103000098BF000001594

Batch Size: 2721.5 (g)

Strain: Lemon Sour Diesel License: 020-10021071D94 Date Sampled: 04/10/19 10:57

Date Accepted: 04/10/19



Potency Analysis

Date Extracted: 04/11/19 Analysis Method/SOP: Potency

Date Analyzed: 04/11/19

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total THC ((THCA*0.877)+d9)	19.24	192.4	0.03	
Total CBD ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.03	
d9-THC (d9-Tetrahydrocannabinol)*	0.27	2.7	0.05	10d 8.27
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.05	
THCA (d9-Tetrahydrocannabinolic Acid)*	21.64	216.4	0.07	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.03	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.07	
CBN (Cannabinol)*	< LOQ	< LOQ	0.03	21.64
CBG (Cannabigerol)*	0.11	1.1	0.05	THC 0.27
CBGA (Cannabigerolic Acid)	0.21	2.1	0.05	■ THCA 21.64 ■ CBG 0.11 ■ CBGA 0.21
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.05	Total: 22.23
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.05	
CBC (Cannabichromene)*	< LOQ	< LOQ	0.05	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.05	
Total Cannabinoids	22.23	222.3	0.03	

		Wate	r Activity and	d Moisture		
Analyte	Result	Limit	Units	LOQ	Analyzed	Method
Water Activity	0.547	0.65	AW	0.0300	04/12/2019	Water Activity
Percent Moisture	10.6	15	%	0.10	04/12/2019	Moisture
Cannabinoids reported a	as dry weight (mo	oisture corrected)		Results a	above the action le	evel are highlighted in red #.

<LOQ - Results below the Limit of Quantitation - Compound not detected

Brian Weigel

Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Sample Name: Lemon Sour Diesel

Tested for: Western Oregon Botanicals

Compliance - Usable

Laboratory ID: 19D0054-02 Strain: Lemon Sour

Matrix: Useable Marijuana

Lot # 3/22 LSD

License: 020-10021071D94 Date Sampled: 04/10/19 10:57

Date Accepted: 04/10/19

Sample Metrc ID: 1A40103000098BF000001596

Batch RFID: 1A40103000098BF000001594

Batch Size: 2721.5 (g)

Terpene Analysis

Date Extracted: 04/11/19 Analysis Method/SOP: Potency

Date Analyzed: 04/11/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	0.243	0.019	Myrcene	0.461	0.019
alpha Phellandrene	< LOQ	0.019	3-Carene	< LOQ	0.019
alpha Terpinene	< LOQ	0.019	Limonene	0.171	0.019
Terpinolene	< LOQ	0.019	Linalool	0.075	0.019
Fenchol	0.037	0.019	Borneol	< LOQ	0.019
Terpineol	0.050	0.019	Geraniol	< LOQ	0.019
alpha Humulene	0.151	0.019	beta Caryophyllene	0.499	0.019
Caryophyllene Oxide	0.028	0.019	alpha Bisabolol	0.095	0.019
Camphene	< LOQ	0.019	beta Pinene	0.145	0.019
Ocimene	0.025	0.019	Sabinene	< LOQ	0.019
Camphor	< LOQ	0.019	Isoborneol	< LOQ	0.019
Menthol	< LOQ	0.019	alpha Cedrene	< LOQ	0.019
Nerolidol	< LOQ	0.019	R-(+)-Pulegone	0.019	0.019
Eucalyptol	< LOQ	0.019	p-Cymene	< LOQ	0.019
(-)-Isopulegol	< LOQ	0.019	Geranyl Acetate	< LOQ	0.019
Guaiol	0.028	0.019	Valencene	0.058	0.019
Phytol	0.068	0.019	Citronellol	< LOQ	0.019
gamma-Terpinene	< LOQ	0.019			
			Total Terpenes	2.152 %	

<LOQ - Results below the Limit of Quantitation - Compound not detected Terpene Analysis is not ORELAP Accredited.

12 Things

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Brian Weigel Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Sample Name: Lemon Sour Diesel

Tested for: Western Oregon Botanicals

Compliance - Usable

Laboratory ID: 19D0054-02 Matrix: Useable Marijuana


License: 020-10021071D94

Date Sampled: 04/10/19 10:57

Date Accepted: 04/10/19 15:50

Client/Metrc ID: 1A40103000098BF000001596

Terpene Profile



%

Brian Weigel Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Sample Name: Lemon Sour Diesel

Tested for: Western Oregon Botanicals

Compliance - Usable

License: 020-10021071D94 Date Sampled: 04/10/19 10:57

Date Accepted: 04/10/19

Laboratory ID: 19D0054-02 Strain: Lemon Sour Sample Metrc ID: 1A40103000098BF000001596

Matrix: Useable Marijuana Batch RFID: 1A40103000098BF000001594

Lot # 3/22 LSD Batch Size: 2721.5 (g)

Pesticide Analysis in ppm

Date Extracted: 04/11/19 Analysis Method/SOP: Pesticides

Date Analyzed: 04/12/19 Results above the action levels are highlighed in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.24	Acephate	< LOQ	0.4	0.19
Acequinocyl	< LOQ	2	0.95	Acetamiprid	< LOQ	0.2	0.10
Aldicarb	< LOQ	0.4	0.19	Azoxystrobin	< LOQ	0.2	0.10
Bifenazate	< LOQ	0.2	0.10	Bifenthrin	< LOQ	0.2	0.10
Boscalid	< LOQ	0.4	0.19	Carbaryl	< LOQ	0.2	0.10
Carbofuran	< LOQ	0.2	0.10	Chlorantraniliprole	< LOQ	0.2	0.10
Chlorfenapyr	< LOQ	1	0.48	Chlorpyrifos	< LOQ	0.2	0.10
Clofentezine	< LOQ	0.2	0.10	Cyfluthrin	< LOQ	1	0.48
Cypermethrin	< LOQ	1	0.48	Daminozide	< LOQ	1	0.48
DDVP (Dichlorvos)	< LOQ	1	0.48	Diazinon	< LOQ	0.2	0.10
Dimethoate	< LOQ	0.2	0.10	Ethoprophos	< LOQ	0.2	0.10
Etofenprox	< LOQ	0.4	0.19	Etoxazole	< LOQ	0.2	0.10
Fenoxycarb	< LOQ	0.2	0.10	Fenpyroximate	< LOQ	0.4	0.19
Fipronil	< LOQ	0.4	0.19	Flonicamid	< LOQ	1	0.48
Fludioxonil	< LOQ	0.4	0.19	Hexythiazox	< LOQ	1	0.48
Imazalil	< LOQ	0.2	0.10	Imidacloprid	< LOQ	0.4	0.19
Kresoxim-methyl	< LOQ	0.4	0.19	Malathion	< LOQ	0.2	0.10
Metalaxyl	< LOQ	0.2	0.10	Methiocarb	< LOQ	0.2	0.10
Methomyl	< LOQ	0.4	0.19	Methyl parathion	< LOQ	0.2	0.10
MGK-264	< LOQ	0.2	0.10	Myclobutanil	< LOQ	0.2	0.10
Naled	< LOQ	0.5	0.24	Oxamyl	< LOQ	1	0.48
Paclobutrazol	< LOQ	0.4	0.19	Permethrins (total)	< LOQ	0.2	0.10
Phosmet	< LOQ	0.2	0.10	Piperonyl butoxide	< LOQ	2	0.48
Prallethrin	< LOQ	0.2	0.10	Propiconazole	< LOQ	0.4	0.19
Propoxur	< LOQ	0.2	0.10	Pyrethrins (total)	< LOQ	1	0.48
Pyridaben	< LOQ	0.2	0.10	Spinosad	< LOQ	0.2	0.10
Spiromesifen	< LOQ	0.2	0.10	Spirotetramat	< LOQ	0.2	0.10
Spiroxamine	< LOQ	0.4	0.19	Tebuconazole	< LOQ	0.4	0.19
Thiacloprid	< LOQ	0.2	0.10	Thiamethoxam	< LOQ	0.2	0.10
Trifloxystrobin	< LOQ	0.2	0.10				

<LOQ - Results below the Limit of Quantitation - Compound not detected

Brian Weigel Lab Director

12 Lalings



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Case Narrative

Receiving - Samples: 19D0054-01(1595) and 19D0054-02(1596) composited for Pesticides, Moisture Content, and Water Activity.

Terpenes - Phytol result was above QC criteria in the Method Blank.

Nerolidol exceeded normally accepted RPD criteria in the Sample Duplicate due to relatively large variations in very small values.

Quality Control Potency

Batch: B190612 - Potency/Terpenes

Blank(B190612-BLK1)	Extracted - 04/11/19 10:47 Analyzed - 04/11/19 15:17							
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B190612-DUP1)	Extracted - 04/11/19 10:47 Analyzed - 04/11/19 15:34								
Analyte	Result	Units	- •	Source Result %	6REC	%REC Limits	RPD	RPD Limit	
d9-THC (d9-Tetrahydrocannabinol)	0.72	%		0.71			0.380	20	
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20	
CBD (Cannabidiol)	< LOQ	%		< LOQ				20	
CBDA (Cannabidiolic Acid)	0.04	%		0.04			8.15	20	
CBN (Cannabinol)	< LOQ	%		< LOQ				20	
CBG (Cannabigerol)	0.11	%		0.11			0.879	20	
CBGA (Cannabigerolic Acid)	2.12	%		2.14			0.592	20	
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20	
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20	
CBC (Cannabichromene)	< LOQ	%		< LOQ				20	

Brian Weigel

Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Potency (Continued)

Batch: B190612 - Potency/Terpenes (Continued)

Duplicate(B190612-DUP1)		Extracted - 0	4/11/19 10:4	7 Analy	/zed - 04	/11/19 15:	34	
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
THCV (Tetrahydrocannabiyarin)	0.05	%		0.05			3.20	20

LCS(B190612-BS1)	Extract	ed - 04/11/19	9 10:47 Ana	lyzed - 0	4/11/19 ⁻	15:09		
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.04	%	0.0400		104	80-120		
CBD (Cannabidiol)	0.04	%	0.0400		106	80-120		
CBDA (Cannabidiolic Acid)	0.04	%	0.0400		100	80-120		
CBN (Cannabinol)	0.04	%	0.0400		105	80-120		




SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis

Batch: B190614 - Pesticide Prep

Analyto Result Units Level Result %REC Limits RPD Limits Abameettin < LOQ ppm < Keep Limits RPD Limits Level Acadephate	Blank(B190614-BLK1)	Extr	acted - 04/11	/19 10:50 A	nalyzed	- 04/12/	19 12:28		
Acephate < LOQ ppm Acetamiprid < LOQ ppm Acetamiprid < LOQ ppm Acetamiprid < LOQ ppm Acetamiprid < LOQ ppm Bifentare < LOQ ppm Bifentare < LOQ ppm Boscalid < LOQ ppm Carbofuran < LOQ ppm Chloratraniliprole < LOQ ppm Chloreprifos < LOQ ppm Chloreprifos < LOQ ppm Clofentezine < LOQ ppm Clofentezine < LOQ ppm Cyfluthrin < LOQ ppm DDVP (Dichloros) < LOQ ppm DDVP (Dichloros) < LOQ ppm DDVP (Dichloros) < LOQ ppm Diezinon < LOQ ppm Ethopropohos < LOQ ppm Etofenprox < LOQ ppm Etocoxorie < LOQ ppm	Analyte	Result	Units	-		%REC		RPD	RPD Limit
Acequinocyl < LOQ	Abamectin	< LOQ	ppm						
Acetamiprid < LOQ	Acephate	< LOQ	ppm						
Aldicarb	Acequinocyl	< LOQ	ppm						
Azoxystrobin < LOQ	Acetamiprid	< LOQ	ppm						
Bifenazate < LOQ	Aldicarb	< LOQ	ppm						
Bifenthrin < LOQ	Azoxystrobin	< LOQ	ppm						
Boscalid < LOQ	Bifenazate	< LOQ	ppm						
CarbaryI < LOQ	Bifenthrin	< LOQ	ppm						
Carbofuran < LOQ	Boscalid	< LOQ	ppm						
Chlorantraniliprole < LOQ	Carbaryl	< LOQ	ppm						
Chlorfenapyr < LOQ	Carbofuran	< LOQ	ppm						
Chlorpyrifos	Chlorantraniliprole	< LOQ	ppm						
Clofentezine < LOQ	Chlorfenapyr	< LOQ	ppm						
Cyfluthrin < LOQ ppm Cypermethrin < LOQ	Chlorpyrifos	< LOQ	ppm						
Cypermethrin	Clofentezine	< LOQ	ppm						
Daminozide	Cyfluthrin	< LOQ	ppm						
DDVP (Dichlorvos) LOQ ppm Diazinon LOQ ppm Dimethoate LOQ ppm Ethoprophos LOQ ppm Etofenprox LOQ ppm Etoxazole LOQ ppm Fenoxycarb Fenoxycarb LOQ ppm Fipronil LOQ ppm Fipronil LOQ ppm Fludioxonil Hexythiazox LOQ ppm Hexythiazox LOQ ppm Imidacloprid Kresoxim-methyl Malathion LOQ ppm Malathion	Cypermethrin	< LOQ	ppm						
Diazinon < LOQ ppm Dimethoate < LOQ ppm Ethoprophos < LOQ ppm Etofenprox < LOQ ppm Etoxazole < LOQ ppm Fenoxycarb < LOQ ppm Fenoyroximate < LOQ ppm Finorial < LOQ ppm Floricamid < LOQ ppm Hexythiazox < LOQ ppm Hexythiazox < LOQ ppm Imazalil < LOQ ppm Imidacloprid < LOQ ppm	Daminozide	< LOQ	ppm						
Dimethoate < LOQ ppm Ethoprophos < LOQ ppm Etofenprox < LOQ ppm Etoxazole < LOQ ppm Fenoxycarb < LOQ ppm Fenpyroximate < LOQ ppm Fipronil < LOQ ppm Flonicamid < LOQ ppm Hexythiazox < LOQ ppm Imidacloprid < LOQ ppm	DDVP (Dichlorvos)	< LOQ	ppm						
Ethoprophos < LOQ ppm Etorazole < LOQ ppm Fenoxycarb < LOQ ppm Fenpyroximate < LOQ ppm Fipronil < LOQ ppm Flouicamid < LOQ ppm Fludioxonil < LOQ ppm Hexythiazox < LOQ ppm Imazalil < LOQ ppm Kresoxim-methyl < LOQ ppm Malathion < LOQ ppm Malathion SLOQ ppm	Diazinon	< LOQ	ppm						
Etofenprox < LOQ ppm Etoxazole < LOQ ppm Fenoxycarb < LOQ ppm Fenpyroximate < LOQ ppm Fipronil < LOQ ppm Flonicamid < LOQ ppm Fludioxonil < LOQ ppm Hexythiazox < LOQ ppm Imazalil < LOQ ppm Imidacloprid < LOQ ppm Kresoxim-methyl < LOQ ppm Malathion < LOQ ppm	Dimethoate	< LOQ	ppm						
Etoxazole < LOQ ppm Fenoxycarb < LOQ ppm Fenorycamate < LOQ ppm Fipronil < LOQ ppm Flonicamid < LOQ ppm Fludioxonil < LOQ ppm Hexythiazox < LOQ ppm Imazalil < LOQ ppm Imidacloprid < LOQ ppm Kresoxim-methyl < LOQ ppm Malathion < LOQ ppm	Ethoprophos	< LOQ	ppm						
Fenoxycarb < LOQ ppm Fenpyroximate < LOQ	Etofenprox	< LOQ	ppm						
Fenpyroximate	Etoxazole	< LOQ	ppm						
Fipronil < LOQ ppm Flonicamid < LOQ	Fenoxycarb	< LOQ	ppm						
Flonicamid < LOQ ppm Fludioxonil < LOQ	Fenpyroximate	< LOQ	ppm						
Fludioxonil LOQ ppm Hexythiazox LOQ ppm Imazalil LOQ ppm Imidacloprid LOQ ppm Kresoxim-methyl LOQ ppm LOQ ppm Malathion LOQ ppm	Fipronil	< LOQ	ppm						
Hexythiazox < LOQ ppm Imazalil < LOQ ppm Imidacloprid < LOQ ppm Kresoxim-methyl < LOQ ppm Malathion < LOQ ppm	Flonicamid	< LOQ	ppm						
Imazalil < LOQ	Fludioxonil	< LOQ	ppm						
Imidacloprid < LOQ	Hexythiazox	< LOQ							
Kresoxim-methyl < LOQ ppm Malathion < LOQ ppm	Imazalil	< LOQ	ppm						
Malathion < LOQ ppm	Imidacloprid	< LOQ	ppm						
Malathion < LOQ ppm	Kresoxim-methyl	< LOQ							
	Malathion								
	Metalaxyl	< LOQ	ppm						



Brian Weigel Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

Blank(B190614-BLK1)	Extr	acted - 04/11	/19 10:50 A	nalyzed	- 04/12/	19 12:28		
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclobutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B190614-BS1)	Extract	ed - 04/11/19	10:50 Ana	lyzed - 0	4/12/19	12:44		
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.05	ppm	0.980		107	29-150		
Acephate	0.88	ppm	1.00		88.0	48-133		
Acequinocyl	0.96	ppm	1.00		96.1	48-150		
Acetamiprid	0.96	ppm	1.00		96.2	45-150		
Aldicarb	0.93	ppm	1.00		93.2	58-134		
Azoxystrobin	0.88	ppm	1.00		87.6	25-150		
Bifenazate	0.92	ppm	1.00		92.0	46-141		
Bifenthrin	0.92	ppm	1.00		92.0	55-150		

Brian Weigel

Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

LCS(B190614-BS1)	Extracted - 04/11/19 10:50 Analyzed - 04/12/19 12:44								
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
Boscalid	0.86	ppm	1.00		85.9	34-141			
Carbaryl	0.93	ppm	1.00		92.6	67-125			
Carbofuran	1.00	ppm	1.00		100	71-128			
Chlorantraniliprole	0.76	ppm	1.00		76.4	43-138			
Chlorfenapyr	0.91	ppm	1.00		90.7	45-150			
Chlorpyrifos	0.83	ppm	1.00		83.5	36-150			
Clofentezine	0.87	ppm	1.00		86.8	59-135			
Cyfluthrin	0.86	ppm	1.00		85.7	33-150			
Cypermethrin	0.93	ppm	1.00		93.0	47-148			
Daminozide	0.55	ppm	1.00		55.3	18-116			
DDVP (Dichlorvos)	0.97	ppm	1.00		96.6	65-150			
Diazinon	0.91	ppm	1.00		91.0	60-130			
Dimethoate	0.95	ppm	1.00		95.1	65-131			
Ethoprophos	0.92	ppm	1.00		91.7	52-150			
Etofenprox	0.95	ppm	1.00		95.0	60-139			
Etoxazole	0.94	ppm	1.00		93.6	59-122			
Fenoxycarb	0.92	ppm	1.00		92.2	39-146			
Fenpyroximate	0.91	ppm	1.00		90.9	44-147			
Fipronil	0.88	ppm	1.00		87.7	40-143			
Flonicamid	0.87	ppm	1.00		87.5	50-142			
Fludioxonil	0.94	ppm	1.00		93.6	49-150			
Hexythiazox	0.88	ppm	1.00		88.2	41-142			
Imazalil	0.89	ppm	1.00		88.8	61-127			
Imidacloprid	0.93	ppm	1.00		93.3	36-150			
Kresoxim-methyl	0.91	ppm	1.00		91.2	53-131			
Malathion	0.92	ppm	1.00		92.3	55-134			
Metalaxyl	0.91	ppm	1.00		91.2	64-127			
Methiocarb	0.92	ppm	1.00		91.9	53-144			
Methomyl	0.91	ppm	1.00		90.6	47-141			
Methyl parathion	0.92	ppm	1.00		92.3	48-142			
MGK-264	0.55	ppm	0.630		87.0	38-150			
Myclobutanil	0.88	ppm	1.00		88.1	45-146			
Naled	0.72	ppm	1.00		72.3	28-113			
Oxamyl	0.92	ppm	1.00		91.6	48-133			
Paclobutrazol	0.92	ppm	1.00		91.5	37-150			

Brian Weigel

Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

LCS(B190614-BS1)	Extract	ed - 04/11/19	10:50 Ana	lyzed - 04/12/19	12:44		
Analyte	Result	Units	Spike Level	Source Result %REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.09	ppm			46-150		
Phosmet	0.92	ppm	1.00	92.0	48-137		
Piperonyl butoxide	0.93	ppm	1.00	93.4	43-142		
Prallethrin	0.93	ppm	1.00	93.3	48-144		
Propiconazole	0.91	ppm	1.00	91.2	52-136		
Propoxur	0.95	ppm	1.00	95.2	61-131		
Pyrethrins (total)	0.62	ppm			24-150		
Pyridaben	0.96	ppm	1.00	96.0	40-150		
Spinosad	0.82	ppm	0.820	99.7	42-148		
Spiromesifen	0.95	ppm	1.00	95.3	38-150		
Spirotetramat	0.90	ppm	1.00	89.5	37-132		
Spiroxamine	0.48	ppm	0.550	87.6	49-136		
Tebuconazole	0.89	ppm	1.00	89.3	46-142		
Thiacloprid	0.96	ppm	1.00	95.6	48-150		
Thiamethoxam	0.94	ppm	1.00	94.2	46-138		
Trifloxystrobin	0.92	ppm	1.00	91.7	44-144		

Matrix Spike(B190614-MS1)		Extracted -	04/11/19 10	:50 Ana	lyzed - (04/12/19 1	3:00	
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.60	ppm	1.75	< LOQ	91.2	15-150		
Acephate	1.60	ppm	1.79	< LOQ	89.2	45-130		
Acequinocyl	1.06	ppm	1.79	< LOQ	59.1	31-146		
Acetamiprid	1.68	ppm	1.79	< LOQ	93.9	39-150		
Aldicarb	1.63	ppm	1.79	< LOQ	91.2	47-143		
Azoxystrobin	1.55	ppm	1.79	< LOQ	86.7	21-150		
Bifenazate	1.65	ppm	1.79	< LOQ	92.4	31-150		
Bifenthrin	1.48	ppm	1.79	< LOQ	82.5	23-132		
Boscalid	1.53	ppm	1.79	< LOQ	85.7	41-141		
Carbaryl	1.62	ppm	1.79	< LOQ	90.2	60-125		
Carbofuran	1.66	ppm	1.79	< LOQ	92.9	57-136		
Chlorantraniliprole	1.41	ppm	1.79	< LOQ	78.9	32-145		
Chlorfenapyr	1.84	ppm	1.79	< LOQ	103	29-150		
Chlorpyrifos	1.47	ppm	1.79	< LOQ	82.2	29-146		
Clofentezine	1.50	ppm	1.79	< LOQ	83.6	48-128		
Cyfluthrin	1.65	ppm	1.79	< LOQ	92.2	16-150		



These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Brian Weigel Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

Matrix Spike(B190614-MS1)	Extracted - 04/11/19 10:50 Analyzed - 04/12/19 13:00									
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit		
Cypermethrin	1.76	ppm	1.79	< LOQ	98.2	22-150				
Daminozide	1.43	ppm	1.79	< LOQ	79.7	34-150				
DDVP (Dichlorvos)	1.55	ppm	1.79	< LOQ	86.3	55-133				
Diazinon	1.58	ppm	1.79	< LOQ	88.1	54-126				
Dimethoate	1.72	ppm	1.79	< LOQ	96.3	60-129				
Ethoprophos	1.60	ppm	1.79	< LOQ	89.2	40-150				
Etofenprox	1.57	ppm	1.79	< LOQ	88.0	25-135				
Etoxazole	1.57	ppm	1.79	< LOQ	87.5	26-149				
Fenoxycarb	1.63	ppm	1.79	< LOQ	90.8	37-145				
Fenpyroximate	1.73	ppm	1.79	< LOQ	96.8	27-150				
Fipronil	1.51	ppm	1.79	< LOQ	84.2	27-150				
Flonicamid	1.63	ppm	1.79	< LOQ	91.2	46-139				
Fludioxonil	1.68	ppm	1.79	< LOQ	93.9	31-150				
Hexythiazox	1.78	ppm	1.79	< LOQ	99.3	32-150				
lmazalil	1.64	ppm	1.79	< LOQ	91.7	44-142				
Imidacloprid	1.66	ppm	1.79	< LOQ	92.9	23-150				
Kresoxim-methyl	1.62	ppm	1.79	< LOQ	90.4	49-130				
Malathion	1.63	ppm	1.79	< LOQ	91.0	25-150				
Metalaxyl	1.63	ppm	1.79	< LOQ	91.3	49-141				
Methiocarb	1.62	ppm	1.79	< LOQ	90.4	44-146				
Methomyl	1.62	ppm	1.79	< LOQ	90.7	44-136				
Methyl parathion	1.97	ppm	1.79	< LOQ	110	15-150				
MGK-264	0.90	ppm	1.13	< LOQ	80.2	22-150				
Myclobutanil	1.58	ppm	1.79	< LOQ	88.4	34-150				
Naled	1.54	ppm	1.79	< LOQ	85.8	38-142				
Oxamyl	1.68	ppm	1.79	< LOQ	93.8	40-132				
Paclobutrazol	1.48	ppm	1.79	< LOQ	82.6	29-147				
Permethrins (total)	1.52	ppm		< LOQ		27-104				
Phosmet	1.56	ppm	1.79	< LOQ	87.3	35-150				
Piperonyl butoxide	1.60	ppm	1.79	< LOQ	89.4	34-143				
Prallethrin	1.66	ppm	1.79	< LOQ	92.6	33-150				
Propiconazole	1.49	ppm	1.79	< LOQ	83.3	46-138				
Propoxur	1.65	ppm	1.79	< LOQ	92.3	50-138				
Pyrethrins (total)	1.13	ppm		< LOQ		21-150				
Pyridaben	1.55	ppm	1.79	< LOQ	86.3	39-150				

Brian Weigel

Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

Matrix Spike(B190614-MS1)	Extracted - 04/11/19 10:50 Analyzed - 04/12/19 13:00								
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
Spinosad	1.45	ppm	1.47	< LOQ	98.8	31-150			
Spiromesifen	1.74	ppm	1.79	< LOQ	97.1	27-141			
Spirotetramat	1.81	ppm	1.79	< LOQ	101	31-141			
Spiroxamine	0.95	ppm	0.985	< LOQ	96.7	57-139			
Tebuconazole	1.53	ppm	1.79	< LOQ	85.2	32-140			
Thiacloprid	1.67	ppm	1.79	< LOQ	93.5	45-150			
Thiamethoxam	1.65	ppm	1.79	< LOQ	92.2	40-141			
Trifloxystrobin	1.64	ppm	1.79	< LOQ	91.7	30-137			

Matrix Spike Dup(B190614-MSD1	Extracted - 04/11/19 10:50 Analyzed - 04/12/19							
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.76	ppm	1.71	< LOQ	103	15-150	11.8	40
Acephate	1.52	ppm	1.75	< LOQ	87.1	45-130	2.42	26
Acequinocyl	1.10	ppm	1.75	< LOQ	63.1	31-146	6.62	50
Acetamiprid	1.57	ppm	1.75	< LOQ	89.6	39-150	4.74	21
Aldicarb	1.52	ppm	1.75	< LOQ	87.1	47-143	4.57	30
Azoxystrobin	1.51	ppm	1.75	< LOQ	86.2	21-150	0.479	21
Bifenazate	1.68	ppm	1.75	< LOQ	95.9	31-150	3.72	20
Bifenthrin	1.45	ppm	1.75	< LOQ	82.8	23-132	0.298	30
Boscalid	1.53	ppm	1.75	< LOQ	87.4	41-141	1.88	20
Carbaryl	1.69	ppm	1.75	< LOQ	96.8	60-125	6.99	20
Carbofuran	1.60	ppm	1.75	< LOQ	91.2	57-136	1.80	24
Chlorantraniliprole	1.34	ppm	1.75	< LOQ	76.6	32-145	2.89	20
Chlorfenapyr	1.71	ppm	1.75	< LOQ	97.8	29-150	4.81	50
Chlorpyrifos	1.40	ppm	1.75	< LOQ	80.0	29-146	2.70	24
Clofentezine	1.38	ppm	1.75	< LOQ	79.1	48-128	5.51	20
Cyfluthrin	1.48	ppm	1.75	< LOQ	84.4	16-150	8.86	50
Cypermethrin	1.79	ppm	1.75	< LOQ	103	22-150	4.32	30
Daminozide	1.31	ppm	1.75	< LOQ	74.7	34-150	6.47	30
DDVP (Dichlorvos)	1.45	ppm	1.75	< LOQ	83.0	55-133	3.97	30
Diazinon	1.51	ppm	1.75	< LOQ	86.1	54-126	2.29	20
Dimethoate	1.62	ppm	1.75	< LOQ	92.9	60-129	3.63	20
Ethoprophos	1.57	ppm	1.75	< LOQ	89.8	40-150	0.648	29
Etofenprox	1.54	ppm	1.75	< LOQ	88.3	25-135	0.336	24
Etoxazole	1.51	ppm	1.75	< LOQ	86.3	26-149	1.48	30



These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Brian Weigel Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Pesticide Analysis (Continued)

Batch: B190614 - Pesticide Prep (Continued)

Matrix Spike Dup(B1906	614-MSD1)	Extra	acted - 04/11	1/19 10:5	0 Analy	zed - 04/	12/19	
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.62	ppm	1.75	< LOQ	92.4	37-145	1.79	23
Fenpyroximate	1.70	ppm	1.75	< LOQ	97.4	27-150	0.652	20
Fipronil	1.41	ppm	1.75	< LOQ	80.5	27-150	4.47	28
Flonicamid	1.60	ppm	1.75	< LOQ	91.6	46-139	0.426	29
Fludioxonil	1.77	ppm	1.75	< LOQ	102	31-150	7.74	30
Hexythiazox	1.76	ppm	1.75	< LOQ	101	32-150	1.53	28
Imazalil	1.59	ppm	1.75	< LOQ	91.0	44-142	0.760	25
Imidacloprid	1.48	ppm	1.75	< LOQ	84.5	23-150	9.43	30
Kresoxim-methyl	1.55	ppm	1.75	< LOQ	88.5	49-130	2.11	20
Malathion	1.57	ppm	1.75	< LOQ	89.5	25-150	1.65	21
Metalaxyl	1.63	ppm	1.75	< LOQ	93.4	49-141	2.26	20
Methiocarb	1.63	ppm	1.75	< LOQ	93.3	44-146	3.23	20
Methomyl	1.56	ppm	1.75	< LOQ	89.4	44-136	1.50	30
Methyl parathion	2.05	ppm	1.75	< LOQ	117	15-150	6.20	50
MGK-264	0.89	ppm	1.10	< LOQ	80.9	22-150	0.850	24
Myclobutanil	1.57	ppm	1.75	< LOQ	89.7	34-150	1.49	23
Naled	1.47	ppm	1.75	< LOQ	83.9	38-142	2.23	25
Oxamyl	1.63	ppm	1.75	< LOQ	93.4	40-132	0.473	30
Paclobutrazol	1.51	ppm	1.75	< LOQ	86.1	29-147	4.16	20
Permethrins (total)	1.55	ppm		< LOQ		27-104		30
Phosmet	1.58	ppm	1.75	< LOQ	90.4	35-150	3.45	20
Piperonyl butoxide	1.57	ppm	1.75	< LOQ	89.6	34-143	0.298	21
Prallethrin	1.68	ppm	1.75	< LOQ	96.4	33-150	4.00	25
Propiconazole	1.38	ppm	1.75	< LOQ	78.8	46-138	5.56	20
Propoxur	1.53	ppm	1.75	< LOQ	87.4	50-138	5.45	28
Pyrethrins (total)	1.11	ppm		< LOQ		21-150		28
Pyridaben	1.48	ppm	1.75	< LOQ	84.4	39-150	2.22	23
Spinosad	1.37	ppm	1.43	< LOQ	95.7	31-150	3.20	30
Spiromesifen	1.69	ppm	1.75	< LOQ	96.9	27-141	0.222	30
Spirotetramat	1.73	ppm	1.75	< LOQ	99.0	31-141	1.82	25
Spiroxamine	0.93	ppm	0.962	< LOQ	96.6	57-139	0.0929	20
Tebuconazole	1.42	ppm	1.75	< LOQ	81.4	32-140	4.60	20
Thiacloprid	1.56	ppm	1.75	< LOQ	89.2	45-150	4.76	21
Thiamethoxam	1.56	ppm	1.75	< LOQ	89.4	40-141	3.05	30
Trifloxystrobin	1.49	ppm	1.75	< LOQ	85.5	30-137	7.05	29

M La Luigel



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality Control Terpene Analysis

Batch: B190613 - Potency/Terpenes

Blank(B190613-BLK1)	Extr	acted - 04/11	/19 10:47 A	nalyzed	- 04/11/	19 14:36		
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
Caryophyllene Oxide	< LOQ	%						
alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
R-(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	0.064	%						
Citronellol	< LOQ	%						
gamma-Terpinene	< LOQ	%						



Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality ControlTerpene Analysis (Continued)

Batch: B190613 - Potency/Terpenes (Continued)

Duplicate(B190613-DUP1)		Extracted - 0	4/11/19 10:47 Analyzed -	04/11/19 14:36	
Analyte	Result	Units	Spike Source Level Result %RE	%REC C Limits RPD	RPD Limit
alpha Ocimene	< LOQ	%	< LOQ		20
alpha Terpineol	0.027	%	0.028	0.835	20
beta Ocimene	0.406	%	0.420	3.41	20
beta Terpineol	< LOQ	%	< LOQ		20
cis-Nerolidol	< LOQ	%	< LOQ		20
Phytol 1	< LOQ	%	< LOQ		20
Phytol 2	0.061	%	0.065	6.36	20
trans-Nerolidol	0.037	%	0.038	4.44	20
alpha Pinene	0.060	%	0.062	2.20	20
Myrcene	0.301	%	0.312	3.54	20
alpha Phellandrene	0.063	%	0.067	5.36	20
3-Carene	0.039	%	0.040	1.09	20
alpha Terpinene	0.037	%	0.038	3.33	20
Limonene	0.170	%	0.176	3.82	20
Terpinolene	1.233	%	1.274	3.26	20
Linalool	0.038	%	0.037	0.604	20
Fenchol	< LOQ	%	< LOQ		20
Borneol	< LOQ	%	< LOQ		20
Terpineol	0.027	%	0.028	0.835	20
Geraniol	< LOQ	%	< LOQ		20
alpha Humulene	0.057	%	0.056	0.280	20
beta Caryophyllene	0.183	%	0.187	1.90	20
Caryophyllene Oxide	< LOQ	%	< LOQ		20
alpha Bisabolol	0.027	%	0.029	7.29	20
Camphene	< LOQ	%	< LOQ		20
beta Pinene	0.099	%	0.100	1.45	20
Ocimene	0.406	%	0.420	3.41	20
Sabinene	< LOQ	%	< LOQ		20
Camphor	< LOQ	%	< LOQ		20
Isoborneol	< LOQ	%	< LOQ		20
Menthol	< LOQ	%	< LOQ		20
alpha Cedrene	< LOQ	%	< LOQ		20
Nerolidol	0.037	%	0.058	44.8	20
R-(+)-Pulegone	< LOQ	%	< LOQ		20
Eucalyptol	< LOQ	%	< LOQ		20



Lab Director



SC Laboratories Oregon LLC

ORELAP# 4133/OLCC# 1004748743D 15865 SW 74th Ave Suite 110, Tigard, OR 503-272-8830 www.sclabs.com

Quality ControlTerpene Analysis (Continued)

Batch: B190613 - Potency/Terpenes (Continued)

Duplicate(B190613-DUP1)	Extracted - 04/11/19 10:47 Analyzed - 04/11/19 14:36								
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
p-Cymene	< LOQ	%		< LOQ				20	
(-)-Isopulegol	< LOQ	%		< LOQ				20	
Geranyl Acetate	< LOQ	%		< LOQ				20	
Guaiol	0.102	%		0.093			8.49	20	
Valencene	0.088	%		0.090			2.29	20	
Phytol	0.061	%		0.065			6.36	20	
Citronellol	< LOQ	%		< LOQ				20	
gamma-Terpinene	0.022	%		0.022			1.09	20	

Batch: B190615 - Gravimetric

Duplicate(B190615-DUP1)	Extracted - 04/12/19 11:40 Analyzed - 04/12/19 11:40								
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	
Percent Moisture	13.3	%		12.6			4.97	20	

Batch: B190616 - Water Activity

Duplicate(B190616-DUP1)	Extracted - 04/12/19 11:20 Analyzed - 04/12/19 11:20							
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Water Activity	0.526	AW		0.528			0.475	20

12 Lilings



OREGON LIQUOR CONTROL COMMISSION CANNABIS TRANSPORTATION MANIFEST



19D0054

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

Manifest No.:	0001439443	Date Created:	4/10/2019 11:00 AM
Originating Entity:	Western Oregon Botanicals		For OLCC Use Only
Originating License Number:	020-10021071D94		
Address of Originating Entity:	18270 SW Belton Road Sherwood, OR 97140		
Phone No. of Originating Entity:	208-989-3449		
Contact Phone No. for Inq	uiries: 208-989-3449		
Destination # 1	SC Laboratories	Destination Phone No.:	707-339-0050
Destination License Number:	010-1004748743D	Date and Approx. Time of Departu	ire: 4/10/2019 10:58 AM
Address of Destination:	15865 SW 74th Avenue Ste 110 Tigard, OR 97224	Date and Approx. Time of Arrival:	4/10/2019 3:30 PM
		Date/Time Received:	4/10/2019 15:50
Route to be Traveled:		Notes: details for extenuating circumstance	
Google			
Name of Person Transporting:	Scott Forster	Handler Permit No. of Driver:	N/A
State Driver's License No.:	a625521	Signature of Person Transporting	Dutt
Make, Model, License Plate No.:	Nissan NV200 825KAT		
Package # 1	Production Batch No.	Item Name	Quantity
1A40103000098BF000001595 Lab Test: SubmittedForTesting Status: Shipped		707 Headband (Buds (by strain))	Shp: 21.9000 g
Harvests:	3/21 Headband		
Package # 2	Production Batch No.	Item Name	Quantity
1A40103000098BF000001596 Lab Test: SubmittedForTesting Status: Shipped		Lemon Sour Diesel (Buds (by strain))	Shp: 15.5800 g
Harvests:	3/22 LSD		
PRODUCT F	REJECTION (if only a portion of ship	oment is rejected, circle that po	rtion above)
Name of Person Receiving or Rejecting Product:	Alfredo Montes	deOca	
I confirm that the contents of this circle	shipment match weight records entered about above. Those portions circled were returned	ove, and I agree to take custody of those to the individual delivering this shipn	se portions of this shipment <i>not</i> nent.
Signature:	alfredomentable	Date:	4/10/2019
Signature of individual taking re-			A

Client: Western Oregon Botanicals Client License: 4/10/2019 Thermometer ID: T014 Sampler Signature Address Where 18270 SW Benton Rd Sherwood OR 19D0054 SAMP_BAL_02 Abdullah Naimi Event ID: Balance ID: Requestor: Sampled: Sampling SOP & Rev. $_{\mbox{SC-OR-SAMP-}003}$ Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer_02 Acceptance Lab ORELAP ID: Weight used (g) Weight Set ID Initial Measured Initial P/F Final Measured Criteria Lab OLCC ID: 1004748743D 0.5 SAMP_CAL_02 ±2.5% 0.5 0.5 200 ±2.5% 199.96 199.96 Container Type METRC Harvest/Processing Lot ID #: Product Type Client Sample Name Product Date Batch Size (g) storage tubs 1593 707 Headband 3/21/2019 4082.3 Usable Marijuan Product Temp 1° Sample Size METRC Batch ID Humidity (%) # of Containers Sampling Media # Zones # of Inc. Sample Name (°C) (g) 53.7 mylar bag 707 Headband Primary Sampling Increment Lab Sample ID Container ID Increment Zone Wt. Inc+Media (g) Sample METRC ID# Media Wt. (g) Weight (g) 19D0054-01 2.4 707 Headband-1 A1 0 2.4 1595 19D0054-01 707 Headband-1 A1 2.4 4.8 2.4 1595 19D0054-01 707 Headband-1 4.8 7.2 2.4 1595 A2 7.2 9.6 19D0054-01 707 Headband-1 2.4 1595 19D0054-01 9.6 1595 707 Headband-1 A4 12 2.4 19D0054-01 707 Headband-2 В1 12 14.4 1595 ВЗ 14.4 16.8 2.4 1595 19D0054-01 707 Headband-2 19D0054-01 707 Headband-3 C3 16.8 19.2 2.4 1595 19D0054-01 707 Headband-3 C4 19.2 21.9 2.7 1595 Minimum Sample Size = 20,4g (Usable Totals: Total Sample Mass = 21.9 Batch # Equipment Cont. Types/Sizes Uniform Plant Colors Shape and Size Sampling Plan ID & Rev. Date Observations and Abnormalities:

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
storage tubs	1593				Usable Marijuana	707 Headband	3/21/2019	4082.3
METRC Batch ID	Product Temp (°C)	Humidity (%) # of Containers		Sampling Media	# Zones	# of Inc.	1° Sample Size (g)	Sample Name
	19.1	53.7	3	mylar bag	4	9	2.4	707 Headband Primary
Lab Sample ID	Lab Sample ID		Container ID		Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
19D0054-01	19D0054-01		707 Headband-1					1596
19D0054-01		707 Headband-2		B1				1596
19D0054-01		707 Head	707 Headband-2					1596
19D0054-01		707 Headband-2		В3				1596
19D0054-01	19D0054-01		707 Headband-2					1596
19D0054-01	19D0054-01 707 Headband-2		B4				1596	
19D0054-01		707 Headband-3		C1				1596
19D0054-01	19D0054-01 707 Headband-3		C1				1596	

19D0054-01	707 Headband-3		C2				1596
Totals:	Minimum Sample Siz Marijuan		9		Total Sample Mass = 0		
	Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date
Observations and Abnormalities:							
	·					·	

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
storage tubs		15	93		Usable Marijuana	707 Headband	3/21/2019	4082.3
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sampling Media	# Zones	# of Inc.	1° Sample Size (g)	Sample Name
	19.1	53.7	3	mylar bag	4	9	2.4	707 Headband Primary
Lab Sample ID		Contair	ner ID	Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
19D0054-01		707 Headband-1		A3				
19D0054-01		707 Headband-1		A4				
19D0054-01		707 Head	lband-1	A4				
19D0054-01		707 Head	lband-2	B1				
19D0054-01		707 Head	lband-2	В3				
19D0054-01		707 Headband-3		C1				
19D0054-01	19D0054-01		707 Headband-3					
19D0054-01		707 Headband-3		C3				
19D0054-01		707 Headband-3		C4				
Totals:		Minimum Sample Siz Marijuan		9	Total Sample Mass = 0		Mass = 0	
		Batch # Equipment		Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date
Observations and Abnormalities:								

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
storage tubs	1594				Usable Marijuana	Lemon Sour diesel	3/22/2019	2721.5
METRC Batch ID	Product Temp (*C) Humidity (%) # of Containers Sampling Media				# Zones	# of Inc.	1° Sample Size (g)	Sample Name

	19.1	53.7	2	mylar bag	4	8	1.9	Lemon Sour diesel Primary
Lab Sample ID		Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#
19D0054-02		Lemon Sour diesel-1		A3	0	1.9	1.9	1594
19D0054-02		Lemon Sou	ır diesel-1	A3	1.9	3.8	1.9	1594
19D0054-02		Lemon Sour diesel-1		A3	3.8	5.7	1.9	1594
19D0054-02		Lemon Sou	ır diesel-1	A4	5.7	7.6	1.9	1594
19D0054-02		Lemon Sou	ır diesel-1	A4	7.6	9.5	1.9	1594
19D0054-02		Lemon Sou	ır diesel-2	B2	9.5	11.4	1.9	1594
19D0054-02		Lemon Sour diesel-2		B4	11.4	13.3	1.9	1594
19D0054-02	19D0054-02		Lemon Sour diesel-2		13.3	15.58	2.28	1594
Totals:	Minimum Sample Siz Marijuan		8	8 Total Sample Mass = 15.5			ss = 15.58	
		Batch #	Equipment	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan ID & Rev. Date
Observations and Abnormalities:								
Ĭ								