Share your feedback on Amazon DynamoDB
Your feedback is an important part of helping us provide a better customer experience. Take this short survey to let us know how we're doing.

Share feedback

Create table

Table details Info

DynamoDB is a schemaless database that requires only a table name and a primary key when you create the table.

Table name
This will be used to identify your table.

table

Between 3 and 255 characters, containing only letters, numbers, underscores (_), hyphens (-), and periods (.).

Partition key
The partition key is part of the table's primary key. It is a hash value that is used to retrieve items from your table and allocate data across hosts for scalability and availability.

unique | String

1 to 255 characters and case sensitive.

Sort key - *optional*
You can use a sort key as the second part of a table's primary key. The sort key allows you to sort or search among all items sharing the same partition key.

Enter the sort key name | String

1 to 255 characters and case sensitive.

Table settings

- (●) **Default settings**
  The fastest way to create your table. You can modify most of these settings after your table has been created. To modify these settings now, choose 'Customize settings'.
- ( ) **Customize settings**
  Use these advanced features to make DynamoDB work better for your needs.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search ENG IN 12:13 17-02-2026

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

Filter by tag value: Any tag value

Find tables

1

table

Scan | Query

Select a table or index: Table - table

Select attribute projection: All attributes

Filters - *optional*

Run | Reset

Completed · Items returned: **0** · Items scanned: **0** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (0)

Scan started on February 17, 2026, 12:15:04

Actions | Create item

1

unique *(String)*

No items

No items to display.

Create item

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search | ENG IN | 12:15 17-02-2026

Share your feedback on Amazon DynamoDB
Your feedback is an important part of helping us provide a better customer experience. Take this short survey to let us know how we're doing.

Share feedback

Create item

Form | JSON view

You can add, remove, or edit the attributes of an item. You can nest attributes inside other attributes up to 32 levels deep. Learn more

Attributes

Add new attribute

Attribute name	Value	Type	Remove
unique - *Partition key*	emp1	String	
abc	rudra	String	Remove
mobile	0999	Number	Remove
employer	True False	Boolean	Remove
designation	HR	String	Remove

Cancel | Create item

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search ENG IN 12:17 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Items | Amazon DynamoDB Ma

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?table=table

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

The item has been saved successfully.

Notifications 0 0 1 1 0

Tables (1)

Filter by tag: Any tag key

Filter by tag value: Any tag value

Find tables

1

table

table

Autopreview | View table details

Scan or query items

Scan | Query

Select a table or index: Table - table

Select attribute projection: All attributes

Filters - *optional*

Run | Reset

Completed - Items returned: **0** - Items scanned: **0** - Efficiency: **100%** - RCUs consumed: **2**

Table: table - Items returned (1)

Scan started on February 17, 2026, 12:15:04

Actions | Create item

1

unique (String)	abc	designation	employer	mobile

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:17 17-02-2026

Create item

Form | JSON view

You can add, remove, or edit the attributes of an item. You can nest attributes inside other attributes up to 32 levels deep. Learn more

Attributes

Add new attribute

Attribute name	Value	Type	Remove
unique - *Partition key*	emp2	String	
name	xyz	String	Remove
no.	012345678	Number	Remove
emp	True / False	Boolean	Remove
des	emp	String	Remove

Cancel | Create item

© 2026, Amazon Web Services, Inc. or its affiliates.

DynamoDB
Dashboard
Tables
Explore items
PartiQL editor
Backups
Exports to S3
Imports from S3
Integrations
Reserved capacity
Settings

DAX
Clusters
Subnet groups
Parameter groups
Events

Filter by tag: Any tag key
Filter by tag value: Any tag value
Find tables
1
table

Scan or query items

Scan | Query

Select a table or index: Table - table
Select attribute projection: All attributes

Filters - *optional*

Run | Reset

Completed · Items returned: **0** · Items scanned: **0** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (2)

Actions | Create item

Scan started on February 17, 2026, 12:15:04

1

unique *(String)*	designation	employer	mobile	name
emp1	HR	*true*	999	rudra
emp2	emp	*true*	12345678	xyz

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search ENG IN 12:21 17-02-2026

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

Find tables

1

table

Select a table or index: Table - table

Select attribute projection: Specific attributes

Specific attributes to project: unique

Add attribute

unique

Filters - *optional*

Run | Reset

Completed · Items returned: **2** · Items scanned: **2** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (2)

Scan started on February 17, 2026, 12:22:45

Actions | Create item

1

unique *(String)*
emp2
emp1

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:22 17-02-2026

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

Find tables

1

table

Select a table or index: Table - table

Select attribute projection: Specific attributes

Specific attributes to project

Enter attribute name | Add attribute

unique ✕ | name ✕

▶ **Filters - *optional***

Run | Reset

Completed · Items returned: **2** · Items scanned: **2** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (2)

Scan started on February 17, 2026, 12:23:11

Actions | Create item

1

unique *(String)*	name
emp2	xyz
emp1	rudra

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:23 17-02-2026

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

unique ✕ name ✕

▼ **Filters - *optional***

Attribute name	Condition	Type	Value	
name ✕	Equal to	String	rudra	Remove
Enter attribute	Equal to	String	Enter attribute val	Remove

Add filter

Run Reset

Completed · Items returned: **1** · Items scanned: **2** · Efficiency: **50%** · RCUs consumed: **2**

Table: table - Items returned (1)

Scan started on February 17, 2026, 12:26:24

Actions ▼ Create item

1

unique *(String)*	name
emp1	rudra

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

DynamoDB

Dashboard
Tables
Explore items
PartiQL editor
Backups
Exports to S3
Imports from S3
Integrations
Reserved capacity
Settings

DAX
Clusters
Subnet groups
Parameter groups
Events

Any tag value

Find tables

1

table

Scan | Query

Select a table or index: Table - table

Select attribute projection: Specific attributes

Specific attributes to project

Enter attribute name | Add attribute

name ✕ | unique ✕

Partition key

Attribute	Value
unique	emp1

Filters - *optional*

Attribute name	Condition	Type	Value	
mobile ✕	Equal to	Number	0999	Remove
Enter attribute	Equal to	String	Enter attribute val	Remove

Add filter

Run | Reset

© 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Search | ENG IN | 12:29 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Items | Amazon DynamoDB Ma

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?filter1Comparator=EQUAL&filter1Name=mobile&filter1Type=N&filter1Value=0999&operation=QUER...

aws | Search [Alt+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

Attribute	Value
unique	emp1

Filters - *optional*

Attribute name	Condition	Type	Value	
mobile	Equal to	Number	0999	Remove
Enter attribute	Equal to	String	Enter attribute val	Remove

Add filter

Run Reset

Completed · Items returned: **1** · Items scanned: **1** · Efficiency: **100%** · RCUs consumed: **0.5**

Table: table - Items returned (1)

Query started on February 17, 2026, 12:29:39

Actions | Create item

1

unique *(String)*	name
emp1	rudra

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Course Invitation - rudranshdig | Launch AWS Academy Learner | Edit item | Amazon DynamoDB

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#edit-item?itemMode=2&pk=emp1&route=ROUTE_ITEM_EXPLORER&table=table

Search [Alt+S] Ask Amazon Q | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items: table > Edit item

Edit item

Form | JSON view

You can add, remove, or edit the attributes of an item. You can nest attributes inside other attributes up to 32 levels deep. Learn more

Attributes

View DynamoDB JSON

Copy

```
1 {
2   "unique": {
3     "S": "emp1"
4   },
5   "designation": {
6     "S": "HR"
7   },
8   "employer": {
9     "BOOL": true
10  },
11  "mobile": {
12    "N": "999"
13  },
14  "name": {
15    "S": "rudransh"
16  }
17 }
```

JSON Ln 15, Col 19 Errors: 0 Warnings: 0

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

Search ENG IN 12:34 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Items | Amazon DynamoDB Ma

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?table=table

aws | Search [Alt+S] Ask Amazon Q | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items > table

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

The item has been saved successfully.

Tables (1)

Filter by tag: Any tag key

Filter by tag value: Any tag value

Find tables

1

table

table

Autopreview | View table details

Scan or query items

Scan | Query

Select a table or index: Table - table

Select attribute projection: All attributes

Filters - *optional*

Run | Reset

Completed · Items returned: **2** · Items scanned: **2** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (2)

Scan started on February 17, 2026, 12:33:10

Actions | Create item

1

unique *(String)*	designation	employer	mobile	name

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:34 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Create function | Functions | La

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/create/function?intent=authorFromScratch

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > Create function

Create function Info

Choose one of the following options to create your function.

- (●) **Author from scratch** — Start with a simple Hello World example.
- ( ) **Use a blueprint** — Build a Lambda application from sample code and configuration presets for common use cases.
- ( ) **Container image** — Select a container image to deploy for your function.

Basic information

Function name

Enter a name that describes the purpose of your function.

dynamo

Function name must be 1 to 64 characters, must be unique to the Region, and can't include spaces. Valid characters are a-z, A-Z, 0-9, hyphens (-), and underscores (_).

Runtime | Info

Choose the language to use to write your function. Note that the console code editor supports only Node.js, Python, and Ruby.

Python 3.14

Durable execution - *new* | Info

Enable durable execution to simplify building resilient multi-step applications that checkpoint progress and resume after interruptions. Supports Python and Node.js runtimes. View pricing.

[ ] Enable

Architecture | Info

Choose the instruction set architecture you want for your function code.

- ( ) arm64
- (●) x86_64

Permissions Info

By default, Lambda will create an execution role with permissions to upload logs to Amazon CloudWatch Logs. You can customize this default role later when adding triggers.

CloudShell | Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Search | ENG IN | 12:36 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Create function | Functions | La

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/create/function?intent=authorFromScratch

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > Create function

Enable durable execution to simplify building resilient multi-step applications that checkpoint progress and resume after interruptions. Supports Python and Node.js runtimes. View pricing.

☐ Enable

Architecture Info

Choose the instruction set architecture you want for your function code.

○ arm64

◉ x86_64

Permissions Info

By default, Lambda will create an execution role with permissions to upload logs to Amazon CloudWatch Logs. You can customize this default role later when adding triggers.

▼ **Change default execution role**

Execution role

Choose a role that defines the permissions of your function. To create a custom role, go to the IAM console.

○ Create a new role with basic Lambda permissions

◉ Use an existing role

○ Create a new role from AWS policy templates

Existing role

Choose an existing role that you've created to be used with this Lambda function. The role must have permission to upload logs to Amazon CloudWatch Logs.

LabRole

View the LabRole role on the IAM console.

▶ **Additional configurations**

Use additional configurations to set up networking, security, and governance for your function. These settings help secure and customize your Lambda function deployment.

Cancel | Create function

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy | Terms | Cookie preferences

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?newFunction=true&tab=code

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

Successfully created the function **dynamo**. You can now change its code and configuration. To invoke your function with a test event, choose "Test".

dynamo

Throttle | Copy ARN | Actions

Function overview Info

Export to Infrastructure Composer | Download

Diagram | Template

dynamo

Layers (0)

+ Add trigger

+ Add destination

Description
-

Last modified
13 seconds ago

Function ARN
arn:aws:lambda:us-east-1:257786843558:function:dynamo

Function URL Info
-

Code | Test | Monitor | Configuration | Aliases | Versions

Code source Info

Open in Visual Studio Code | Upload from

dynamo

EXPLORER

DYNAMO

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:37 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?newFunction=true&tab=code

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

EXPLORER

DYNAMO

lambda_function.py

lambda_function.py

```python
import json
def lambda_handler(event, context):
    a = event.get('num1', 0)
    b = event.get('num2', 0)
    result = a + b
    return {
        'statusCode': 200,
        'body': json.dumps({
            'sum': result
        })
    }
```

Amazon Q Tip 1/3: Start typing to get suggestions ([ESC] to exit)

DEPLOY Undeployed

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS [NONE SELECTED]

+ Create new test event

ENVIRONMENT VARIABLES

Undeployed Changes | 0 0 | Amazon Q | Ln 11, Col 6 | Spaces: 4 | UTF-8 | LF | Python | Lambda | Layout: US

CloudShell | Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Search | ENG IN | 12:40 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?newFunction=true&tab=testing

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

Successfully updated the function **dynamo**.

Test event Info

CloudWatch Logs Live Tail | Save | Test

To invoke your function without saving an event, configure the JSON event, then choose Test.

Test event action

- (●) Create new event
- ( ) Edit saved event

Invocation type

- (●) Synchronous
  Executes the Lambda function and blocks until receiving the function's response, with a maximum timeout of 15 minutes. Returns function output or error details directly to the calling application.
- ( ) Asynchronous
  Enqueues the Lambda function for execution and returns immediately with a request ID. Function processes independently, with results optionally sent to a configured destination like SQS, SNS, or EventBridge.

Event name

sum-event

Maximum of 25 characters consisting of letters, numbers, dots, hyphens and underscores.

Event sharing settings

- (●) Private
  This event is only available in the Lambda console and to the event creator. You can configure a total of 10. Learn more
- ( ) Shareable
  This event is available to IAM users within the same account who have permissions to access and use shareable events. Learn more

Template - *optional*

Hello World

Event JSON

Format JSON

CloudShell | Feedback | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Search | ENG IN | 12:42 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?newFunction=true&tab=testing

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

Successfully updated the function **dynamo**.

The test event "sum-event" was successfully saved.

Code | Test | Monitor | Configuration | Aliases | Versions

Test event Info

Delete | CloudWatch Logs Live Tail | Save | Test

To invoke your function without saving an event, modify the event, then choose Test. Lambda uses the modified event to invoke your function, but does not overwrite the original event until you choose Save.

Test event action

- Create new event
- Edit saved event

Invocation type

- Synchronous
  Executes the Lambda function and blocks until receiving the function's response, with a maximum timeout of 15 minutes. Returns function output or error details directly to the calling application.
- Asynchronous
  Enqueues the Lambda function for execution and returns immediately with a request ID. Function processes independently, with results optionally sent to a configured destination like SQS, SNS, or E

Event name

sum-event

Event JSON

```
{
  "key1": "value1",
  "key2": "value2",
  "key3": "value3"
}
```

Snipping Tool

Screenshot copied to clipboard
Automatically saved to screenshots folder.

Mark-up and share

CloudShell | Feedback

© 2026, Amazon Web Services, Inc.

Search | ENG IN | 12:43 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?newFunction=true&tab=testing

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

Code | Test | Monitor | Configuration | Aliases | Versions

Executing function: succeeded (logs)

▼ Details

```
{
  "statusCode": 200,
  "body": "{\"sum\": 0}"
}
```

Summary

Code SHA-256
R6fL2f5y9xHPTo4NojRtY2hzO4DlAxWgwXm4xSMnwRQ=

Execution time
1 minute ago

Function version
$LATEST

Request ID
e4e575b4-7cd9-4ee6-a17d-7d583471b84f

Duration
1.92 ms

Billed duration
122 ms

Resources configured
128 MB

Max memory used
40 MB

Init duration
119.75 ms

Log output

The area below shows the last 4 KB of the execution log. Click here to view the corresponding CloudWatch log group.

```
START RequestId: e4e575b4-7cd9-4ee6-a17d-7d583471b84f Version: $LATEST
END RequestId: e4e575b4-7cd9-4ee6-a17d-7d583471b84f
REPORT RequestId: e4e575b4-7cd9-4ee6-a17d-7d583471b84f  Duration: 1.92 ms  Billed Duration: 122 ms Memory Size: 128 MB  Max Memory Used: 40 MB  Init Duration: 119.75 ms
```

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 12:46 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?tab=code

Account ID: 2577-8684-3558
voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

EXPLORER

DYNAMO

lambda_function.py

DEPLOY Undeployed

Deploy (Ctrl+Shift+U)

Test (Ctrl+Shift+I)

TEST EVENTS [SELECTED: SUM-EVENT]

Create new test event

Private saved events

sum-event

ENVIRONMENT VARIABLES

lambda_function.py

```python
import boto3
from uuid import uuid4

def lambda_handler(event, context):
    s3 = boto3.client("s3")
    dynamodb = boto3.resource("dynamodb")
    dynamoTable = dynamodb.Table("newtable")

    # Check if the 'Records' key is present in the event
    if "Records" in event:
        for record in event["Records"]:
            bucket_name = record["s3"]["bucket"]["name"]
            object_key = record["s3"]["object"]["key"]
            size = record["s3"]["object"].get("size", -1)
            event_name = record.get("eventName", "Unknown")
            event_time = record.get("eventTime", "Unknown")

            dynamoTable.put_item(
                Item={
                    "unique": str(uuid4()),
                    "Bucket": bucket_name,
                    "Object": object_key,
                    "Size": size,
                    "Event": event_name,
                    "EventTime": event_time,
                }
            )
    else:
        print("No 'Records' key found in the event.")
```

Amazon Q Tip 1/3: Start typing to get suggestions ([ESC] to exit

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

ENG IN 12:53 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | Add triggers | Lambda

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/add/relation?focus=aws%2Flambda&target=arn%3Aaws%3Alambda%3Aus-east-1%3A257786843558%3Afunction%3Ady...

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Add triggers

Add trigger

Trigger configuration Info

S3
aws asynchronous storage

Bucket

Choose or enter the ARN of an S3 bucket that serves as the event source. The bucket must be in the same region as the function.

s3/fixitnow-storage-prod

Bucket region: us-east-1

Event types

Select the events that you want to have trigger the Lambda function. You can optionally set up a prefix or suffix for an event. However, for each bucket, individual events cannot have multiple configurations with overlapping prefixes or suffixes that could match the same object key.

All object create events | PUT | POST | COPY | Multipart upload completed

Prefix - *optional*

Enter a single optional prefix to limit the notifications to objects with keys that start with matching characters. Any special characters must be URL encoded.

e.g. images/

Suffix - *optional*

Enter a single optional suffix to limit the notifications to objects with keys that end with matching characters. Any special characters must be URL encoded.

e.g. .jpg

Recursive invocation

If your function writes objects to an S3 bucket, ensure that you are using different S3 buckets for input and output. Writing to the same bucket increases the risk of creating a recursive invocation, which can result in increased Lambda usage and increased costs. Learn more

☑ I acknowledge that using the same S3 bucket for both input and output is not recommended and that this configuration can cause recursive

CloudShell Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Search | ENG IN | 13:02 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda | List tables | Amazon DynamoDB

us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/dynamo?tab=testing

aws | dynamoDB | Ask Amazon Q | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Lambda > Functions > dynamo

Code | Test | Monitor | Configuration | Aliases | Versions

Executing function: succeeded (logs)

▼ Details

```
null
```

Summary

Code SHA-256
jo9xTVpAD3L/4Y26i7GzaPA0/o8YWF5OHfj5oizidg4=

Execution time
14 seconds ago

Function version
$LATEST

Request ID
8a087248-d33b-48bc-9844-7300348d3201

Duration
2508.98 ms

Billed duration
2509 ms

Resources configured
128 MB

Max memory used
98 MB

Log output

The area below shows the last 4 KB of the execution log. Click here to view the corresponding CloudWatch log group.

```
START RequestId: 8a087248-d33b-48bc-9844-7300348d3201 Version: $LATEST
No 'Records' key found in the event.
END RequestId: 8a087248-d33b-48bc-9844-7300348d3201
REPORT RequestId: 8a087248-d33b-48bc-9844-7300348d3201  Duration: 2508.98 ms    Billed Duration: 2509 ms    Memory Size: 128 MB    Max Memory Used: 98 MB
```

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 13:07 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda | Items | Amazon DynamoDB Ma | Upload objects - S3 bucket fixit

us-east-1.console.aws.amazon.com/s3/upload/fixitnow-storage-prod?region=us-east-1

Ask Google

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

Amazon S3 > Buckets > fixitnow-storage-prod > Upload

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 94.0 KB)

Remove | Add files | Add folder

All files and folders in this table will be uploaded.

Find by name

1

Name	Folder	Type	Size
Cycle-2-Interview Topics.pdf	-	application/pdf	94.0 KB

Destination Info

Destination

s3://fixitnow-storage-prod

▶ **Destination details**

Bucket settings that impact new objects stored in the specified destination.

▶ **Permissions**

Grant public access and access to other AWS accounts.

▶ **Properties**

Specify storage class, encryption settings, tags, and more.

Cancel | Upload

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 13:13 17-02-2026

Course Invitation - rudranshdig | Launch AWS Academy Learner | dynamo | Functions | Lambda | Items | Amazon DynamoDB Ma | fixitnow-storage-prod - S3 buc

us-east-1.console.aws.amazon.com/dynamodbv2/home?region=us-east-1#item-explorer?

aws | s3 | Ask Amazon Q | United States (N. Virginia) | Account ID: 2577-8684-3558 | voclabs/user4578087=rudranshdigwa14@gmail.com

DynamoDB > Explore items >

DynamoDB

- Dashboard
- Tables
- Explore items
- PartiQL editor
- Backups
- Exports to S3
- Imports from S3
- Integrations
- Reserved capacity
- Settings

DAX

- Clusters
- Subnet groups
- Parameter groups
- Events

Filter by tag value: Any tag value

Find tables

1

table

Scan | Query

Select a table or index: Table - table

Select attribute projection: All attributes

▸ **Filters - *optional***

Run | Reset

Completed · Items returned: **3** · Items scanned: **3** · Efficiency: **100%** · RCUs consumed: **2**

Table: table - Items returned (3)

Scan started on February 17, 2026, 13:15:39

Actions | Create item

1

unique *(String)*	Bucket	designation	employer	Event	EventTim
emp2		emp	*true*		
4d31a314-ea1d-4bf7...	fixitnow-st...			ObjectCreat...	2026-02-1
emp1		HR	*true*		

CloudShell | Feedback

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

Search | ENG IN | 13:16 17-02-2026