




GIT, GITHUB, GITHUBACTIONS


ÍNDICE


- **Introducción**
- **Ramas**
- **Colaboración en Github**
- **Buenas prácticas**
- **GitFlow**
- **Github Actions**
- **Proyecto final Github**

CONTROL DE VERSIONES




DEVOPS






¿POR QUÉ USAR UN VCS?


SISTEMAS DE CONTROL DE VERSIONES LOCALES



SISTEMAS DE CONTROL DE VERSIONES CENTRALIZA DOS



SISTEMAS DE CONTROL DE VERSIONES DISTRIBUIDOS



HISTORIA DE GIT




¿QUÉ ES
GIT?




git


COPIAS INSTANTÁNEAS, NO DIFERENCIA S




OPERACIONES LOCALES




INTEGRIDAD



ESTADOS DE GIT



LINEA DE COMANDOS




```
C:\Windows\System32\cmd.exe
Microsoft Windows [Version 10.0.18363.657]
(c) 2019 Microsoft Corporation. All rights reserved.

D:\GFG>git init
Initialized empty Git repository in D:/GFG/.git/

D:\GFG>
```

The image shows a Windows Command Prompt window with a black background and white text. The title bar at the top reads 'C:\Windows\System32\cmd.exe'. The window contains the following text: 'Microsoft Windows [Version 10.0.18363.657]', '(c) 2019 Microsoft Corporation. All rights reserved.', 'D:\GFG>git init', 'Initialized empty Git repository in D:/GFG/.git/', and 'D:\GFG>'. A vertical scrollbar is visible on the right side of the window.

GITKRAKEN



SOURCETREE

The screenshot displays the Sourcetree application window for the 'sourcetree-website' repository. The interface includes a top toolbar with icons for Commit, Pull, Push, Branch, Merge, and Shelf. Below the toolbar, there are tabs for 'All Branches', 'Show Remote Branches', and 'Ancestor Order'. The left sidebar contains a 'WORKSPACE' section with options like File status, History (selected), Search, BRANCHES, BOOKMARKS, TAGS, REMOTES, SHELVED, and SUBREPOSITORIES. The main area shows a commit history table with columns for Graph, Commit, Author, Description, and Date. The table lists various commits, including the current commit 'b7358c7' by Rahul Chhabra, which is described as 'Removing ol...'. The commit history is visualized with a graph showing the progression of branches and merges.

Graph	Commit	Author	Description	Date
	b7358c7	Rahul Chhabra	Removing ol...	Mar 3, 2016, 11:...
	bdb8bef	Rahul Chhabra	Merged in update-google-verification (pull request #14)	Feb 18, 2016, 1:3...
	dfe975d	Tyler Tadej...	Update google verificati...	Feb 11, 2016, 2:2...
	3bc3290	Tyler Tadej...	Replace outdated Atlassian logo in footer with base-64 en...	Feb 11, 2016, 2:1...
	dba47f9	Tyler Tadej...	Add gitignore	Feb 11, 2016, 1:3...
	ff67b45	Mike Minns...	Updated Mac min-spec to 10.10	Feb 15, 2016, 11:...
	72d32a8	Michael Min...	Merged in hero_images (pull request #13)	Feb 15, 2016, 10:...
	246c4ff	Joel Unger...	Used TinyPNG to c...	Feb 11, 2016, 3:3...
	9d9438c	Joel Unger...	Replacing hero images with new version of SourceTree	Feb 9, 2016, 2:59...
	ce75b63	Michael Min...	Merged in bug/date-https (pull request #12)	Feb 15, 2016, 10:...
	85367bb	Patrick Tho...	fixed date and https errors	Jan 7, 2016, 12:2...
	4f9b557	Joel Unger...	New Favicon	Feb 8, 2016, 3:55...
	384e6d5	Rahul Chhabra	search console google ver...	Feb 3, 2016, 2:09...
	6fa47a9	Mike Minns...	updated to move supported version to OSX 10.9+	Dec 15, 2015, 2:0...
	8dd87bb	Mike Minns...	remove extra , when a line is skipped due to empty server	Nov 23, 2015, 2:2...
	faa195e	Mike Minns...	Skip records with empty server/user id as gas rejects them	Nov 23, 2015, 2:1...
	0cdf96	Mike Minns...	corrected paths after merge	Nov 23, 2015, 2:0...
	051ab1b	Mike Minns...	corrected column counting	Nov 23, 2015, 1:5...
	a723bc2	Mike Minns...	Merge branch 'au2gex'	Nov 23, 2015, 1:5...
	65fd580	Mike Minns...	deal with invalid instanceids	Nov 23, 2015, 1:5...
	500a892	Michael Min...	Merged in au2gex (pull request #11)	Nov 23, 2015, 1:0...

GITHUB DESKTOP

File Edit View Repository Branch Help

Current repository
desktop

Current branch
esc-pr #3972 ✓

Fetch origin
Last fetched 2 minutes ago

Changes History

Appease linter
iAmWillShepherd committed a day ago

Add event handler to dropdown compon...
iAmWillShepherd and Markus Olsson co...

Move escape behavior to correct compo...
iAmWillShepherd and Markus Olsson co...

Remove event handler from the branches..
iAmWillShepherd and Markus Olsson co...

Merge branch 'master' into esc-pr
iAmWillShepherd committed a day ago

Merge pull request #4044 from desktop/...
Neha Batra committed a day ago

Merge pull request #4070 from desktop/...
Brendan Forster committed 2 days ago

bump to beta3
Brendan Forster committed 2 days ago

Merge pull request #4057 from desktop/...
Brendan Forster committed 2 days ago

Merge pull request #4067 from desktop/...
Brendan Forster committed 2 days ago

Release to 1.1.0-beta2
Neha Batra committed 2 days ago

Add event handler to dropdown component

iAmWillShepherd and Markus Olsson committed c79e71c 1 changed file

Co-Authored-By: Markus Olsson <n1ik@users.noreply.github.com>

app\src\ui\toolbar\dropdown.tsx

		@@ -145,6 +145,10 @@ export class ToolbarDropdown extends React.Component<
145	145	this.state = { clientRect: null }
146	146	}
147	147	
	148	+ private get isOpen() {
	149	+ return this.props.dropdownState === 'open'
	150	+ }
	151	+ }
148	152	private dropdownIcon(state: DropdownState): Octic
149	153	onSymbol {
		// @TODO: Remake triangle octicon in a 12px ver
150	154	// right now it's scaled badly on normal dpi mo
		nitors.
		@@ -249,6 +253,13 @@ export class ToolbarDropdown extends React.Component<
249	253	}
250	254	}
251	255	
	256	+ private onFoldoutKeyDown = (event: React.Keyboard
		Event<HTMLElement>) => {
	257	+ if (!event.defaultPrevented && this.isOpen && e
		vent.key === 'Escape') {
	258	+ event.preventDefault()

G I T H U B



GIT VS GITHUB



1. It is a software

2. It is installed locally on the system

3. It is a command line tool

4. It is a tool to manage different versions of edits, made to files in a git repository

5. It provides functionalities like Version Control System Source Code Management

1. It is a service


2. It is hosted on Web

3. It provides a graphical interface

4. It is a space to upload a copy of the **Git** repository

5. It provides functionalities of Git like VCS, Source Code Management as well as adding few of its own features

LABORATORIO 1



INSTALACIÓN DE GIT EN WINDOWS

 Git 2.6.3 Setup



Welcome to the Git Setup Wizard

This will install Git version 2.6.3 on your computer.

It is recommended that you close all other applications before continuing.

Click Next to continue, or Cancel to exit Setup.




Next >

Cancel

INSTALACIÓN DE GIT EN MAC



LABORATORIO 2



ATOM

The screenshot shows the Atom text editor interface. On the left, a file explorer displays the project structure:

- scipion
 - config
 - install
 - pyworkflow
 - __init__.py
 - change_rpath.py
 - clean.py
 - find_deps.py
 - fix_links.py
 - monitor.py
 - plotter.py
 - run_apache.py
 - run_tests.py
 - split_stacks.py
 - sync_data.py
 - software
 - ghignore
 - README.md
 - scipion
 - SConstruct

The main editor window shows the `sync_data.py` file with the following Python code:


```
177 add('--check-all', action='store_true',
178     help='See if there is any remote dataset not in sync with locals.')
179 add('-v', '--verbose', action='store_true', help='Print more details.')
180
181 return parser
182
183 def listDatasets(url):
184     """ Print a list of local and remote datasets """
185
186     tdir = os.environ['SCIPION_TESTS']
187     print "Local datasets in %s" % yellow(tdir)
188     for folder in sorted(os.listdir(tdir)):
189         if isdir(join(tdir, folder)):
190             if exists(join(tdir, folder, 'MANIFEST')):
191                 print " * %s" % folder
192             else:
193                 print " * %s (not in dataset format)" % folder
194
195     try:
196         print "\nRemote datasets in %s" % yellow(url)
197         for line in sorted(urlopen('%s/MANIFEST' % url)):
198             print " * %s" % line.strip('./\n')
199     except Exception as e:
200         print "Error reading %s (%s)" % (url, e)
201
202
203 def check(dataset, url, verbose=False, updateMANIFEST=False):
204     """ See if our local copy of dataset is the same as the remote one.
205     Return True if it is (if all the checksums are equal), False if not.
206     """
207     def vlog(txt): sys.stdout.write(txt) if verbose else None # verbose log
208     vlog("Checking dataset %s ... " % dataset)
209
210     if updateMANIFEST:
211         createMANIFEST(join(os.environ['SCIPION_TESTS'], dataset))
212     else:
213         vlog("(not updating local MANIFEST) ")
214
215     try:
216         md5sRemote = dict(x.split() for x in
217                           urlopen('%s/%s/MANIFEST' % (url, dataset)))
218         md5sLocal = dict(x.split() for x in
219                          open('%s/MANIFEST' %
220                              os.path.join(os.environ['SCIPION_TESTS'],
221                                             dataset)))
```

The right sidebar shows a function list for the `main` function:


- f() main
- f() get_parser
- f() listDatasets
- f() check
 - f() vlog
 - f() show
- f() download
- f() update
 - f() vlog
 - f() upload
 - f() createMANIFEST
 - f() md5sum
 - f() ask

The status bar at the bottom indicates the file path `scripts/sync_data.py`, line `1:1`, and the editor settings `LF UTF-8 Python master`.

VS CODE



REPOSITORIO DE GIT



INICIALIZAR REPOSITORIO

```
> git init
```



CLONACIÓN

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop (master)
$ cd "new folder"


HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/new folder (master)
$ git clone https://github.com/ImDwivedi1/Git-Example.git
Cloning into 'Git-Example'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), done.

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/new folder (master)
$
```

LABORATORIO 3



GUARDANDO CAMBIOS EN EL REPOSITORIO



GIT STATUS

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ touch demofile
```

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
```

```
$ git status
```

```
On branch master
```

```
Untracked files:
```

```
  (use "git add <file>..." to include in what will be committed)
```

```
    demofile
```

```
nothing added to commit but untracked files present (use "git add" to track)
```

GIT ADD

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ touch newfile.txt


HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        newfile.txt

nothing added to commit but untracked files present (use "git add" to
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/NewDirectory (master)
$ git add newfile.txt
```

GIT IGNORE




GIT DIFF

```
MINGW64:/e/Gitdiffnew

Lenovo@DESKTOP-LU5U500 MINGW64 /e/Gitdiffnew (master)
$ git diff 6eeda c87e1ed hello.txt
diff --git a/hello.txt b/hello.txt
index 01bafad..79cf701 100644
--- a/hello.txt
+++ b/hello.txt
@@ -1,2 @@
-git is a powerful tool for vcs
+git is a powerful tool for vcs .
+Github is a pwerful tool for cvs .
```


GIT COMMIT



```
COMMIT_EDITMSG + (e:\xampp\htdocs\codeigniter\.git) - VIM
# Please enter the commit message for your changes. Lines starting
# with '#' will be ignored, and an empty message aborts the commit.
# On branch master
# Changes to be committed:
#   (use "git reset HEAD <file>..." to unstage)
#
#       modified:   application/config/dx_auth.php
#       deleted:    application/controllers/auth.php
#       deleted:    application/controllers/backend.php
#       modified:   application/libraries/DX_Auth_Event.php
#       deleted:    application/models/dx_auth/login_attempts.php
#       deleted:    application/models/dx_auth/permissions.php
#       deleted:    application/models/dx_auth/roles.php
#       deleted:    application/models/dx_auth/user_autologin.php
#       deleted:    application/models/dx_auth/user_profile.php
#       deleted:    application/models/dx_auth/user_temp.php
#       deleted:    application/models/dx_auth/users.php
#       deleted:    application/views/modules/dx_auth/auth/cancel_account_form.p
hp
#       deleted:    application/views/modules/dx_auth/auth/change_password_form.
php
@
e:\xampp\htdocs\codeigniter\.git\COMMIT_EDITMSG[+] [unix] (00:46 15/04/2011)1,1 Top
-- INSERT --
```

OPCIONES

Confirma la instantánea preparada

```
git commit
```

Confirma una instantánea de todos los cambios del directorio de trabajo.

```
git commit -a
```

Si se usa la opción **-m**, se omitirá la solicitud de editor de texto a favor de un mensaje insertado.

```
git commit -m "commit message"
```

Esta combinación crea inmediatamente una confirmación de todos los cambios preparados y aplica un mensaje de confirmación insertado.

```
git commit -am "commit message"
```

Al pasar esta opción, se modificará la última confirmación. En vez de crear una nueva confirmación, los cambios preparados se añadirán a la confirmación anterior

```
git commit --amend
```

GIT RM

```
HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/GitExample2 (master)
$ git rm --cached newfile1.txt
rm 'newfile1.txt'

HiMaNshU@HiMaNshU-PC MINGW64 ~/Desktop/GitExample2 (master)
$ git status
on branch master
changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        deleted:    newfile1.txt


untracked files:
  (use "git add <file>..." to include in what will be committed)
        newfile1.txt
```

GIT MV

```
Activities Terminal Feb 28 14:50
satyajit@satyajit: ~/Desktop/GFG/code
satyajit@satyajit:~/Desktop/GFG$ git mv gfg.py code/gfg.py
satyajit@satyajit:~/Desktop/GFG$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        renamed:    gfg.py -> code/gfg.py

satyajit@satyajit:~/Desktop/GFG$ ls
code
satyajit@satyajit:~/Desktop/GFG$ cd code
satyajit@satyajit:~/Desktop/GFG/code$ ls
gfg.py
satyajit@satyajit:~/Desktop/GFG/code$
```

LABORATORIO 4



GIT LOG

```
$ git log --format=medium
commit 5bf53efc38e1d780b32daf7c1d9acb54a7e93936
Author: Will Anderson <will@itsananderson.com>
Date: Mon Jul 21 08:27:50 2014 -0700

    Normalize indents to 4 spaces for all source files

commit bb82a7ab75f14cceb5d8f8a60e97bfa8a2ceabbe
Author: Will Anderson <will@itsananderson.com>
Date: Mon Jul 21 01:11:38 2014 -0700

    Bump version to 0.2.4

commit d9bb2ff54751797208c0e551004cab1c1adb01cc
Author: Will Anderson <will@itsananderson.com>
Date: Mon Jul 21 01:11:18 2014 -0700

    Update .npmignore with new dev files

commit c75067e0f76c0e0adad58bb1ac663834f572f696
Author: Will Anderson <will@itsananderson.com>
Date: Sun Jul 20 23:00:44 2014 -0700

    Add full coverage for application mixin


commit 98ee9cbbb4454912d352b8bdb6a3dcbcd64a38f9
Author: Will Anderson <will@itsananderson.com>
Date: Sun Jul 20 14:34:18 2014 -0700

    Add full coverage for routeParams utility
```

OPCIONES

Opción	Descripción de la salida
%H	Hash de la confirmación
%h	Hash de la confirmación abreviado
%T	Hash del árbol
%t	Hash del árbol abreviado
%P	Hashes de las confirmaciones padre
%p	Hashes de las confirmaciones padre abreviados
%an	Nombre del autor
%ae	Dirección de correo del autor
%ad	Fecha de autoría (el formato respeta la opción - date)
%ar	Fecha de autoría, relativa
%cn	Nombre del confirmador
%ce	Dirección de correo del confirmador
%cd	Fecha de confirmación
%cr	Fecha de confirmación, relativa
%s	Asunto

LABORATORIO 5



GIT RESET

```
PC@PC-PC MINGW64 ~/Desktop/ghj/decodingdevops (master)
$ git status
On branch master
Your branch is based on 'origin/master', but the upstream is gone.
    (use "git branch --unset-upstream" to fixup)

Changes to be committed:
  (use "git reset HEAD <file>..." to unstage)

        new file:   abc.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)

        decoding.txt

PC@PC-PC MINGW64 ~/Desktop/ghj/decodingdevops (master)
$
```

GIT CHECKOUT

```
MINGW64:/d/GeeksForGeeks-Branching and merging


Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (master)
$ git branch
* master
  next-five-even-odd

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (master)
$ git checkout next-five-even-odd
Switched to branch 'next-five-even-odd'

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (next-five-even-odd)
$ git branch
  master
* next-five-even-odd

Asus@Asus-PC MINGW64 /d/GeeksForGeeks-Branching and merging (next-five-even-odd)
$ ..
```


LABORATORIO 6



GIT TAG



ETIQUETA ANOTADA Y LIGERA

🔗 users/jamal/branch-from-demo ▾ FabrikamFiber / Type to find a file or folder...

> Source explorer

Simple history (...) ▾ Author ▾ From date 📅 To date

Graph	Commit	Message
	b9650f0	Merged PR 6: Deleted Readme.txt
	a2db383f	Merged PR 7: Updated ReadMe.txt
	4162b62f	adMe.txt to project
	90bdd18e	d FabrikamData.cs
	50e36059	dMe.txt to project
	22606022	Merged PR 3: Add zip code to data model

1

...

2

Copy full SHA


New branch...

Create tag...


ALIAS

```
Terminal
File Edit View Search Terminal Help
~ $git config --global alias.co checkout
~ $git config --global alias.br branch
~ $git config --global alias.co checkout
~ $git config --global alias.br branch
~ $
```



EJERCICIO 1




RAMIFICACIONES




¿QUE ES UNA RAMA?




APUNTADOR MOVIL




NUEVAS RAMAS




MOVERNOS DE UNA RAMA A OTRA



MOVERNOS DE UNA RAMA A OTRA




¿QUE NOS
QUEDA
FINALMENTE
?



EJEMPLO

- 1. Trabajas en un sitio web.
- 2. Creas una rama para un nuevo tema sobre el que quieres trabajar.
- 3. Realizas algo de trabajo en esa rama.
- - En este momento, recibes una llamada avisándote de un problema crítico que has de resolver. Y sigues los siguientes pasos:
 - 1. Vuelves a la rama de producción original.
 - 2. Creas una nueva rama para el problema crítico y lo resuelves trabajando en ella.
 - 3. Tras las pertinentes pruebas, fusionas (merge) esa rama y la envías (push) a la rama de producción.
 - 4. Vuelves a la rama del tema en que andabas antes de la llamada y continuas tu trabajo


PASO 1




RECIBES LA LLAMADA

```
$ git checkout master  
Switched to branch 'master'
```

```
$ git checkout -b hotfix  
Switched to a new branch 'hotfix'  
$ vim index.html  
$ git commit -a -m 'fixed the broken email address'  
[hotfix 1fb7853] fixed the broken email address  
1 file changed, 2 insertions(+)
```



MERGE




SOLUCIONA MOS EL PROBLEMA URGENTE

```
$ git checkout master
$ git merge hotfix
Updating f42c576..3a0874c
Fast-forward
 index.html | 2 ++
 1 file changed, 2 insertions(+)
```


```
$ git branch -d hotfix
Deleted branch hotfix (3a0874c).
```

```
$ git checkout iss53
Switched to branch "iss53"
$ vim index.html
$ git commit -a -m 'finished the new footer [issue 53]'
[iss53 ad82d7a] finished the new footer [issue 53]
 1 file changed, 1 insertion(+)
```


SITUACIÓN ACTUAL




RESOLVIENDO EL PROBLEMA INICIAL



DEMO



EJERCICIO 2



CONFLICTOS

```
killmer@hp MINGW64 ~/Desktop/pruebagit (prod)
$ git merge home
Auto-merging home.html
CONFLICT (content): Merge conflict in home.html
Automatic merge failed; fix conflicts and then commit the result.
```

```
Accept Current Change | Accept Incoming Change | Accept Both Changes | Compare Changes
<<<<<< HEAD (Current Change)
hola
=====
que???
>>>>>> home (Incoming Change)
```


GIT BRANCH


```
$ git branch
  iss53
* master
  testing
```

```
$ git branch --merged
  iss53
* master
```



```
$ git branch -v
  iss53    93b412c fix javascript issue
* master  7a98805 Merge branch 'iss53'
  testing  782fd34 add scott to the author list in the readmes
```

```
$ git branch -d testing
error: The branch 'testing' is not fully merged.
If you are sure you want to delete it, run 'git branch -D testing'.
```


RAMAS DE LARGO RECORRIDO




RAMAS PUNTUALES




DEMO



EJERCICIO 3



REPOSITARIOS REMOTOS



GIT REMOTE

```
$ cd grit
$ git remote -v
bakkdoor https://github.com/bakkdoor/grit (fetch)
bakkdoor https://github.com/bakkdoor/grit (push)
cho45 https://github.com/cho45/grit (fetch)
cho45 https://github.com/cho45/grit (push)
defunkt https://github.com/defunkt/grit (fetch)
defunkt https://github.com/defunkt/grit (push)
koke git://github.com/koke/grit.git (fetch)
koke git://github.com/koke/grit.git (push)
origin git@github.com:mojombo/grit.git (fetch)
origin git@github.com:mojombo/grit.git (push)
```

GIT REMOTE ADD

```
Welcome@Welcome-PC MINGW64 /e/git-demos/pull-tst (master)
$ git remote add my_bootstrap https://github.com/git-test-jaz/bootstrap.git

Welcome@Welcome-PC MINGW64 /e/git-demos/pull-tst (master)
$ git remote -v
my_bootstrap      https://github.com/git-test-jaz/bootstrap.git (fetch)
my_bootstrap      https://github.com/git-test-jaz/bootstrap.git (push)
origin https://github.com/git-test-jaz/tst-pull-2.git (fetch)
origin https://github.com/git-test-jaz/tst-pull-2.git (push)

Welcome@Welcome-PC MINGW64 /e/git-demos/pull-tst (master)
$
```

GIT REMOTE SHOW


```
$ git remote show origin
* remote origin
Fetch URL: https://github.com/schacon/ticgit
Push URL: https://github.com/schacon/ticgit
HEAD branch: master
Remote branches:
  master                tracked
  dev-branch            tracked
Local branch configured for 'git pull':
  master merges with remote master
Local ref configured for 'git push':
  master pushes to master (up to date)
```


MODIFICACIONES SOBRE CONEXIÓN


```
git remote rm <name>
```

```
git remote rename <old-name> <new-name>
```





GIT FETCH




RAMAS REMOTAS



GIT FETCH



GIT PUSH



COMANDOS

```
git push <remote> <branch>
```

```
git push <remote> --all
```


```
git push <remote> --tags
```

GIT PULL

git fetch




git pull




ELIMINAR RAMAS REMOTAS

```
git push origin --delete fix/authentication
```



DEMO




LABORATORIO 7




LABORATORIO 8




LABORATORIO 9



EJERCICIO 4



G I T H U B




GitHub

FORK



Fork

FLUJO DE TRABAJO ADMINISTRA DOR- INTEGRACIÓN



FLUJO DE TRABAJO

1. Se crea una rama a partir de master.
2. Se realizan algunos commits hacia esa rama.
3. Se envía esa rama hacia tu copia (fork) del proyecto.
4. Abres un Pull Request en GitHub.
5. Se participa en la discusión asociada y, opcionalmente, se realizan nuevos commits.
6. El propietario del proyecto original cierra el Pull Request, bien fusionando la rama con tus cambios o bien rechazándolos.

EJEMPLO

 **schacon** / **blink**

Watch 0 Star 0 Fork 0

branch: master **blink** / **blink.ino**

 **schacon** on Jun 12 my arduino blinking code (from arduino.cc)
1 contributor

25 lines (20 sloc) 0.71 kb

Raw Blame History

```
1  /*
2    Blink
3    Turns on an LED on for one second, then off for one second, repeatedly.
4
5    This example code is in the public domain.
6  */
7
8  // Pin 13 has an LED connected on most Arduino boards.
9  // give it a name:
10 int led = 13;
11
12 // the setup routine runs once when you press reset:
13 void setup() {
14   // initialize the digital pin as an output.
15   pinMode(led, OUTPUT);
16 }
17
18 // the loop routine runs over and over again forever:
19 void loop() {
20   digitalWrite(led, HIGH); // turn the LED on (HIGH is the voltage level)
21   delay(1000);             // wait for a second
22   digitalWrite(led, LOW);  // turn the LED off by making the voltage LOW
23   delay(1000);             // wait for a second
24 }
```

PULL REQUEST

 **tonychacon / blink**
forked from [schacon/blink](#)

[Unwatch](#) 1 [Star](#) 0 [Fork](#) 1

Example file to blink the LED on an Arduino — Edit

[2](#) commits [2](#) branches [0](#) releases [1](#) contributor

Your recently pushed branches:

[slow-blink](#) (less than a minute ago) [Compare & pull request](#)

[branch: master](#) [blink / +](#)

This branch is even with [schacon:master](#) [Pull Request](#) [Compare](#)

Create README.md

 **schacon** authored on Jun 12 latest commit [bbc80f9b29](#)

[README.md](#) Create README.md 4 months ago

[blink.ino](#) my arduino blinking code (from arduino.cc) 4 months ago

[README.md](#)

Blink

This repository has an example file to blink the LED on an Arduino board.

[Code](#)

[Pull Requests](#) 0

[Wiki](#)

[Pulse](#)

[Graphs](#)

[Settings](#)

HTTPS clone URL
<https://github.com/>

You can clone with [HTTPS](#), [SSH](#), or [Subversion](#).

[Clone in Desktop](#)

[Download ZIP](#)

PULL REQUEST

schacon / blink

Watch 0 Star 0 Fork 1

Three seconds is better #2

Edit New Issue

Open tonychacon wants to merge 1 commit into schacon:master from tonychacon:slow-blink

Conversation 0 Commits 1 Files changed 1

+2 -2

Showing 1 changed file with 2 additions and 2 deletions.

Unified Split

4 blink.ino

Show notes View

@@ -18,7 +18,7 @@ void setup() {

18 // the loop routine runs over and over again forever:

19 void loop() {

20 digitalWrite(led, HIGH); // turn the LED on (HIGH is the voltage level)

21 - delay(1000); // wait for a second

22 digitalWrite(led, LOW); // turn the LED off by making the voltage LOW

23 - delay(1000); // wait for a second

18 // the loop routine runs over and over again forever:

19 void loop() {

20 digitalWrite(led, HIGH); // turn the LED on (HIGH is the voltage level)

21 + delay(3000); // wait for a second

22 digitalWrite(led, LOW); // turn the LED off by making the voltage LOW

23 + delay(3000); // wait for a second

Write Preview

Parsed as Markdown Edit in fullscreen

I believe it would be better if the light was off for 4 seconds and on for just 3.

Attach images by dragging & dropping, selecting them, or pasting from the clipboard.

Close form Comment on this line

DISCUSIÓN

Three seconds is better #2

 **tonychacon** wants to merge 3 commits into `schacon:master` from `tonychacon:slow-blink`

 Conversation **3**  Commits **3**  Files changed **1**



tonychacon commented 11 minutes ago

Studies have shown that 3 seconds is a far better LED delay than 1 second.

<http://studies.example.com/optimal-led-delays.html>

  three seconds is better

db44c53

  **schacon** commented on an outdated diff 5 minutes ago

 Show outdated diff



schacon commented 5 minutes ago

Owner  

If you make that change, I'll be happy to merge this.

 **tonychacon** added some commits 2 minutes ago

  longer off time

@c1f66f

  remove trailing whitespace

ef4725c



tonychacon commented 10 seconds ago

I changed it to 4 seconds and also removed some trailing whitespace that I found. Anything else you would like me to do?




This pull request can be automatically merged.

You can also merge branches on the [command line](#).




 Merge pull request



LABORATORIO 10




PRUEBA







REBASE







REGLA DE ORO




EJEMPLO



EJEMPLO II



DEMO



CREACION REPOSITORI O

Owner **Repository name**

PUBLIC   ben / iOSApp 

Great repository names are short and memorable. Need inspiration? How about **drunken-dubstep**.

Description (optional)

iOS project for our mobile group

☒  **Public**
Anyone can see this repository. You choose who can commit.

☐  **Private**
You choose who can see and commit to this repository.

☐ **Initialize this repository with a README**
This will allow you to `git clone` the repository immediately. Skip this step if you have already run `git init` locally.

Add .gitignore: **None**  | Add a license: **None**  

Create repository

AÑADIR COLABORAD ORES

Options
Collaborators
Webhooks & Services
Deploy keys

Collaborators		Full access to the repository
	Ben Straub ben	×
	Jeff King peff	×
	Louise Corrigan LouiseCorrigan	×
Type a username		Add collaborator

G E S T I O N P U L L R E Q U E S T

[fade] Wait longer to see the dimming effect better (#1)



Scott Chacon <notifications@github.com>

10:05 AM (0 minutes ago) ☆



to tonychacon/fade [Unsubscribe](#)

One needs to wait another 10 ms to properly see the fade.

You can merge this Pull Request by running

```
git pull https://github.com/schacon/fade patch-1
```

Or view, comment on, or merge it at:

<https://github.com/tonychacon/fade/pull/1>

Commit Summary

- wait longer to see the dimming effect better

File Changes

- M [fade.ino](#) (2)

Patch Links:

- <https://github.com/tonychacon/fade/pull/1.patch>
- <https://github.com/tonychacon/fade/pull/1.diff>

Reply to this email directly or [view it on GitHub](#).

ARCHIVOS ESPECIALES

Please review the [guidelines for contributing](#) to this repository.

Title

Write

Preview

 Parsed as Markdown  Edit in fullscreen

Leave a comment

Attach images by dragging & dropping, [selecting them](#), or pasting from the clipboard.




We can't automatically merge these branches.

Don't worry, you can still create the pull request.

Create pull request

ORGANIZACIONES



EQUIPOS

 chaconcorp 

Filters ▾

+ New repository

deployscripts

scripts for deployment

Updated 16 hours ago

★ 0 | 0

backend

Backend Code

Updated 16 hours ago

★ 0 | 0

frontend

Frontend Code

Updated 16 hours ago

★ 0 | 0

People 3 >

 **dragonchacon**
Dragon Chacon

 **schacon**
Scott Chacon

 **tonychacon**
Tony Chacon

Invite someone

Teams 3 >

Owners
1 member · 3 repositories

Frontend Developers
2 members · 2 repositories

Ops
3 members · 1 repository

Create new team

AUDITORIAS

 chaconcorp

 People 3

 Teams 3

 Audit log



Recent events

Filters ▾
Yesterday's activity
Organization membership
Team management
Repository management
Billing updates
Hook activity

**dragonchacon**
added themselves to the chaconcorp/ops team

**schacon**
added themselves to the chaconcorp/ops team

**tonychacon**
invited dragonchacon to the chaconcorp organization

**tonychacon**
invited schacon to the chaconcorp organization

**tonychacon**
gave chaconcorp/ops access to chaconcorp/backend

**tonychacon**
gave chaconcorp/frontend-developers access to chaconcorp/backend

**tonychacon**
gave chaconcorp/frontend-developers access to chaconcorp/frontend

**tonychacon**
created the repository chaconcorp/deployscripts

**tonychacon**
created the repository chaconcorp/backend

member

32 minutes ago

member

33 minutes ago

member

16 hours ago

org.invite_member

16 hours ago

team.add_repository

16 hours ago

team.add_repository

16 hours ago

team.add_repository

16 hours ago


repo.create

16 hours ago


repo.create

16 hours ago


PRUEBA




EJERCICIO 5



DESARROLLO BASADO EN TRONCOS



GITFLOW



RAMAS PRINCIPALES



FEATURE

FEATURE/*

Git

```
# Creación
git checkout -b feature/lorem-ipsum develop

# Finalización
git checkout develop
git merge --no-ff feature/lorem-ipsum
git branch -d feature/lorem-ipsum
git push origin develop
```


Git Flow

```
# Creación
git flow feature start lorem-ipsum

# Finalización
git flow feature finish lorem-ipsum
```

feature
branches

develop



RELEASE

RELEASE/«VERSION»

Git

```
# Creación
git checkout -b release/v2.3.0 develop

# Finalización
git checkout master
git merge --no-ff release/v2.3.0
git tag -a v2.3.0


git checkout develop
git merge --no-ff release/v2.3.0

git branch -d release/v2.3.0
```


Git Flow

```
# Creación
git flow release start v2.3.0

# Finalización
git flow release finish v2.3.0
```



DEMO



HOTFIX

HOTFIX/«VERSION»

Git

```
# Creación
git checkout -b hotfix/v2.3.7 master

# Finalización
git checkout master
git merge --no-ff hotfix/v2.3.7
git tag -a v2.3.7


git checkout develop
git merge --no-ff hotfix/v2.3.7

git branch -d hotfix/v2.3.7
```


Git Flow

```
# Creación
git flow hotfix start v2.3.7


# Finalización
git flow hotfix finish v2.3.7
```



DEMO




EJERCICIO 6




S O U R C E T R E E




LABORATORIO 11




LABORATORIO 12




LABORATORIO 13




GITFLOW VS TRONCO



DEMO




EJERCICIO 7




GIT HOOKS




LISTA DE HOOKS




DEMO




DEMO




EJERCICIO 8



DEMO



EJERCICIO 9



PROYECTO FINAL

