



/v3/api-docs

Explore

OpenAPI definition

v0 OAS3

/v3/api-docs

Servers

<http://localhost:8080> - Generated server url

vehicle-controller

**POST** /vehicle/vehicle

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "vname": "shine",
  "comp": "HONDA",
  "vnumber": "MH15MS8081",
  "vtype": "bike",
  "user": {
    "uid": 2,
    "uname": "rohit",
    "email": "rohit@gmail.com",
    "password": "12345678",
    "city": "pune",
    "contNo": "9564307193"
  }
}
```



Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/vehicle/vehicle' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "vname": "shine",
    "comp": "HONDA",
    "vnumber": "MH15MS8081",
    "vtype": "bike",
    "user": {
      "uid": 2,
      "uname": "rohit",
      "email": "rohit@gmail.com",
      "password": "12345678",
      "city": "pune",
      "contNo": "9564307193"
    }
  }'
```

Request URL

http://localhost:8080/vehicle/vehicle

Server response

Code

Details

201

Undocumented

Response body

```
{
  "id": 4,
  "vname": "shine",
  "comp": "HONDA",
  "vnumber": "MH15MS8081",
  "vtype": "bike",
  "user": {
    "uid": 2,
    "uname": "rohit",
    "email": "rohit@gmail.com",
    "password": "12345678",
    "city": "pune",
    "contNo": "9564307193"
  }
}
```

[Download](#)

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue, 18 Jun 2024 10:52:54 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code	Description	Links
200	<p>OK</p> <p>Media type</p> <div><code>*/*</code></div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <div><code>{}</code></div>	No links

GET

/vehicle/{uname}



Parameters

Cancel

Name	Description
------	-------------

uname * requiredstring
(path)

rohit

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'http://localhost:8080/vehicle/rohit' \  
  -H 'accept: */*'
```

Request URL

`http://localhost:8080/vehicle/rohit`

Server response

Code

Details

200

Response body

```
[
  {
    "id": 3,
    "vname": "passion",
    "comp": "HERO",
    "vnumber": "MH15MS8080",
    "vtype": "bike",
    "user": {
      "uid": 2,
      "uname": "rohit",
      "email": "rohit@gmail.com",
      "password": "12345678",
      "city": "pune",
      "contNo": "9564307193"
    }
  },
  {
    "id": 4,
    "vname": "shine",
    "comp": "HONDA",
    "vnumber": "MH15MS8081",
    "vtype": "bike",
    "user": {
      "uid": 2,
      "uname": "rohit",
      "email": "rohit@gmail.com",
      "password": "12345678",
      "city": "pune",

```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Tue,18 Jun 2024 10:53:16 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Links

200

OK

No links

Media type

/

Controls Accept header.

Example Value Schema

```
{}
```

DELETE

/vehicle/{uname}

Parameters

Cancel

Name	Description
<div>uname * required</div> <div>string</div> <div>(path)</div>	<div>rohit</div>

Execute

Clear

Responses

Curl

curl -X 'DELETE' \

'http://localhost:8080/vehicle/rohit' \

-H 'accept: */*'

Request URL

http://localhost:8080/vehicle/rohit

Server response

Code	Details
200	<div><div>Response body</div><div><div>{</div><div>"message": "Vehicles successfully deleted for user : rohit",</div><div>"ts": "2024-06-18T16:25:06.30047"</div><div>}</div></div><div><div>Response headers</div><div>connection: keep-alive</div><div>content-type: application/json</div><div>date: Tue,18 Jun 2024 10:55:06 GMT</div><div>keep-alive: timeout=60</div><div>transfer-encoding: chunked</div></div></div> <div><div>Download</div></div>

Responses

Code	Description	Links
200	OK	No links

Code	Description	Links
	Media type <div>*/*</div> Controls Accept header. Example Value Schema { }	

user-controller



POST /api/users

Parameters

Cancel

Reset

No parameters

Request body **required**

application/json

```
{
  "uname": "rohit",
  "email": "rohit@gmail.com",
  "password": "12345678",
  "city": "pune",
  "contNo": "9564307193"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/users' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "uname": "rohit",
    "email": "rohit@gmail.com",
    "password": "12345678",
    "city": "pune",
    "contNo": "9564307193"
  }'
```

Request URL

http://localhost:8080/api/users

Server response

Code	Details
200	<div><div>Response body</div><div><pre>{ "uid": 2, "uname": "rohit", "email": "rohit@gmail.com", "password": "12345678", "city": "pune", "contNo": "9564307193" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>connection: keep-alive content-type: application/json date: Tue,18 Jun 2024 10:51:10 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div></div>

Responses

Code	Description	Links
200	<div><div>OK</div><div><div>Media type</div><div><div>*/*</div></div><div>Controls Accept header.</div><div><div>Example Value</div><div>Schema</div><div><pre>{}</pre></div></div></div></div> <div>No links</div>	

DELETE

/api/{uname}

Parameters

Cancel

Name	Description
<div>uname * required</div> <div>string</div> <div>(path)</div>	<div>rohit</div>

Execute

Clear

Responses

Curl

curl -X 'DELETE' \

'http://localhost:8080/api/rohit' \

-H 'accept: */*'

Request URL

http://localhost:8080/api/rohit

Server response

Code	Details
200	<div><div>Response body</div><div><div>{</div><div>"message": "User deleted Successfully",</div><div>"ts": "2024-06-18T16:25:14.8163574"</div><div>}</div></div><div><div>Response headers</div><div>connection: keep-alive</div><div>content-type: application/json</div><div>date: Tue,18 Jun 2024 10:55:14 GMT</div><div>keep-alive: timeout=60</div><div>transfer-encoding: chunked</div></div></div>

Responses

Code	Description	Links
200	OK	No links

Download

Code	Description	Links
	<p>Media type</p> <div><code>*/*</code></div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <p><code>{}</code></p>	

Schemas	^
<p>User</p>	
<p>Vehicle</p>	