


**git install**

---

# Git Install instructions


- Download git here (v2.38.0; 64-bit version for Windows)
- Once downloaded, right-click install, and run as administrator.
- The local install path should be C:\Program Files\Git:



# Git Install instructions

## Defaults to set


- Select default components (**nothing to tick/untick here**)



# Git Install instructions

## Defaults to set

- Change default text editor for git




- You can set this to your favourite text editor (Notepad ++, Sublime, VSCode etc.)
- Make sure that the selected text editor is installed to proceed.
- If you don't know what to choose, choose Notepad for now.

# Git Install instructions

## Defaults to set

- Override the default branch name in git to "main"



Git 2.37.1 Setup

**Adjusting the name of the initial branch in new repositories**  
What would you like Git to name the initial branch after "git init"?

☐ Let Git decide

Let Git use its default branch name (currently: "master") for the initial branch in newly created repositories. The Git project [intends](#) to change this default to a more inclusive name in the near future.

☒ **Override the default branch name for new repositories**

**NEW!** Many teams already renamed their default branches; common choices are "main", "trunk" and "development". Specify the name "git init" should use for the initial branch:


This setting does not affect existing repositories.

<https://gitforwindows.org/>

# Git Install instructions

## Defaults to set


- Select “Use Git from Git Bash only”



# Git Install instructions


## Defaults to set

- Use bundled OpenSSH”



## Defaults to set


- Use the OpenSSL Library






## Defaults to set

- Checkout Windows-style, commit Unix-style line endings




## Defaults to set

- Use MinTTY (the default terminal of MSYS2)



## Defaults to set


- Choose the default (fast-forward or merge) as the standard behaviour of git pull



# Git Install instructions


## Defaults to set

- Install Git Credential Manager as credential helper



## Defaults to set


- Enable file system caching



# Git Install instructions

## Defaults to set

- Don't enable experimental options



**That's it!**