

MATERIAL SAFETY DATA SHEET

HIND ERS UL			
1. IDENTIFICATION OF THE SUBSTANCE/MANUFACTURING COMPANY			
Product name		Hind ERS UL	
Chemical Name		Three Component High Strength Epoxy Underlay	
Supplier		HINDCON CHEMICALS LIMITED	
Registered Office		Works	
62B, Braunfeld Row, 1st Floor, Kolkata-700027 Ph. No:- 033 2449 0835/39. Fax:- 033 2449 0849		Baniyara, P.O. Begari, Jalan complex, Gate No – 3 Howrah 711411. Mouza Narendrapur, P.O-Munsirhat, G.P-Shankarhati- II, P.S-Jagatballavpur, Dist: Howrah, Pin: 711410	
2. HAZARDS IDENTIFICATION			
Inhalation		Prolonged or repeated exposure may be irritating to the respiratory tract with Bronchitis symptoms. Bronchitis.	
Ingestion		Abdominal cramps, nausea, diarrhea & vomiting may occur.	
Skin Contact		Slight irritating.	
Eye Contact		Can cause irritation.	
3. COMPOSITION/INFORMATION ON INGREDIENTS			
Component	Percentage (%)	HSN CODE	CAS No.
Comp A- Bisphenol A Resin	Trade Secret	39073010	25068-38-6
Comp B - Polyamide Hardener	Trade Secret	29212990	1761-71-3
4. FIRST-AID MEASURES			
Inhalation		Move victim to fresh air and in well ventilated space. Seek medical advice.	
Ingestion		Do not induce victim to vomiting until directed by medical personnel. Unconscious person should not be given anything by mouth. Loosen tight clothing, belt, collar and tie. Medical assistance to be arranged if symptoms are noticed.	
Skin contact		Wash properly with soap and plenty of water for at 10-15 minutes and remove contaminated clothing, shoes and seek medical advice.	
Eye contact		If victim is wearing contact lenses, remove it and immediately flush eyes with clean water for 15 minutes with eyelids kept wide open. Cold water is to be used with applying any eye ointment. Seek Medical attention.	
Other Information		In case of accident or if you feel unwell, seek medical advice immediately. Bring and follow safety data sheet.	
5. FIRE FIGHTING MEASURES			
Extinguishing media		CO ₂ , Foam, extinguishing powder, in case of larger fires water spray should be used.	
Special Fire Fighting method		Fire fighter must wear self-contained breathing apparatus.	

Unusual Fire & Explosion Hazards	High volume water jet, Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes. Firemen must wear self-contained breathing apparatus.
6. ACCIDENTAL RELEASE MEASURES	
Steps to be followed in case the material is released or spilled	Do not allow to enter into waterways, wastewater or soil.
7. EXPOSURE CONTROLS/PERSONAL PROTECTION	
a) Engineering measures	Use only in well-ventilated areas under normal use conditions. Keep the container tightly closed when not in use.
b) Personal Protective Equipment	
Hands	Suitable gloves (AS2161 Type) are recommended.
Eyes	Safety goggles or face shield is recommended.
Respiratory protection	Respiratory protection required in insufficiently ventilated working areas and during spraying
Other protective equipment	Eye wash facility. Use barrier creams to protect skin from contact with the product.
8. HANDLING AND STORAGE	
Precautions for safe handling	Store between in a cool and dry place. The container should be tightly closed and kept away from all sources of heat and ignition.
Other precautions	Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.
9. PHYSICAL AND CHEMICAL PROPERTIES	
Color	Comp A - Clear Transparent, Comp B – Reddish Brown
Odour	Distinct Odour
Initial Boiling Point	120-140°C
Specific Gravity (Mixed material)	1.0 to 1.2
Flash Point °C	>50°C, Comp
Vapor Pressure	0.01 kPa
Flammability	Combustible substance. This product will burn if exposed to fire.
10. STABILITY AND REACTIVITY	
Stability	Stable under normal conditions.
Conditions to be avoided	Temperatures below 0°C and above 50°C.
Incompatibility/Materials to be avoided	Oxidizing agents, strong acids, alkalis and Halogens.
Hazardous decomposition products	Thermal decomposition and combustion produce noxious fumes of carbon.
Hazardous Polymerization	Will not occur.
11. TOXICOLOGICAL INFORMATION	
The following toxicological assessment is based on the knowledge of the toxicity of the product components. Oral LD 50, Rat >5g/kg	
By Inhalation	Low volatility makes inhalation unlikely at ambient temperatures.
Eye contact	May cause redness and transient irritation.
On Skin	Unlikely to cause harm on small time or occasional contact.

Chronic	Not Known
By Ingestion	Prolonged or repeated skin contact may lead to allergic contact dermatitis and sensitization in some individuals
12. ECOLOGICAL INFORMATION	
Environmental Assessment	Prevent this material entering waterways, drains and sewers.
Mobility	Insoluble in water.
Persistence & Degradability	Expected not to be readily biodegradable.
Eco toxicity	Expected to be Eco toxic to dish/algae/daphnia
Bio accumulative	Potential Not expected to be bio accumulative.
13. DISPOSAL INFORMATION	
Disposal are to be done in accordance with Local Governmental rules and regulations. Unused Product: Disposal to be done through authorized waste agency and dumped at licensed site. Used/ Contaminated Product: Same as unused product. Packaging: May be solvent cleaned and recycled.	
14. TRANSPORT INFORMATION	
This product is not classified as dangerous for Transport.	
UN Number	2735, 3082
Subsidiary Risk	30
Dangerous goods class	8,9
EPG Card	9C1
Packing Instructions	P001
Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Packing Group	III
Poisons Schedule	S6
Hazchem code	2X
15. REGULATORY INFORMATION (Risk & Safety Phrases)	
Risk Phrase	R36/38: Irritating to skin and eyes
Poisons Schedule	S28
Safety Phrase	S23 Breathing gas/fumes/vapor/spray is not allowed.
Hazard Category	Irritant ,Dangerous for the environment
Classification	3
16. OTHER HEALTH & SAFETY INFORMATION	
Recommended uses & restrictions	If is product is re-formulated, re-distributed for sale to others, details for hazards and methods for safe handling must be circulated to the customers. Customers must ensure that the product is suitable for use of their own purpose. It is the customers obligation to ensure that a suitable and safe assessment of the risks created by a work activity using the product is undertaken before use.

DISCLAIMER OF LIABILITY

This safety data sheet is based on **Hindcon Chemicals Limited** present knowledge and experience, and is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. The information mentioned in this MSDS is based on present knowledge and obtained from sources which we believe are reliable. However, the information provided is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. We are not responsible and disclaim liability for loss, damage or expense incurred arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

