

MATERIAL SAFETY DATA SHEET

HIND ERS 21 P		
1. IDENTIFICATION OF THE SUBSTANCE/MANUFACTURING COMPANY		
Product name	Hind ERS 21 P	
Chemical Name	Solvent Free Low Viscous Epoxy Primer	
Supplier	HINDCON CHEMICALS LIMITED	
Registered Office	Works	
62B, Braunfeld Row, 1st Floor, Kolkata-700027 Ph. No:- 033 2449 0835/39. Fax:- 033 2449 0849	Baniyara, P.O. Begari, Jalan complex, Gate No – 3 Howrah 711411.	
2. HAZARDS IDENTIFICATION		
Inhalation	May cause irritation to the respiratory tract, with symptoms of Bronchitis.	
Ingestion	May cause abdominal cramps, nausea, vomiting, diarrhea	
Skin Contact	Slightly irritating.	
Eye Contact	May cause irritation	
3. COMPOSITION/INFORMATION ON INGREDIENTS		
Component	Percentage	CAS No
Comp A- Bisphenol A Epoxy resin	40 - 50 %	25068-38-6
Alkyl Glycidyl Ether	30 – 40 %	68609-97-2
Solvent & Additives	5 – 11 %	Trade secret
Comp B-Polyamide Hardener	10 -12%	112-24-3
4. FIRST-AID MEASURES		
Inhalation	Allow the victim to rest in a well ventilated area. Seek a medical attention.	
Skin contact	In case of contact, take of all contaminated clothes immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Seek a medical attention.	
Eye contact	Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek a medical attention.	
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.	

5. FIRE FIGHTING MEASURES	
Extinguishing media	CO ₂ , Foam ,extinguishing powder , in case of larger fires water spray should be used.
Special Fire Fighting method	Fire fighter must wear self-contained breathing apparatus.
Unusual Fire & Explosion Hazards	High volume water jet, Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes. Firemen must wear self-contained breathing apparatus.
6. ACCIDENTAL RELEASE MEASURES	
Steps to be followed in case the material is released or spilled	Do not allow to enter into waterways, wastewater or soil.
7. EXPOSURE CONTROLS/PERSONAL PROTECTION	
a) Engineering measures	Use only in well-ventilated areas under normal use conditions. Keep the container tightly closed when not in use.
b) Personal Protective Equipment	
Hands	Suitable gloves (AS2161 Type) are recommended.
Eyes	Safety goggles or face shield is recommended.
Respiratory protection	Respiratory protection required in insufficiently ventilated working areas and during spraying
Other protective equipment	Eye wash facility. Use barrier creams to protect skin from contact with the product.
8. HANDLING AND STORAGE	
Precautions for safe handling	Store between in a cool and dry place. The container should be tightly closed and kept away from all sources of heat and ignition.
Other precautions	Provide general and/or local exhaust ventilation to control airborne levels below the exposure guidelines.
9. PHYSICAL AND CHEMICAL PROPERTIES	
Aspect	Pack A Liquid: Pack B Liquid
Mix Ratio	Pack A - 2 : Pack B -1
Odour	Solvent
Melting Point	Not available
Ignition Temperature	Not Available
Initial Boiling Point	Not Available
Specific Gravity (Mixed material)	1.00 to 1.20 at 20° C
Flash Point ° C	>50° C
Vapor Pressure	Not Available
Flammability	Combustible substance. This product will burn if exposed to fire.
10. STABILITY AND REACTIVITY	
Stability	Stable under normal conditions.
Conditions to be avoided	Temperatures below 0°C and above 50° C.

Incompatibility/Materials to be avoided	Oxidizing agents, strong acids, alkalis and Halogens.
Hazardous decomposition products	Thermal decomposition and combustion produce noxious fumes of carbon.
Hazardous Polymerization	Will not occur.
11. TOXICOLOGICAL INFORMATION	
The following toxicological assessment is based on the knowledge of the toxicity of the product components. Oral LD 50, Rat >5g/kg	
By Inhalation	Low volatility makes inhalation unlikely at ambient temperatures.
Eye contact	May cause redness and transient irritation.
On Skin	Unlikely to cause harm on small time or occasional contact.
Chronic	Prolonged or repeated skin contact may lead to allergic contact dermatitis and sensitization in some individuals.
By Ingestion	Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.
12. ECOLOGICAL INFORMATION	
Environmental Assessment	Prevent this material entering waterways, drains and sewers.
Mobility	Insoluble in water.
Persistence & Degradability	Expected not to be readily biodegradable.
Eco toxicity	Expected to be Eco toxic to dish/algae/daphnia
Bio accumulative Potential	Not expected to be bio accumulative.
13. DISPOSAL INFORMATION	
Disposal are to be done in accordance with Local Governmental rules and regulations. Unused Product: Disposal to be done through authorized waste agency and dumped at licensed site. Used/ Contaminated Product: Same as unused product. Packaging: May be solvent cleaned and recycled.	
14. TRANSPORT INFORMATION	
This product is not classified as dangerous for Transport.	
UN Number	3082
Subsidiary Risk	30
Dangerous goods class	9
EPG Card	9C1
Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Packing Group	III

Poisons Schedule	S6
Hazchem code	2X
15. REGULATORY INFORMATION (Risk & Safety Phrases)	
Risk Phrase	R36/38: Irritating to skin and eyes
Poisons Schedule	S6
Safety Phrase	S23 Breathing gas/fumes/vapor/spray is not allowed.
Hazard Category	Irritant ,Dangerous for the environment
Classification	3
16. OTHER HEALTH & SAFETY INFORMATION	
Recommended uses & restrictions	If product is re-formulated, re-distributed for sale to others, details for hazards and methods for safe handling must be circulated to the customers. Customers must ensure that the product is suitable for use of their own purpose. It is the customers obligation to ensure that a suitable and safe assessment of the risks created by a work activity using the product is undertaken before use.

DISCLAIMER OF LIABILITY

This safety data sheet is based on **Hindcon Chemicals Limited** present knowledge and experience, and is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. The information mentioned in this MSDS is based on present knowledge and obtained from sources which we believe are reliable. However, the information provided is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. We are not responsible and disclaim liability for loss, damage or expense incurred arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.