

MATERIAL SAFETY DATA SHEET

HIND ERS 2115/2118/2120																						
1. IDENTIFICATION OF THE SUBSTANCE/MANUFACTURING COMPANY																						
Name Of The Product	HIND ERS 2115/2118/2120																					
Chemical Name	Three Component High Strength Epoxy Repair Mortar.																					
Registered Office	Works																					
62B, Bruanfeld Row, 1st Floor, Kolkata-700027 Ph. No.: - 033 2449 0835/39. Fax:- 033 2449 0849	Baniyara, Jalan Complex, Gate No – 3, P.O. Begri, P.S Domjur, Howrah – 711411																					
2. HAZARDS IDENTIFICATION																						
Inhalation	Prolonged or repeated exposure may be irritating to the respiratory tract with Bronchitis symptoms																					
Ingestion	Abdominal cramps, nausea, diarrhea & vomiting may occur.																					
Skin Contact	Slight irritating.																					
Eye Contact	Can cause irritation.																					
3. COMPOSITION/INFORMATION ON INGREDIENTS																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Component</th> <th style="width: 15%;">%</th> <th style="width: 50%;">CAS NO</th> </tr> </thead> <tbody> <tr> <td>Comp A- Bisphenol A Resin</td> <td>13 – 15</td> <td>25068-38-6</td> </tr> <tr> <td>Diluent</td> <td>2 – 4</td> <td>112-35-6</td> </tr> <tr> <td>Additives</td> <td>0 – 1</td> <td>Trade secret</td> </tr> <tr> <td>Comp B - Amine Hardener</td> <td>1 – 2</td> <td>112-24-3</td> </tr> <tr> <td>Polyamide Hardener</td> <td>2 – 4</td> <td></td> </tr> <tr> <td>Comp C - Graded Silica</td> <td>70 – 80</td> <td>Trade secret</td> </tr> </tbody> </table>		Component	%	CAS NO	Comp A- Bisphenol A Resin	13 – 15	25068-38-6	Diluent	2 – 4	112-35-6	Additives	0 – 1	Trade secret	Comp B - Amine Hardener	1 – 2	112-24-3	Polyamide Hardener	2 – 4		Comp C - Graded Silica	70 – 80	Trade secret
Component	%	CAS NO																				
Comp A- Bisphenol A Resin	13 – 15	25068-38-6																				
Diluent	2 – 4	112-35-6																				
Additives	0 – 1	Trade secret																				
Comp B - Amine Hardener	1 – 2	112-24-3																				
Polyamide Hardener	2 – 4																					
Comp C - Graded Silica	70 – 80	Trade secret																				
4. FIRST-AID MEASURES																						
Inhalation	Move victim to fresh air and in well ventilated space. Seek medical advice.																					
Ingestion	Do not induce victim to vomiting until directed by medical personnel. Unconscious person should not be given anything by mouth. Loosen tight clothing, belt, collar and tie. Medical assistance to be arranged if symptoms are noticed.																					
Skin contact	Wash properly with soap and plenty of water for at 10-15 minutes and remove contaminated clothing, shoes and seek medical advice.																					
Eye contact	If victim is wearing contact lenses, remove it and immediately flush eyes with clean water for 15 minutes																					

	with eyelids kept wide open. Cold water is to be used with applying any eye ointment. Seek Medical attention
Other Information	In case of accident or if you feel unwell, seek medical advice immediately. Bring safety data sheet.
5. FIRE FIGHTING MEASURES	
Extinguishing media	None, Product will not burn.
Special Fire Fighting method	Not Applicable.
Unusual Fire & Explosion Hazards	Not Applicable.
6. ACCIDENTAL RELEASE MEASURES	
Steps to be followed in case the material is released or spilled	The material is diluted with water over the spilled area and absorbed with mop or dry material and placed in appropriate waste disposal container.
7. EXPOSURE CONTROLS/PERSONAL PROTECTION	
a) Engineering measures	Use only in well-ventilated areas under normal use conditions. Keep the container tightly closed when not in use.
b) Hygiene measures	Wash hands after working with the product. When using do not eat, drink or smoke.
c) Personal Protective Equipment	
Hands	Suitable gloves (AS2161 Type) are recommended.
Eyes	Safety goggles or face shield is recommended.
Other protective equipment	Eye wash facility. Use barrier creams to protect skin from contact with the product. Usual precaution to be followed while working with Chemicals.
8. HANDLING AND STORAGE	
Precautions for safe handling	Store between in a cool and dry place. The container should be tightly closed and kept away from all sources of heat and ignition.
Recommended Packaging	18 Kg Kit (2115), 21Kg Kit (2118) & 23 Kg Kit (2120)
9. PHYSICAL AND CHEMICAL PROPERTIES	
Aspect & Odour	Comp A - Golden Yellow Liquid, Comp B - Pale Yellow Liquid Comp C - Reddish Brown Powder. Distinct Odour
Specific Gravity @ 25°C	Ranges from 1.90 to 2.05
Melting/Freezing Point	Not applicable
Solubility in water	Insoluble

Flash Point 0 C	Not Applicable
Low Explosive Limits	Not Applicable
Higher Explosive Limit	Not Applicable
10. STABILITY AND REACTIVITY	
Stability	Stable under normal conditions.
Conditions to be avoided	Contact with water.
Incompatibility/Materials to be avoided	It is not compatible with acids, ammonium salts phosphorous. Direct Sunlight, Strong Oxidizing agents, Strong acids, alkalis.
Hazardous decomposition products	Will not occur spontaneously.
Hazardous Polymerization	Will not occur.
11. TOXICOLOGICAL INFORMATION	
The following toxicological assessment is based on the knowledge of the toxicity of the product components. Oral LD 50, Rat >5g/kg	
By Inhalation	Low volatility makes inhalation unlikely at ambient temperatures.
Eye contact	May cause redness and transient irritation.
On Skin	Unlikely to cause harm on small time or occasional contact.
Chronic	Not Known
By Ingestion	Low order acute toxicity. May cause irritation of mouth, throat and digestive canal.
12. ECOLOGICAL INFORMATION	
Environmental Assessment	No adverse environmental effects are seen when used and disposed of as per norms.
Mobility	Insoluble in water mobile liquid.
Persistence & Degradability	Expected not to be readily biodegradable.
Eco toxicity	Expected to be Eco toxic to dish/algae/daphnia
Bio accumulative Potential	Expected to be Eco toxic to dish/algae/daphnia
13. DISPOSAL INFORMATION	
Disposal are to be done in accordance with Local Governmental rules and regulations. Unused Product: Disposal to be done through authorized waste agency and dumped at licensed site. Used/ Contaminated Product: Same as unused product. Packaging: Disposal of bags are to be done in an approved landfill or incinerator.	
14. TRANSPORTATION INFORMATION	

This product is not classified as dangerous for Transport.	
UN Number	1866
Subsidiary Risk R10	R10: Flammable R20: Harmful if Inhaled. R36/38: Irritating to skin and eyes.
Dangerous goods class 3	3
EPG Card	None Allocated
Shipping Name	Resin Solution
Packing Group	3
Poisons Schedule	S6
Hazchem code	3[Y]/3
15. REGULATORY INFORMATION (Risk & Safety Phrases)	
Risk Phrase	R36/38: Irritating to skin and eyes
Poisons Schedule	S6
Safety Phrase	S23 Breathing gas/fumes/vapour/spray is not allowed
Hazard Category	30
Classification	3
16. OTHER HEALTH & SAFETY INFORMATION	
Recommended uses and restrictions	If is product is re-formulated, re-distributed for sale to others, details for hazards and methods for safe handling must be circulated to the customers. Customers must ensure that the product is suitable for use of their own purpose. It is the customer's obligation to ensure that a suitable and safe assessment of the risks created by a work activity using the product is undertaken before use.
DISCLAMER OF LIABILITY	
This safety data sheet is based on Hindcon Chemicals Limited present knowledge and experience, and is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated The information mentioned in this MSDS is based on present knowledge and obtained from sources which we believe are reliable. However, the information provided is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. We are not responsible and disclaim liability for loss, damage or expense incurred arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable	