

MATERIAL SAFETY DATA SHEET

TAP AND SHOWER CLEANER	
1. IDENTIFICATION OF THE SUBSTANCE/MANUFACTURING COMPANY	
Product name	Tap and Shower Cleaner
Recommended use	A speciality cleaner used to remove hard water stains, limescale stains and stubborn soap stains from CP fittings and sanitary ware
Supplier	HINDCON CHEMICALS LIMITED
Registered Office	Works
62B, Braunfeld Row, 1st Floor, Kolkata-700027 Ph. No:- 033 2449 0835/39. Fax:- 033 2449 0849	Baniyara, P.O. Begari, Jalan complex, Gate No – 3 Howrah 711411. Mouza Narendrapur, P.O-Munsirhat, G.P-Shankarhati- II , P.S-Jagatballavpur, Dist: Howrah, Pin: 711410
2. HAZARDS IDENTIFICATION	
2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No 1272/2008	
Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.	
Danger, Eye Dam. 1, Causes serious eye damage.	
2.2 Label elements	
Labelling according Regulation (EC) No 1272/2008	
Pictogram	
Signal word	Danger
Hazard statement(s)	
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H350	May cause cancer (Ingestion)
H361	Suspected of damaging the unborn child (Ingestion)
H370	Causes damage to organs (central nervous system, optic nerve) (oral, Dermal)
Precautionary statement(s)	
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed
P280	Wear protective gloves, eye and face protection
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P331+P315	If SWALLOWED: Do NOT induce vomiting. Get immediate medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P305+351+338+313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing until no signs of contamination remain, Get medical advice/attention

P501		Dispose of contents/container to an approved waste disposal plant in accordance with local, regional, national and international regulations.	
Supplemental Hazard Statements			
P260		Do not breathe vapour/spray.	
P303+361+353		IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P403+233		Store in a well-ventilated place. Keep container tightly closed.	
2.3 Other hazards		NA	
3. COMPOSITION/INFORMATION ON INGREDIENTS			
Substance / Mixture		Mixture	
Ingredients			
Chemical	CAS-No.	Concentration	Classification according to Regulation (EC) No.
Name		(%)	
Octyl phenol	9036-19-5	2-12	Acute toxicity - Category 4 - Oral
Ethoxylate			
Ingredients determined to be non-hazardous: q.s.			
4. FIRST AID MEASURES			
Emergency first aid procedures by route of exposure: General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. If inhaled: Move the person to fresh air. If not breathing, give artificial respiration. Consult a physician. If swallowed: Do not induce vomiting. If the material is swallowed, get medical attention or advice. In case of skin contact: If irritation is experienced, flush with water. If irritation persists, get medical attention. In case of eye contact: Rinse the affected eye thoroughly with plenty of water for at least 15 minutes, then consult a physician.			
5. FIRE FIGHTING MEASURES			
5.1 Extinguishing Media:			
Suitable extinguishing media		Dry powder, Dry sand Alcohol-resistant foam Dry chemical Carbon dioxide (Co2)	
Unsuitable extinguishing media		Do NOT use High Volume water jet.	
5.2 Special hazards arising from the substance or mixture:			
Do not use a solid water stream, as it may scatter and spread fire. Flash back possible over a considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.			
Hazardous combustion products		Carbon oxides, Combustible.	
5.4 Specific extinguishing methods			
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use a water spray to cool unopened containers. Remove undamaged containers from the fire area if it is safe to do so. Evacuate the area.			
5.5 Fire Fighting Equipment/Instructions:			
In the event of fire, use personal protective equipment, protective clothing and equipment suitable for the surrounding fire, including a helmet, facemask, and wear a self-contained breathing apparatus.			
5.6 NFPA Rating: Health:2 Fire: 2 Reactivity: 0			
Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe			

5.7 Further information:	
Use water spray to cool unopened containers.	
6. ACCIDENTAL RELEASE MEASURES	
6.1 Personal precautions, protective equipment, and emergency procedures:	
Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Keep unnecessary personnel away. Eliminate all sources of ignition or flammables that may encounter a spill of this material.	
6.2 Environmental precautions:	
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.	
6.3 Methods and materials for containment:	
Contain spillage, and then collect or absorb spilt liquid in suitable non-flammable/non-combustible inert material such as Sand, clay, vermiculite, or diatomaceous earth and place in a container for disposal according to local / national regulations.	
6.4 Methods and materials for cleaning up:	
Ventilate the area of the leak or spill. Use spark-proof tools to sweep or scrape up and containerise in an approved chemical waste container. Wash the spill area with water.	
6.5 Further Information:	
Dispose of all wastes in accordance with federal, state, and local regulations.	
7. HANDLING AND STORAGE	
7.1. Precautions for safe handling	Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Handle uncleaned empty containers as full ones. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Do not use compressed air for pumping over. Use spark/explosion proof appliances and lighting systems. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Observe normal hygiene standards. Keep container tightly closed. Measure the concentration in the air regularly. Work under local exhaust/ventilation.
Hygiene measures	Wash exposed skin thoroughly after handling.
7.2. Conditions for safe storage, including any incompatibilities	
Technical measures	Proper grounding procedures to prevent static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting equipment.
Storage conditions	Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place away from incompatible materials. Keep in a fireproof place.
Incompatible products	Strong bases.
Incompatible materials	Sources of ignition. Direct sunlight. Heat sources.

Heat-ignition	keep substance away from heat and ignition sources.		
Prohibitions on mixed storage	KEEP SUBSTANCE AWAY FROM oxidizing agents. strong acids. water/moisture.		
Storage area	Keep out of direct sunlight. Store in a dry area. Ventilation at floor level. Fireproof storeroom. Provide for an automatic sprinkler system. Provide for a tub to collect spills. Provide the tank with earthing. Meet the legal requirements.		
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed.		
Local/Total ventilation	Use with local exhaust ventilation. Use only in an area equipped with explosion-proof exhaust ventilation.		
Special rules on packaging	SPECIAL REQUIREMENTS: closing. dry. clean. correctly labeled. meet the legal requirements. Secure fragile packaging in solid containers.		
Advice on safe handling	Do not breathe vapors or spray mist. Do not swallow. Do not get in the eyes. Avoid prolonged or repeated skin contact. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills and waste, and to minimize releases to the environment.		
Materials to avoid	Do not store with products such as Strong oxidizing agents, Organic peroxides, Flammable solids, Pyrophoric liquids, Pyrophoric solids, Self-heating substances and mixtures, Substances and mixtures which, in contact with water, emit flammable gases, Explosives, and Gases.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
8.1 Control parameters			
Components with workplace control parameters			
8.2 Exposure controls			
There is no exposure data pertaining to the Product. This section presents exposure data for individual ingredients.			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propan-2-ol	STEL: 400 ppm	TWA: 400 ppm; 980 mg/m3	TWA: 400 ppm 980 mg/m3
8.3 Exposure Controls			
Appropriate engineering controls		Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.	
Personal protective equipment		Safety glasses. Gloves. Protective clothing. High gas/vapor concentration: gas mask with filter type A.	

Materials for protective clothing	GIVE EXCELLENT RESISTANCE: butyl rubber. viton. GIVE GOOD RESISTANCE: neoprene. tetrafluoroethylene. GIVE LESS RESISTANCE: nitrile rubber. polyethylene. GIVE POOR RESISTANCE: natural rubber. PVA. PVC.
Eye/face protection	Face shield and safety glasses. Use equipment for eye protection that is tested and approved under appropriate government standards, such as NIOSH (US) or EN 166 (EU).
Skin and body protection	Protective clothing.
Respiratory protection	Wear a gas mask with filter type A if the concentration is high. in air > exposure limit.
Other information	Do not eat, drink, or smoke during use.
8.4 Appropriate engineering controls	
Handle in accordance with good industrial hygiene and safety practice. Wash your hands before breaks and at the end of the workday.	
9. PHYSICAL AND CHEMICAL PROPERTIES	
Appearance	liquid
Material Family	Organic Material
Color	Clear, Colorless to pale yellow
Odor	Characteristic pleasant odor
Odor Threshold	No data available
pH	3-4
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapor pressure	No data available
Relative vapor density	No data available
Specific Gravity (20°C)	1.100
Water solubility	soluble
Partition coefficient: n-octanol/water	Not applicable
Autoignition temperature	No data available
Decomposition temperature	The mixture is not classified as self-reactive.
Explosive properties	Not explosive
Oxidizing properties	No data available
10. STABILITY AND REACTIVITY	
Reactivity	Not classified as a reactivity hazard.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Flammable liquid and vapor. Vapors may form explosive mixture with air.
Conditions to avoid	Heat, flames, and sparks.
Incompatible materials	Oxidizing agents
Hazardous decomposition Products	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

Information on likely routes of exposure Product Information

Product Information

Inhalation	May cause irritation of the respiratory tract.
Eye Contact	Irritating to the eyes. May cause redness, itching, and pain.
Skin Contact	Prolonged contact may cause redness and irritation.
Ingestion	May cause irritation to the mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

Component Information

Chemical Name	Toxicity Information
Propan-2-ol	Acute toxicity LD50 Oral - Rat - 5.840 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 37,5 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - 12.800 mg/kg Skin corrosion/irritation Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404) Serious eye damage/eye irritation Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405) Respiratory or skin sensitization Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406) Germ cell mutagenicity No data available Ames test Salmonella typhimurium Result: negative In vitro mammalian cell gene mutation test Result: negative OECD Test Guideline 474 Mouse - male and female - Bone marrow Result: negative Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC.

Reproductive toxicity	
No data available	
Specific target organ toxicity - single exposure	
Inhalation, Oral - May cause drowsiness or dizziness.	
Acute inhalation toxicity - Central nervous system	
Specific target organ toxicity - repeated exposure	
No data available	
Aspiration hazard	
No data available	
Additional Information	
RTECS: Nt8050000	
Central nervous system depression, prolonged or repeated exposure can cause: Nausea, Headache, Vomiting, narcosis, Drowsiness. Overexposure may cause mild, reversible liver effects. Aspiration may lead to Lung edema and pneumonia. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Kidney - Irregularities - Based on Human Evidence.	
12. ECOLOGICAL INFORMATION	
12.1 Toxicity	
Toxicity to fish	Flow-through test LC50 - Pimephales promelas (fathead minnow) 15.300 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Ceriodaphnia dubia (water flea): 5.012 mg/l -48 h Remarks: (ECHA)
Toxicity to algae	Static test :ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	Static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)
12.2 Persistence and degradability	
Biodegradability aerobic	- Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E)
Biochemical Oxygen Demand (BOD)	930 - 1.670 mg/g
Theoretical oxygen Demand	Remarks: (Lit.)
	2.100 mg/g
	Remarks: (Lit.)
12.3 Bioaccumulative potential	
Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.	
12.4 Mobility in soil	
No data available	
12.5 Results of PBT and vPvB assessment	
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6 Other adverse effects	
Additional ecological information	No data available
13. DISPOSAL INFORMATION	
Dispose of waste and residues in accordance with local authority requirements.	

14. TRANSPORT INFORMATION		
14.1International Regulation		
UNRTDG		
UN number	UN 1987	
Proper shipping name	ALCOHOLS, N.O.S. (Propan-2-ol) Class : 3	
Packing group	III	
Labels	3	
14.1Transport hazard class(es)		
ADR/RID: 3	IMDG: 3	IATA: 3
14.2Packaging group		
ADR/RID: II	IMDG: II	IATA: II
14.3Environmental hazards		
ADR/RID: No	IMDG Marine pollutant: No IATA: No	
14.4Special precautions for the user		
No data available		
15. REGULATORY INFORMATION		
15.1Safety, health, and environmental regulations/legislation specific to the substance or mixture		
This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.		
EPCRA - Emergency Planning and Community Right-to-Know		
CERCLA Reportable Quantity		
This material does not contain any components with a CERCLARQ.		
SARA 304 Extremely Hazardous Substances Reportable Quantity		
This material does not contain any components with a section 304 EHS RQ.		
SARA 311/312 Hazards	Fire Hazard; Acute Health Hazard	
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	The following components are subject to reporting levels established by SARA Title III, Section 313:	
	Propan-2-ol	67-63-0 5-10 %
US State Regulations		
Pennsylvania Right To Know		
Chemical Name	CAS No	Proportion
Propan-2-ol	67-63-0	5-10 %
Water	7732-18-5	q.s.
New Jersey Right To Know		
Chemical Name	CAS No	Proportion
Propan-2-ol	67-63-0	75 %
Water	7732-18-5	q.s.
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive defects.	
The ingredients of this product are reported in the following inventories:		
AICS : All ingredients listed or exempt. AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)		
15.2Chemical safety assessment		
For this product, a chemical safety assessment was not carried out.		

16. OTHER INFORMATION

Further information

Full text of other abbreviations

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	8-hour, time-weighted average
ACGIH / STEL	Short-term exposure limit
NIOSH REL / TWA	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OCED	Organisation for Economic Co-operation and Development
AICS	Australian Inventory of Chemical Substances (Australia)
DSL	Domestic Substances List (Canada)
IECSC	The Inventory of Existing Chemical Substance in China (China)
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (European Union)
ENCS	Existing and New Chemical Substances (Japan)
ISHL	Industrial Safety and Health Law (Japan)
KECI	Korea Existing Chemicals Inventory (Korea)
NZIoC	New Zealand Inventory of Chemicals (New Zealand)
PICCS	Philippine Inventory of Chemicals and Chemical Substances (Philippines)
NECSI	National Existing Chemical Substance Inventory (Taiwan)
TSCA	Toxic Substances Control Act (USA)

This information is furnished without warranty, representation, inducement, or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.

DISCLAIMER OF LIABILITY

This safety data sheet is based on **Hindcon Chemicals Limited** present knowledge and experience, and is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. The information mentioned in this MSDS is based on present knowledge and obtained from sources which we believe are reliable. However, the information provided is intended to serve as a guide for safe handling of the product regarding to health and environmental aspects. The above-mentioned data relates to the specified material designated. We are not responsible and disclaim liability for loss, damage or expense incurred arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.