



AbstractFlow - Mobile App REST API Documentation



Base URL Setup

Sabhi endpoints ke liye common URL prefix:

```
http://<your-server-ip-or-domain>/api
```



1. Authentication Module



A. User Authentication (Login)

- **Method:** POST
- **Endpoint:** /login
- **Description:** Flutter login screen se abstractor credentials ko verify karne aur secure API Token '*bearer_token*' generate karne ke liye use hoga.



Input JSON Request Body (Example):

```
{
  "email": "karan.sinha@abstractflow.com",
  "password": "temporary_security_password_123"
}
```



Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "Authentication verified successfully.",
  "token": "4|vX89JkLp0283Hdn7273NdjK...",
  "user": {
    "id": 2,
    "name": "Karan Sinha",
    "email": "karan.sinha@abstractflow.com",
    "role": "abstractor"
  }
}
```

2. Task Allocation & Workspace Queue

B. Fetch My Assigned Workload Orders

- **Method:** GET
- **Endpoint:** /abstractor/my-tasks
- **Headers Required:** Authorization: Bearer <token>
- **Description:** Is endpoint se logged-in abstractor ko unke assigned saare property orders ki list mobile screen par render karne ke liye milegi. (Isme dynamic colour coding status aur due dates filtered aayengi).

Output JSON Response (Success 200 OK):

```
[
  {
    "id": 1,
    "order_id": "62-202-1881",
    "product_type": "TWO OWNER SEARCH",
    "client_name": "AMERISTAR",
    "loan_number": "62-202-1-1881",
```

```
    "property_address": "920 Belvidere Mount, Bakersfield, VT 05441",
    "city": "Bakersfield",
    "state": "VT",
    "county": "FRANKLIN",
    "parcel_id": "APN-9901-A",
    "borrower_name": "Bhupendra",
    "co_borrower_name": "Sahu",
    "due_date": "2026-05-20 18:00:00",
    "status": "in_progress",
    "total_cost": "0.00"
  },
  {
    "id": 2,
    "order_id": "62-202-1882",
    "product_type": "FULL SEARCH",
    "client_name": "CHASE BANK",
    "loan_number": "99-301-4-8891",
    "property_address": "402 Raipur Express Link, Nava Raipur, CG",
    "city": "Raipur",
    "state": "CG",
    "county": "RAIPUR",
    "parcel_id": "APN-2210-B",
    "borrower_name": "Hitesh",
    "co_borrower_name": null,
    "due_date": "2026-05-25 12:00:00",
    "status": "assigned",
    "total_cost": "0.00"
  }
]
```

⚡ 3. Real-Time Workflow Triggers (Row Isolation State)

📋 C. Accept & Initialize Assignment

- **Method:** POST
- **Endpoint:** /abstractor/tasks/{id}/accept
- **Headers Required:** Authorization: Bearer <token>
- **Description:** Jab abstractor mobile UI par "**Accept & Mark In-Progress**" button dabayega. Isse backend status instant update hoga aur timeline feed automatic create ho jayegi.

📌 Input JSON Request Body:

(Khali object bhej sakte ho kyunki {id} URL param se catch ho raha hai)

```
{}
```

📌 Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "Task marked as In-Progress. Workspace sequence activated."
}
```

📋 D. Update File Sub-Status Dropdown

- **Method:** POST
- **Endpoint:** /abstractor/tasks/{id}/update-status
- **Headers Required:** Authorization: Bearer <token>
- **Description:** Flutter UI par dynamic toggle select karne ke liye (🚀 In Progress vs ✅ Completed), taaki admin ko live monitor sheet par real-time metadata update mile.

Input JSON Request Body (Example):

```
{
  "status": "completed"
}
```

Note : Validation limits rules allow only 'in progress' or 'completed' keys strings

Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "Workspace metadata status synchronized successfully."
}
```

E. Halt Work & Drop Target Assignment (Lockout Trigger)

- **Method:** POST
- **Endpoint:** /abstractor/tasks/{id}/halt
- **Headers Required:** Authorization: Bearer <token>
- **Description:** Agar worker beech mein phas jata hai aur **"Halt Work / Call Backup"** dabata hai. Iske baad us target card ke saare action triggers permanent freeze ho jayenge aur admin ko swap vendor layout options unlock ho jayenge.

Input JSON Request Body (Example):

```
{
  "note": "🚨 HALTED EXHAUSTION: Document retrieval system at county registrar
}
```

Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "Work pipeline terminated. Control tokens frozen safely."
}
```

4. Telemetry Activity Logger Feed

F. Post Milestone Progress Note

- **Method:** POST
- **Endpoint:** /abstractor/tasks/{id}/log-activity
- **Headers Required:** Authorization: Bearer <token>
- **Description:** Abstractor mobile app ke chat/log box se updates (jaise "Found open mortgage link...") post karega jo seedhe admin ke modal dashboard popup mein load hoga.

Input JSON Request Body (Example):

```
{
  "note": "Technical issue resolved. Initial title plant indexing completed."
}
```

Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "Milestone activity node registered into admin timeline stream."
}
```



5. Final Documentation Package Dispatcher



G. Upload Title Search Report Packet (Max 15MB PDF)

- **Method:** `POST`
- **Endpoint:** `/abstractor/tasks/{id}/submit`
- **Headers Required:** `Authorization: Bearer <token>`
- **Content-Type:** `multipart/form-data` (*Strict JSON text nahi chalega kyunki physically binary file transmit ho rahi hai*)
- **Description:** Final step jahan Flutter app se abstractor check date select karega aur binary stream se 15MB maximum size ki Final PDF select karke upload karega.



Input Form-Data Fields (Example keys):

- `search_date` (Text string format): `2026-05-17`
- `final_report` (File binary object): `[Select_Title_Report_Doc.pdf]`



Output JSON Response (Success 200 OK):

```
{
  "status": "success",
  "message": "PDF document pipeline submission verified. Routed packets transfe
}
```





Flutter Team Ke Liye Kuch Core Architecture Quick Guidelines:

1. **Token Persistence:** `/login` API chalne ke baad, response mein mile secure `token` ko app memory block mein safe save rakhne ke liye Flutter team ko `flutter_secure_storage` ya `shared_preferences` module ka use karne bole.
2. **State Architecture:** Baaki endpoints hit karte waqt Header array request structure ke andar data sequence aise bhejenge:
`Authorization → Bearer <token_string>`
3. **Card-Level Block:** Agar kisi record item array ka response state string `'stalled'` ya `'submitted_qc'` status code nodes catch karta hai, toh Flutter app side par conditional elements processing run karke pure form controls layout user ke liye disable `'disabled = true'` kar dena hai!
Batao bhai, API list aur specifications ekdum badhiya se samajh aa gayi na? Ab Flutter project setup start kiya jaye?