NAME

gnome-options − Standard Command Line Options for GNOME 2 Programs

SYNOPSIS

program [*standard options*] [*specific options*] *arguments*

DESCRIPTION

This manual page describes the command line options, which are common to all Gnome applications.

OPTIONS

Help options

-?, **−−help**

> Show the applications help message.

−−usage

> Display a brief usage message.

−−version

> Show the applications's version information.

Bonobo Activation support

−−oaf−ior−fd=*FD*

> File descriptor to print IOR on

−−oaf−activate−iid=*IID*

> IID to activate

−−oaf−private

> Prevent registering of server with OAF

GNOME library options

−−disable−sound

> Disable sound server usage

−−enable−sound

> Enable sound server usage

−−espeaker=*HOSTNAME*:PORT

> *Host*:*port* on which the **esd** sound server to use is running. This is useful if you simultaneously run programs on several machines.

GNOME GUI options

−−disable−crash−dialog

> Disable the crash dialog, which is normally shown when the application segfaults.

Session management options

−−sm−client−id=*ID*

> Specify session management ID. Only used by the session manager itself while restarting the application.

−−sm−config−prefix=*PREFIX*

> Specify prefix of saved configuration.

−−sm−disable

> Disable connection to session manager.

Other options

−−load−modules=*MODULE1*,MODULE2,...

> Dynamic modules to load

SEE ALSO

For most GNOME programs there will be additional command line options, which are specific to the program. These will be explained in the *Application options* section of the *--help* output and in the application's online help.

AUTHOR

This manual page was written by Jochen Voss <voss@debian.org>. A first version was generated with the help of the *help2man* program. The program's output was manually edited later.