


CYBOP Schema
(Tree Structure)

The diagram is a 4-layer pyramid on a blue background. The layers are: 1. Top: CYBOP Schema (Tree Structure) in a light blue hexagonal prism. 2. Second: High-Level Language (Complex Instructions) in a brown hexagonal prism with an orange side. 3. Third: Assembler (Instruction Set Symbolic Names) in a light blue hexagonal prism with a white side. 4. Bottom: Machine Language (Processor Instruction Set) in a dark blue hexagonal prism with a grey side. The layers decrease in size from bottom to top.

High-Level Language
(Complex Instructions)


Assembler
(Instruction Set Symbolic Names)

Machine Language
(Processor Instruction Set)



Abstraction Gaps 1 + 2

`.app.dialogue.button:position`



`.app.domain.address`

Uniform Syntax for Data and Functions


```
<node name="window" channel="file" format="element/part" model="ui/tui/window.cybol">  
  <node name="position" channel="inline" format="number/integer" model="0,0"/>  
  <node name="size" channel="inline" format="number/integer" model="80,15"/>  
  <node name="background" channel="inline" format="colour/terminal" model="green"/>  
  <node name="foreground" channel="inline" format="colour/terminal" model="white"/>  
  <node name="bold" channel="inline" format="logicvalue/boolean" model="true"/>  
  <node name="border" channel="inline" format="text/plain" model="ascii"/>  
</node>
```

Data structure „window“ with properties (space)


```
<node name="send_tui" channel="inline" format="communicate/send" model="">  
  <node name="channel" channel="inline" format="meta/channel" model="terminal"/>  
  <node name="receiver" channel="inline" format="text/cybol-path" model=".stdout"/>  
  <node name="language" channel="inline" format="meta/language" model="message/tui"/>  
  <node name="format" channel="inline" format="meta/format" model="element/part"/>  
  <node name="message" channel="inline" format="text/cybol-path" model=".window"/>  
  <node name="clear" channel="inline" format="logicvalue/boolean" model="true"/>  
</node>
```

Communication operation „send“ with parametres (time)

Universal Communication



... using star-like translation



maintainer

starter

shutter

activator

enabler

disabler

dispatcher

open

close

feeler

sensor

suspender

communicator

receiver

sender

streamer

read

write

converter

decoder

encoder

representer

deserialiser

serialiser

memoriser

allocator

reallocator

deallocator

modifier

overwriter

appender

remover

copier

logifier

calculator

comparator

sorter

randomiser

commander

threader