DATA 624: PREDICTIVE ANALYTICS HW3

Gabriel Campos

Last edited February 18, 2024

Instructions

Do exercises 5.1, 5.2, 5.3, 5.4 and 5.7 in the Hyndman book. Please submit your Rpubs link as well as your .pdf file showing your run code.

```
library(dplyr)
library(stringr)
library(fpp3)
library(cowplot)
```

5.1

Produce forecasts for the following series using whichever of `NAIVE(y)`, `SNAIVE(y)` or `RW(y ~ drift())` is more appropriate in each case:

i

Australian Population (`global_economy`)

```
df_aus <- global_economy %>%
            filter(Country == "Australia")

head(df_aus)
```

```
## # A tsibble: 6 x 9 [1Y]
## # Key:       Country [1]
##   Country   Code   Year          GDP Growth   CPI Imports Exports Population
##   <fct>     <fct> <dbl>        <dbl>  <dbl> <dbl>   <dbl>   <dbl>      <dbl>
## 1 Australia AUS    1960 18573188487.  NA     7.96    14.1    13.0   10276477
## 2 Australia AUS    1961 19648336880.   2.49  8.14    15.0    12.4   10483000
## 3 Australia AUS    1962 19888005376.   1.30  8.12    12.6    13.9   10742000
## 4 Australia AUS    1963 21501847911.   6.21  8.17    13.8    13.0   10950000
## 5 Australia AUS    1964 23758539590.   6.98  8.40    13.8    14.9   11167000
## 6 Australia AUS    1965 25931235301.   5.98  8.69    15.3    13.2   11388000
```