Deliverables

VAGRANT

1.

```
Microsoft Windows [版本 10.0.19044.1526]
(c) Microsoft Corporation。保留所有权利。

G:\homework>vagrant box add centos/7
=> box: Loading metadata for box 'centos/7'
box: URL: https://vagrantcloud.com/centos/7
This box can work with multiple providers! The providers that it can work with are listed below. Please review the list and choose the provider you will be working with.

1) hyperv
2) libvirt
3) virtualbox
4) vmware_desktop

Enter your choice: 3
=> box: Adding box 'centos/7' (v2004.01) for provider: virtualbox box: Downloading: https://vagrantcloud.com/centos/boxes/7/versions/2004.01/providers/virtualbox.box
Download redirected to host: cloud.centos.org
box: box: Calculating and comparing box checksum...
=> box: Successfully added box 'centos/7' (v2004.01) for 'virtualbox'!

G:\homework>
```


2.

```
G:\homework\spring-petclinic>vagrant status
Current machine states:

default poweroff (virtualbox)

The VM is powered off. To restart the VM, simply run `vagrant up`
```

3.



```
default: mesa-libGL.x86_64 0:18.3.4-12.e17_9
default: mesa-libgbm.x86_64 0:18.3.4-12.e17_9
default: mesa-libgbm.x86_64 0:18.3.4-12.e17_9
default: mesa-libglapi.x86_64 0:18.3.4-12.e17_9
default: pango.x86_64 0:1.42.4-4.e17_7
default: pango.x86_64 0:1.42.4-4.e17_7
default: pixnan.x86_64 0:0.34.0-1.e17
default: python-javapackages.noarch 0:3.4.1-11.e17
default: python-javapackages.noarch 0:3.4.1-11.e17
default: python-javapackages.noarch 0:3.4.1-11.e17
default: tzdata-java.noarch 0:2021e-1.e17
default: xorg-x11-font-utils.x86_64 1:7.5-21.e17
default: xorg-x11-fonts-Type1.noarch 0:7.5-9.e17
default: Complete!

=> default: Running provisioner: file...
default: Running provisioner: shell...
default: Running provisioner: shell...
default: Running provisioner: shell...
default: Running provisioner: shell...
default: rounding provisioner: shell...
default: Running inline script


G:\homework\spring-petclinic\vagrant status

Current machine states:


default running. To stop this VM, you can run 'vagrant halt' to shut it down forcefully, or you can run 'vagrant suspend' to simply suspend the virtual machine. In either case, to restart it again, simply run 'vagrant up'.


G:\homework\spring-petclinic>
```


5.



HEROKU







CHEF

1.

```
C:\Users\jiang>chef generate repo cookbooks
Generating Chef Infra repo cookbooks
- Ensuring correct Chef Infra repo file content
Your new Chef Infra repo is ready! Type `cd cookbooks` to enter it.
 C:\Users\jiang>cd cookbooks
```

2.

名称	修改日期	类型	大小
.git	02/03/2022 00:52	文件夹	
cookbooks	02/03/2022 00:52	文件夹	
data_bags	02/03/2022 00:52	文件夹	
nodes	02/03/2022 00:55	文件夹	
policyfiles	02/03/2022 00:52	文件夹	
chef-repo.txt	02/03/2022 00:52	文本文档	1 KB
gitignore	02/03/2022 00:52	文本文档	3 KB
chefignore	02/03/2022 00:52	文件	2 KB
LICENSE	02/03/2022 00:52	文件	1 KB
README.md	02/03/2022 00:52	Markdown	2 KB

3.

```
pom. xml Z  build gradle X  SUBNISSION. adX  SUBNISSION. adX  bootstrap. sh Z  default.rb Z  default.rb Z  default.rb Z  default.rb Z  default.rb Z  content 'This file was created by Junhong!'
```

```
unning handlers:
unning handlers complete
nfra Phase complete, 1/1 resources updated in 07 seconds
```



文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

This file was created by Junhong!

5.

```
C:\Users\jiang\cookbooks\cookbooks\cookbooks\chef-client --local-mode --override-runlist example
[2022-03-02T01:00:35+08:00] WARN: No config file found or specified on command line. Using command line options instead.

Chef Infra Client, version 17.9.52
Patents: https://www.chef.io/patents
Infra Phase starting
[2022-03-02T01:00:42+08:00] WARN: Run List override has been provided.
[2022-03-02T01:00:42+08:00] WARN: Original Run List: []
[2022-03-02T01:00:42+08:00] WARN: Original Run List: []
[2022-03-02T01:00:42+08:00] WARN: Overridden Run List: [recipe[example]]
Resolving cookbook for run list: ["example"]
Synchronizing cookbook gem dependencies:
Compiling cookbooks gem dependencies:
Compiling cookbooks gem dependencies:
Compiling cookbooks.
Loading Chef InSpec input files:
Loading Chef InSpec input files:
Loading Chef InSpec waiver files:
Converging 1 resources
Recipe: example::default
* file[C:/Users/jiang/test.txt] action create
- create new file C:/Users/jiang/test.txt
- update content in file C:/Users/jiang/test.txt
- update content in file C:/Users/jiang/test.txt
- C:/Users/jiang/test.txt 2022-03-02 01:00:44.004503100 +0800
++++ C:/Users/jiang/test.txt 2022-03-02 01:00:44.004503100 +0800
++++ C:/Users/jiang/test.txt 2022-03-02 01:00:44.004503100 +0800
+++ C:/Users/jiang/test.txt 2022-03-02 01:00:44.004503100 +0800
```

_____ test.txt - 记事本

文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

This file was created by Junhong!

```
m test.txt - 记事本
```

文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

This file was created by Junhong chen!

■ test.txt - 记事本

文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

This file was created by Junhong!

■ test.txt - 记事本

文件(F) 编辑(E) 格式(O) 查看(V) 帮助(H)

Running handlers: Running handlers complete Infra Phase complete, 1/1 resources updated in 07 seconds

This file was created by Junhong chen 123!