




Amey Gadkari

M.P.E. Structures, University of Sydney; B.E. Civil Engineering, LDRP-ITR


PORTFOLIO

PORTFOLIO

PROJECTS




1
Analysis and
Design of G+3
R.C.C. Building




3
Development of
 P_u - M_u
Interaction
Curves




5
Case Study of
Precast
Concrete
Structures



2
Cost
Comparison
based on
Structural System



4
Comparative
analysis of
R.C.C. and
Prestressed
Girder






6
Analysis and
Design of Tall
R.C. Chimney

ANALYSIS AND DESIGN OF G+3 R.C.C. BUILDING

MANUAL & SOFTWARE ANALYSIS DESIGN IN ACCORDANCE WITH AS 3600 & I.S. 456 : 2000

The project was initialized by acquiring the architectural plans and developing a suitable structural layout. Based on the data provided, the loads to be considered for analysis and design were determined. Sequential analysis of components was carried out manually first and then using Staad Pro V8i. The designs were done using the limit state method following the guidelines given in I.S. 456: 2000. Microsoft Excel was used extensively to aid in the process.



COST COMPARISON BASED ON STRUCTURAL SYSTEM







MANUAL AND SOFTWARE ANALYSIS DESIGN IN ACCORDANCE WITH AS 3600: 2018 & I.S. 456 : 2000

Six different structural systems were developed for the same architectural layout of an assembly hall.

The major motive behind undertaking this project was to understand the variations in economic considerations based on structural system variation.

Sequential analysis and design as per I.S. 456: 2000 of components was carried out using Staad Pro V8i and Microsoft Excel.



The quantities of materials were calculated considering the current market rates and comparison between all the six structural systems was done.



STUDY AND DEVELOPMENT OF PU-MU INTERACTION CURVES & MOMENT-CURVATURE PLOTS


IN ACCORDANCE WITH I.S. 456 : 2000 AND DESIGN AIDS
FOR REINFORCED CONCRETE TO I.S. 456 : 2000 - SP 16 :
1980

The Pu-Mu interaction curves are used as a design aid for designing the members subjected axial loads as well as bending moments. The graphs were plotted for two different grades of steel based on manual calculations. The excel sheets were then prepared to generalize the Pu-Mu graphs for different sizes of the column, area and arrangement of reinforcement, the grade of concrete and steel, length of the column and end condition. The validation of the procedure was done by correlating the results of the analysis with the existing interaction diagrams provided in design aids SP-16.



COMPARATIVE ANALYSIS OF R.C.C. AND PRESTRESS GIRDER

IN ACCORDANCE WITH AS 3600 : 2018;
& IN ACCORDANCE WITH
I.S. 456 : 2000 AND I.S. 1343 : 2012





The R.C.C. and prestressed girder were analysed for same loading and support condition to compare the practical attributes of both the girders. The girders were analysed, sized and designed. For the prestressed girder, the cable profile and its configuration were decided based on the calculated prestress force required after incorporating all the prestress losses.

SITE VISTS

For better apprehension of prestress technology and its process three site visits were made one being Rang-Setu bridge near Dabhoi, Gujarat which was being externally pre-stressed for re-strengthening, while another site was of a hotel being constructed over Gandhinagar railway station which consisted pre-stressed beams and at last a multi-storey building in GIFT city which had pre-stressed flat slabs.

Cable Profile





CASE STUDY OF PRECAST CONCRETE STRUCTURES

The case study involved construction site training at the Udgam School, a precast concrete structure and casting yard of box girders where the site observation comprising of study of casting and erection procedure and various connections and joints in the precast building members was diligently carried out. Various precast structure failures were understood by making more than 15 small scale models. This extensive study culminated into a comprehensive report.

F I N A L Y E A R P R O J E C T

ANALYSIS AND DESIGN OF TALL R.C. CHIMNEY

IN ACCORDANCE WITH I.S. 4998 : 2015, I.S. 875 : 2015
(PART I AND III) AND I.S. 1893 : 2016 (PART IV)

The project comprised of a live case study and a parametric study. The R.C. chimney is analysed and designed based on the given specifications for the live case. The parametric study is carried to infer the plausible criteria for analysis and design.

ABSTRACT:

https://drive.google.com/file/d/1lmlwT2q_KWsou7B4W18v_mpMykOupOKT/view?usp=sharing



ANALYSIS, DESIGN & DETAILING OF STEEL STRUCTURE




IN ACCORDANCE WITH AS 4100:2020, AS 1170.0-4: 2011

The project was initialized by acquiring the architectural plans and developing a suitable structural layout. Based on the data provided, the loads to be considered for analysis and design were determined.

There were two components of the structure designed first the building and second the access footbridge. Sequential analysis of components was carried out manually first and then using Microstran. The designs were done following the guidelines given in AS 4100:2020. Microsoft Excel was used extensively to aid in the process.


Design Reports:

<https://drive.google.com/drive/folders/1-4qh70U3dWBZvc3vQjcixmWR4ezEM9sr?usp=sharing>



Learning Attempt


PARAMETRIC MODELLING OF JIUZHOU STRUCTURAL DIAGRID CANOPY



Learning Attempt

PARAMETRIC MODELLING OF JIUZHOU STRUCTURAL DIAGRID CANOPY


GRASSHOPPER SCRIPT




CALLIGRAPHY



Calligraphy Board



CALLIGRAPHY



Calligraphy Board