
```
In [1]: import matplotlib.pyplot as plt
                 import pandas as pd
                 import numpy as np
In [2]: # Load the Excel file
                 input_file = "datasets/StudentGradesAndPrograms.xlsx"
                 output_file = "formatting_file.csv"
                 # Read the CSV file
                 df = pd.read_excel(input_file)
                 # Save it as a CSV
                 df.to_csv(output_file, index=False)
                 print(f"File successfully converted to {output_file}")
                 dataset = pd.read_csv(output_file, header=1, names=["schoolyear", "gradeLevel", "classPeriod", "classType", "schoolNa
              File successfully converted to formatting_file.csv
              Chiebhed by the Chiebhed Chieb
              cify dtype option on import or set low_memory=False.
                  dataset = pd.read_csv(output_file, header=1, names=["schoolyear", "gradeLevel", "classPeriod", "classType", "school
              Name", "gradePercentage", "avid", "sped", "migrant", "ell", "student_ID"])
In [3]: """
                 - How does the average grade percentage vary across different class types (e.g., ENG, MAT, SCI, SOC)?
                 # Group by classType and calculate the average gradePercentage
                 average_grades = dataset.groupby('classType')['gradePercentage'].mean()
                 print(average_grades)
                 # Format the numbers to 2 d.p. with a % symbol
                 average_grades_percent = average_grades.map("{:.2f}%".format)
                 with open('average_grade_percent.txt', 'w', encoding='utf-8') as outfile:
                         outfile.write(average_grades_percent.to_string(index=False, header=True))
                         outfile.close()
                 # Visualization
                 average_grades.plot(kind='bar', color='skyblue', figsize=(8, 5))
                 plt.title('Average Grade Percentage by Class Type')
                 plt.xlabel('Class Type')
                 plt.ylabel('Average Grade Percentage (%)')
                 plt.xticks(rotation=0)
                 plt.show()
              classType
              ART
                           92.287365
                            81.220496
              FIF
                           75.919145
              FNG
                           83.859245
              TN
              MAT
                           76.814344
              MS
                           71.890156
              MUS
                            91.892338
              PF
                            93.333645
              SCI
                            78.609556
              SOC
                            80.377539
              Name: gradePercentage, dtype: float64
```

79.44%


Name: gradePercentage, dtype: object

Average Grade Percentage by Class Type




```
In [4]:
        - How do grade percentages differ for English learners (ell = Y) versus non-English learners?
        .....
        # Calculate average grade percentages for ELL and non-ELL students
        ell_comparison = df.groupby('ell')['gradePercentage'].mean()
        # Format the numbers to 2 d.p. with a % symbol
        ell_comparison_percent = ell_comparison.map("{:.2f}%".format)
        print(ell_comparison_percent)
        with open('average_grade_ell_and_non_ell.txt', 'w', encoding='utf-8') as ellfile:
            ellfile.write(ell_comparison_percent.to_string(index=False, header=True))
            ellfile.close()
        # The Bar chart will help us visually compare the performance of English learners and non-English learners.
        ell_comparison.plot(kind='bar', color=['skyblue', 'orange'], figsize=(8, 6))
        plt.title('Grade Percentage Comparison: ELL vs Non-ELL Students', fontsize=14)
        plt.xlabel('ELL Status (Y/N)', fontsize=12)
        plt.ylabel('Average Grade Percentage', fontsize=12)
        plt.xticks(rotation=0)
        plt.grid(axis='y', linestyle='--', alpha=0.7)
        plt.show()
       ell
            81.38%
       N
```

Grade Percentage Comparison: ELL vs Non-ELL Students




```
....
In [5]:
        - Is there a performance gap between migrant students (migrant = Y) and non-migrant students (migrant = N)?
        ....
        # Extract data for migrant and non-migrant students
        migrant_grades = dataset[dataset['migrant'] == 'Y']['gradePercentage']
        non_migrant_grades = dataset[dataset['migrant'] == 'N']['gradePercentage']
        # Histogram
        plt.figure(figsize=(8, 6))
        plt.hist(non_migrant grades, bins=10, alpha=0.6, label='Non-Migrant (N)', color='lightskyblue', edgecolor='black')
        plt.hist(migrant_grades, bins=10, alpha=0.6, label='Migrant (Y)', color='lightsalmon', edgecolor='black')
        # Customize the Histogram
        plt.title('Distribution of Grades for Migrant vs Non-Migrant Students', fontsize=14)
        plt.xlabel('Grade Percentage', fontsize=12)
        plt.ylabel('Frequency', fontsize=12)
        plt.legend(fontsize=10)
        plt.grid(axis='y', linestyle='--', alpha=0.7)
        # Show the Histogram
        plt.show()
```



```
0.00
In [6]:
        - Which grade level performs better overall?
        0.00
        # Calculate the average grade percentage for each grade level
        average_grades_level = dataset.groupby('gradeLevel')['gradePercentage'].mean().reset_index()
        # Bar Chart
        plt.figure(figsize=(10, 6))
        plt.bar(average_grades_level['gradeLevel'], average_grades_level['gradePercentage'], color='skyblue', edgecolor='black'
        # Customize the Bar Chart
        plt.title('Average Grade Percentage by Grade Level', fontsize=14)
        plt.xlabel('Grade Level', fontsize=12)
        plt.ylabel('Average Grade Percentage', fontsize=12)
        plt.xticks(ticks=average_grades_level['gradeLevel'], fontsize=10)
        plt.grid(axis='y', linestyle='--', alpha=0.7)
        # Show the Bar Chart
        plt.show()
```

Average Grade Percentage by Grade Level



```
....
In [7]:
        - Do students who participate in the AVID program (avid = Y) perform better than non-participants?
        .....
        # Calculate average grades for AVID participants and non-participants
        avid_avg = dataset.groupby('avid')['gradePercentage'].mean().reset_index()
        # Bar Chart for Average Grades
        plt.figure(figsize=(8, 6))
        plt.bar(avid_avg['avid'], avid_avg['gradePercentage'], color=['skyblue', 'lightgreen'], edgecolor='black')
        # Customize Bar Chart
        plt.title('Average Grade Percentage: AVID Participants vs Non-Participants', fontsize=14)
        plt.xlabel('AVID Participation (Y/N)', fontsize=12)
        plt.ylabel('Average Grade Percentage', fontsize=12)
        plt.xticks(fontsize=10)
        plt.grid(axis='y', linestyle='--', alpha=0.7)
        # Show Bar Chart
        plt.show()
```



