1. Add a "tooltip" to the paragraph below with the text "Python Web Development in Hindi".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<p>Python Web Development in Hindi</p>
</body>
</html>
```

*************Answer Is********************

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<h1 id="tooltip">tooltip</h1>
<p>Python Web Development in Hindi</p>
<a href="#tooltip" position="absolute" top="100%">above</a>
<!--<a href="#tooltip" position="absolute" below="50%">below</a>
<a href="#tooltip" position="absolute" left="50%">left</a>
<a href="#tooltip" position="absolute" right="100%">right</a>-->
</body>
</html>
```

2. In the form below, add an input field with the type "button" and the value "OK".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<form>
   <input type="button" value="ok">

</form>

</body>
</html>
```

3. Inside a form tag, add two radio buttons, both with the name

"programming_language".

```html
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<form>
   <table>
      <tr>
         <td>
            Python:
         </td>
      </tr>
   </table>
   <input type="radio" name="programming_language">yes
   <input type="radio" name="programming_language">no
</form>
</body>
</html>
```

4. Inside a form tag, add an empty drop down list with the name "food_menu".

```html
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<form>
   <!----<table>
      <tr>
         <td>
            Food Menu:
         </td>
      </tr>
   </table>-->
   <div>
      <lable>Food Menu:</lable>
   <select>
      <option> </option>
   </select>
   </div>
</form>
</body>
</html>
```

5. Inside a form tag, add a text area with the name "note".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<form>
   <table>
      <tr>
        <tr>
           <td>
              Notes:
           </td>
         <td>
            <textarea>write here what you want </textarea>
         </td>
       </tr>
    </table>
</form>
</body>
</html>
```

6. Inside a form tag, add a submit button with the value "Submit Form".

```
<!DOCTYPE html>
<html>
<head>
<title>HTML Page</title>
</head>
<body>
<form>
   <table>
       <tr>

       <td>
          <input type="button" value="Submit Form">
       </td>
      </tr>
   </table>
</form>
</body>
</html>
```

7. Disable the input field below.

Untitled 2
```
<form action="/register">
<input type="text">
```

```
</form>
```

********** Answer **************

Untitled 2
```
<form action="/register">
<!--<input type="text">-->
</form>
```


8. Restrict the maximum number of characters allowed in the input field to 10.
Note: You should not include any Javascript

```
<form action="/register">
<input type="text">
</form>
```


****** Answer **************

```
<form action="/register">
   <input type="text"  maxlength="10">
</form>
```


9. Inside form tag, add an input field that accepts only .png files.

```
<!DOCTYPE html>
<html>
   <head>
     <body>
       <form>
        <div>
          <lable>Upload png Type File:</lable>
            <input type="file" name="image" accept=".png"/>
        </div>
        </form>
     </body>
   </head>
</html>
```


10. Add a table row with two table headers. The two table headers should have the
value "Index" and "Topic".


```
<!DOCTYPE html>
<html>
   <head>
     <body>
        <h3>Html Table</h3>
        <table>
```

```html
        <thead>
          <tr>
            <th>Index</th>
            <th>Topic</th>
          </tr>
        </thead>
        <tbody>
          <tr>
            <td>1</td>
            <td>Python</td>
          </tr>
          <tr>
            <td>2</td>
            <td>Javascript</td>
          </tr>
          <tr>
            <td>3</td>
            <td>Rust</td>
          </tr>
          <tr>
            <td>4</td>
            <td>Matlab</td>
          </tr>
        </tbody>
      </table>
    </body>
  </head>
</html>
```