

Git Exercises

Exercise:

Insert the missing part of the command to check which version of Git (if any) is installed.

```
git --version
```

[Show Answer](#)[Submit Answer >](#)

Exercise:

Initialize Git on the current folder:

```
git init
```

[Show Answer](#)[Submit Answer >](#)

Exercise:

Set the user name for the current repository to "w3schools-test":

```
git config user.name "w3schools-test"
```

Check the status of the Git:

```
git status|
```

Add `index.html` to the Staging Enviornment:

```
git add index.html
```

Stage all new, modified, and deleted files. Use the shorthand command:

```
git add -A
```

Commit the changes to the current repository with the message "First release!"

```
git commit -m "First release!"
```

Check the compact version of the status for repository:

```
git status --short
```

Commit the updated files directly, skipping the staging environment:

```
git commit -a -m "New line added"
```

View the history of commits for the repository:

```
git log
```

Show the possible options for the `status` command in command line:

```
git status -help|
```

Show all git possible commands in command line:

```
git help --all
```

Create a new branch called `hello-world-images` :

```
git branch hello-world-images
```

List the existing branches:

```
git branch|
```

Move to the `hello-world-images` branch:

```
git checkout hello-world-images
```

Create, and move to a new `branch` with the name `hello-you`:

```
git checkout -b hello-you
```

Merge the `hello-you` branch with the current branch:

```
git merge hello-you
```

Remove the `hello-you` branch from the local repository:

```
git branch -d hello-you
```

Add a `remote` repository as an `origin` :

```
git remote add origin https://github.com/x/y.git
```

Exercise:

`pull` is a combination of:

```
fetch and then merge
```

Exercise:

Get all the change history of the origin for this branch:

```
git fetch origin
```

Exercise:

Merge the current branch with the branch master, on origin:

```
git merge origin/master
```

Exercise:

Update the current branch from its origin using a single command:

```
git pull origin
```

Exercise:

push the current branch to its default remote origin:

```
git push origin|
```

List all local and remote branches of the current Git.

```
git branch -a
```

Exercise:

List only remote branches of the current Git.

```
git branch -r
```


Exercise:

Clone the repository: `https://abc.com/x/y.git` to your local Git:

```
git clone https://abc.com/x/y.git
```

Exercise:

Clone the repository `https://abc.com/x/y.git` to a folder named "newlife":

```
git clone https://abc.com/x/y.git newlife
```

Exercise:

Rename the `origin` remote to `upstream`:

```
git remote rename origin upstream
```

Exercise:

In `.gitignore` add a line to ignore all `.temp` files:

```
*|.temp
```

Exercise:

In `.gitignore` add a line to ignore all files in any directory named `temp`:

```
temp/|
```

Exercise:

In `.gitignore` add a single line to ignore all files named `temp1.log`, `temp2.log`, and `temp3.log`:

```
temp*.log
```

Exercise:

In `.gitignore` add a single line to ignore all files named `temp1.log`, `temp2.log`, and `temp3.log`:

```
temp?.log
```

Exercise:

In `.gitignore`, ignore all `.log` files, except `main.log`:

```
*.log  
!main.log
```

Exercise:

Show the `log` of the repository, showing just 1 line per `commit`:

```
git log --oneline
```

Exercise:

revert the latest commit :

```
git revert HEAD|
```

Exercise:

revert the latest commit , skipping the commit message editor:

```
git revert HEAD --no-edit
```

Exercise:

revert the two last commits:

```
git revert HEAD~1|
```

Exercise:

reset to the commit with the hash abc1234 :

```
git reset abc1234
```

Exercise:

Amend the previous commit to with the message "Updated index" :

```
git commit --amend "Updated index"
```

Git Quiz

Result:

25 of 25

100%

Perfect!!!