

# Shengzhen RERVISION Technology GO., LTD

## A33 Main Board Schmatic V1.3

### INDEX

P01: INDEX

P02: NET

P03: USB

P04: LCD/SENSOR





P05: WIFI/BT

P06: AUDIO/KEY

P07: T-CARD/UART





P08: CONNECT


P09: PWOER/TESTPOINT




# RERVISION

Title			A33 Main Board:NET		
Size	Document Number	Rev			
A3	824-121955-0002	P1			
Date:	Monday, March 05, 2012	Sheet	2	of	9







GSENSOR



LCD CONNECT



LCD JACK & CTP JACK





Resistor CTP IC

RERVISION


Title		
A33 Main Board:LCD/GSENSOR		
Size	Document Number	Rev
A3	824-121955-0002	P1
Date:	Monday, March 05, 2012	Sheet 4 of 9

Note:  
AP6210£Monut A+C+D+E£NC B  
AP6181£Mount B+E£NC A+C+D




# RERVISION


Title		
A33 Main Board:WIFI/BT		
Size	Document Number	Rev
A3	824-121955-0002	P1
Date:	Monday, March 05, 2012	Sheet 5 of 9




EARPHONE JACK




KEY




MIC




TF-CARD



UART




CONNECT TO CORE 1~50 PIN




CONNECT TO CORE 50~100 PIN







DCIN\_5V



TESTPOINT AND MARK



IO CONNECT



Indicator light and RTC battery