

Cucumber Report

Sep 15, 2024, 8:13:49 PM

Start : Sep 15, 8:13:40.574 PM

End : Sep 15, 8:13:48.183 PM

Duration : 7.609 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 3
FAILED - 5
SKIPPED - 0

PASSED - 18
FAILED - 5
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Booking Endpoints in RestfulBooker API</u>	7.609 s	8	3	5	0	23	18	5	0

#	Feature Name	Scenario Name
1	<u>Booking Endpoints in RestfulBooker API</u>	<u>Create a new booking with incomplete data</u>
2		<u>Create a new booking with incomplete data</u>
3		<u>Create a new booking with incomplete data</u>
4		<u>Create a new booking with incomplete data</u>
5		<u>Create a new booking with invalid data</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Booking Endpoints in RestfulBooker API</u>	8	3	5	0	7.609 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Booking Endpoints in RestfulBooker API</u>	<u>Get a booking by an existing id</u>	3	3	0	0	3.069 s
2		<u>Get a booking by a non existing id</u>	2	2	0	0	0.610 s
3		<u>Create a new booking with valid data</u>	3	3	0	0	0.818 s
4		<u>Create a new booking with incomplete data</u>	3	2	1	0	0.638 s
5		<u>Create a new booking with incomplete data</u>	3	2	1	0	0.611 s
6		<u>Create a new booking with incomplete data</u>	3	2	1	0	0.602 s
7		<u>Create a new booking with incomplete data</u>	3	2	1	0	0.605 s
8		<u>Create a new booking with invalid data</u>	3	2	1	0	0.611 s

Booking Endpoints in RestfulBooker API



FAILED	DURATION - 7.609 s	Scenarios		Steps	
/ 8:13:40.574 PM // 8:13:48.183 PM /		Total - 8		Total - 23	
		Pass - 3		Pass - 18	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 0	

Get a booking by an existing id

<div>PASSED</div>	<div>DURATION - 3.069 s</div>	<div></div>	Steps	<div></div>
<div>/ 8:13:40.579 PM // 8:13:43.648 PM /</div>			Total - 3	
<div>Booking Endpoints in RestfulBooker API</div>			Pass - 3	
			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given I send a GET request to the booking endpoint with the id "1"	PASSED	2.432 s
2	Then I should get a 200 response	PASSED	0.026 s
3	And The response should contain all booking fields	PASSED	0.590 s

Get a booking by a non existing id

<div>PASSED</div>	<div>DURATION - 0.610 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:13:43.655 PM // 8:13:44.265 PM /</div>				
<div>Booking Endpoints in RestfulBooker API</div>				



#	Step / Hook Details	Status	Duration
1	Given I send a GET request to the booking endpoint with the id "wrong"	PASSED	0.610 s
2	Then I should get a 404 response	PASSED	0.000 s

Create a new booking with valid data

PASSED	DURATION - 0.818 s		<div>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</div> <div></div>
/ 8:13:44.271 PM // 8:13:45.089 PM /			
Booking Endpoints in RestfulBooker API			

#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking	PASSED	0.175 s
	2024-01-01 2024-01-05 Marcos Campero true 456 breakfast		
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.640 s
3	Then I should get a 200 response	PASSED	0.002 s

Create a new booking with incomplete data

FAILED		DURATION - 0.638 s			<div>Steps Total - 3 Pass - 2 Fail - 1 Skip - 0</div> <div></div>
/ 8:13:45.094 PM // 8:13:45.732 PM /					
Booking Endpoints in RestfulBooker API					

#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking	PASSED	0.004 s
	2024-01-01 2024-01-05 Campero true 456 breakfast		
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.607 s
3	Then I should get a 400 response	FAILED	0.025 s



#	Step / Hook Details	Status	Duration
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:76) at ?I should get a 400 response(file:///C:/Giuliana/UPB/certi%20TP3_RestAssured_Bookings/src/test/resources/Booking.feature:25) * Not displayable characters are replaced by '?'. </pre>		

Create a new booking with incomplete data

<div>FAILED</div> <div>DURATION - 0.611 s</div>		<div><table><caption>Step Duration Data</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>~0.05</td></tr><tr><td>2</td><td>~0.611</td></tr><tr><td>3</td><td>~0.05</td></tr></tbody></table></div>	Step	Duration (s)	1	~0.05	2	~0.611	3	~0.05	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)											
1	~0.05											
2	~0.611											
3	~0.05											
<div>/ 8:13:45.744 PM // 8:13:46.355 PM /</div>												
<div>Booking Endpoints in RestfulBooker API</div>												



#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking <div>2024-01-01</div> <div>Marcos</div> <div>Campero</div> <div>true</div> <div>456</div> <div>breakfast</div>	PASSED	0.004 s
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.606 s
3	Then I should get a 400 response <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:76) at ?.I should get a 400 response(file:///C:/Giuliana/UPB/certi%202/TP3_RestAssured_Bookings/src/test/resources/Booking.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

Create a new booking with incomplete data

<div>FAILED</div> <div>DURATION - 0.602 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 8:13:46.359 PM // 8:13:46.961 PM /				
Booking Endpoints in RestfulBooker API				

#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking <div>2024-01-01 2024-01-05 Marcos Campero 456 breakfast</div>	PASSED	0.003 s
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.596 s
3	Then I should get a 400 response <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:76) at ?.I should get a 400 response(file:///C:/Giuliana/UPB/certi%20TP3_RestAssured_Bookings/src/test/resources/Booking.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.002 s

Create a new booking with incomplete data

<div><div>FAILED</div><div>DURATION - 0.605 s</div></div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 8:13:46.964 PM // 8:13:47.569 PM /				
Booking Endpoints in RestfulBooker API				

#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking 2024-01-01 2024-01-05 Marcos Campero true breakfast	PASSED	0.003 s
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.600 s
3	Then I should get a 400 response <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:76)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at ?.I should get a 400 response(file:///C:/Giuliana/UPB/certi%20/TP3_RestAssured_Bookings/src/test/resources/Booking.feature:25) * Not displayable characters are replaced by '?'.		

Create a new booking with invalid data

FAILED DURATION - 0.611 s / 8:13:47.572 PM // 8:13:48.183 PM / Booking Endpoints in RestfulBooker API		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I have the following data to create a new booking with invalid data types 2024-01-01 2024-01-05 Marcos Campero 156 true breakfast	PASSED	0.004 s
2	When I send a POST request to the booking endpoint with the payload	PASSED	0.604 s
3	Then I should get a 400 response java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.BookingSteps.verifyStatusCode(BookingSteps.java:76) at ?.I should get a 400 response(file:///C:/Giuliana/UPB/certi%202/TP3_RestAssured_Bookings/src/test/resources/Booking.feature:37)</pre> <p>* Not displayable characters are replaced by '?'. </p>		