Sequence diagrams


D. Paredes, G. Pastori, D. Prenga, S. Rampini

a.a 2025-2026

Indice dei sequence diagrams:


Join game / Lobby ……3
Place totem ……4
Take card ……5
Post round phase ..……6
Reconnection ..……...8

Join Game / Lobby




A player joins a game session or reconnects to an existing one. The LobbyServer checks whether the nickname belongs to an active session and either starts the reconnection workflow or validates the nickname for a new player. A new SocketClientHandler is then created and registered in the GameSession, which broadcasts the updated lobby state. When the required number of players is reached, the GameSession creates the GameController, registers itself as a listener, and starts the game. The Game publishes a RoundStarted event, which is propagated to the GameSession. Finally, a ROUND_STARTED message is broadcast to all players.

Place Totem




A player places a totem on a board tile. The Game validates turn ownership and tile availability, returning a ValidationResult.Fail and an ERROR message if the move is invalid. On success, a TotemPlaced event is published and translated into a TOTEM_PLACED broadcast. When all players have placed their totems, the Game starts the action phase and broadcasts CARD_SLOT_READY.

Take card




A player sends a TakeCardAction to acquire a card. If the player lacks the required resources, the Game publishes a CardAcquisitionFailed event and the GameSession broadcasts CARD_ACQUISITION_FAILED while returning an error. On success, a CardAcquired event is published and broadcast to all players. The occupied slot is consumed, generating either CARD_SLOT_READY or TOTEM_RETURNED, and the action concludes with ValidationResult.Ok.

Post-Round Phase



The post-round phase occurs after all action tiles have been resolved. If at least one player owns a building with a post-round ability, the Game enters the phase and publishes a PostRoundStarted event. The GameSession receives the notification and broadcasts POST_ROUND_STARTED to all participants. Players then submit PostRoundAction messages, optionally selecting a card granted by special buildings such as the Watchtower. Whenever a card is selected, the Game publishes a CardAcquired event that is immediately broadcast to every client. Once all eligible players have completed their choices, the Game executes endRound(), resolving all pending board events and publishing EventResolved notifications. If an era transition occurs, an EraChanged event is also emitted. Finally, the round ends with a RoundEnded event and the game either starts a new round by publishing RoundStarted or terminates by publishing GameEnded.

Reconnection



The system restores a disconnected player during an ongoing match. A new SocketClientHandler is created and started before the reconnection procedure begins. The GameSession replaces the old connection, updates its internal structures, and marks the player as reconnected in the Game model. A PLAYER_RECONNECTED notification is sent to the reconnecting client and broadcast to all players. If the game was suspended, a resume notification is also broadcast. Finally, the GameSession synchronizes the current game state and replays the active prompt. Depending on the game status, this synchronization is either broadcast to all players or sent only to the reconnecting client.